

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Alliance Technical Group, LLC - Newark

Project: NJ Soil PT

Client Sample ID: HW1025-PT-NUT-SOIL

Lab Sample ID: Q3483-07

Date Collected: 10/27/25 10:00

Date Received: 10/29/25 SDG No.: Q3483

Matrix: SOIL % Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	1340	OR	1	2.20	5.00	mg/Kg	11/10/25 15:00	11/11/25 12:18	SM 4500-NH3 B plus G-21
Phosphorus, Total	165	OR	1	0.29	2.50	mg/Kg	11/21/25 10:20	11/21/25 13:42	365.3
TKN	1550	OR	1	9.40	25.0	mg/Kg	11/11/25 08:10	11/12/25 12:05	SM4500-N Org C-21 plus NH3 B plus G-21
TOC	14300	OR	1	28.9	250	mg/Kg		11/20/25 11:34	9060A

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits