

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110425\
Data File : FB032289.D
Signal(s) : FID2B.CH
Acq On : 4 Nov 2025 10:37
Sample : BSF1104S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102725.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.548	4.894	BV	14019	1031208	77.76%	13.685%
2	7.423	7.123	7.631	PV	13813	1179600	88.95%	15.655%
3	7.755	7.631	7.825	VV	7010	388245	29.28%	5.152%
4	7.894	7.825	8.225	VV	8267	451514	34.05%	5.992%
5	8.796	8.653	9.071	PV	8222	469011	35.37%	6.224%
6	10.624	10.507	10.944	VV	26547	1326087	100.00%	17.599%
7	13.060	12.857	13.120	PV	8594	394041	29.71%	5.229%
8	13.193	13.120	13.399	VV	17189	833832	62.88%	11.066%
9	13.920	13.806	14.067	BV	16516	793133	59.81%	10.526%
10	16.196	15.982	16.309	VV	15371	668532	50.41%	8.872%

Sum of corrected areas: 7535203

FB102725.M Tue Nov 04 23:15:06 2025