

Surrogate Summary

SW-846

SDG No.: Q3483

Client: Alliance Technical Group, LLC - Newark

Analytical Method: 8270-Modified

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%)	
							Low	High
PB170590BL	PB170590BL	2-Methylnaphthalene-d10	0.4	0.32	81		17	161
		Fluoranthene-d10	0.4	0.36	91		23	138
		Nitrobenzene-d5	0.4	0.35	88		33	121
		2-Fluorobiphenyl	0.4	0.37	92		32	121
		Terphenyl-d14	0.4	0.38	94		21	130
PB170590BS	PB170590BS	2-Methylnaphthalene-d10	0.4	0.38	94		17	161
		Fluoranthene-d10	0.4	0.44	109		23	138
		Nitrobenzene-d5	0.4	0.43	106		33	121
		2-Fluorobiphenyl	0.4	0.49	122	*	32	121
		Terphenyl-d14	0.4	0.37	92		21	130
Q3483-13	HW1025-PT-PAH-SOIL	2-Methylnaphthalene-d10	0.4	0.31	78		17	161
		Fluoranthene-d10	0.4	0.38	95		23	138
		Nitrobenzene-d5	0.4	0.33	81		33	121
		2-Fluorobiphenyl	0.4	0.36	91		32	121
		Terphenyl-d14	0.4	0.45	111		21	130
Q3483-13DL	HW1025-PT-PAH-SOILDL	2-Methylnaphthalene-d10	0.4	0.30	75		17	161
		Fluoranthene-d10	0.4	0.37	93		23	138
		Nitrobenzene-d5	0.4	0.34	85		33	121
		2-Fluorobiphenyl	0.4	0.52	130	*	32	121
		Terphenyl-d14	0.4	0.75	188	*	21	130
Q3618-02MS	EME-GENERAL-FILLMS	2-Methylnaphthalene-d10	0.4	0.33	83		17	161
		Fluoranthene-d10	0.4	0.31	78		23	138
		Nitrobenzene-d5	0.4	0.34	85		33	121
		2-Fluorobiphenyl	0.4	0.37	91		32	121
		Terphenyl-d14	0.4	0.34	85		21	130
Q3618-02MSD	EME-GENERAL-FILLMSD	2-Methylnaphthalene-d10	0.4	0.36	90		17	161
		Fluoranthene-d10	0.4	0.33	83		23	138
		Nitrobenzene-d5	0.4	0.37	91		33	121
		2-Fluorobiphenyl	0.4	0.39	97		32	121
		Terphenyl-d14	0.4	0.37	92		21	130