

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: PSEG

Project: PSEG - Moorestown HQ Client Sample ID: MOO-25-0311-0313

Lab Sample ID: Q3488-07

Date Collected: 10/29/25 09:10

Date Received: 10/29/25 SDG No.: Q3488 Matrix: SOIL

% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.04	Н	1	0	0	pН		10/30/25 12:10	9045D
Ignitability	NO		1	0	0	oC		10/31/25 11:07	1030
Reactive Cyanide	0.0084	J	1	0.0084	0.050	mg/Kg	10/30/25 10:15	10/30/25 13:25	
Reactive Sulfide	1.60	J	1	0.20	10.0	mg/Kg	10/30/25 09:15	10/30/25 13:33	9034

Comments: pH result reported at temperature 22.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits