

Report of Analysis

Client:	PSEG	Date Collected:	10/29/25
Project:	PSEG - Moorestown HQ	Date Received:	10/29/25
Client Sample ID:	MOO-25-0299	SDG No.:	Q3488
Lab Sample ID:	Q3488-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.2
Sample Wt/Vol:	5.07 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	10/30/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	22400		200	1480	2510	mg/kg	FE056609.D	10/31/25 13:58	PB170326
Aliphatic C9-C28	Aliphatic C9-C28	69300		200	1140	5020	mg/kg	FE056609.D	10/31/25 13:58	PB170326
Total AliphaticEPH	Total AliphaticEPH	91700			2620	7540	mg/kg			
Total EPH	Total EPH	91700			2620	7540	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	10/29/25
Project:	PSEG - Moorestown HQ	Date Received:	10/29/25
Client Sample ID:	MOO-25-0299	SDG No.:	Q3488
Lab Sample ID:	Q3488-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.2
Sample Wt/Vol:	5.07 g	Final Vol:	2000 uL
Prep Method :		Prep Date	10/30/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	66500	E	10	57.2	251	mg/kg	10/30/25	PB170326
Aliphatic C28-C40	Aliphatic C28-C40	20800	E	10	74.1	125	mg/kg	10/30/25	PB170326
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	0.00			40 - 140	0%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	0.00			40 - 140	0%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3488-02	Acq On:	30 Oct 2025 21:30
Client Sample ID:	MOO-25-0299	Operator:	YP\AJ
Data file:	FE056596.D	Misc:	
Instrument:	FID_E	ALS Vial:	30
Dilution Factor:	10	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.232	6.857	1742103	10.178	300	ug/ml
Aliphatic C12-C16	6.858	10.306	11504856	64.361	200	ug/ml
Aliphatic C16-C21	10.307	13.683	334338853	1790	300	ug/ml
Aliphatic C21-C28	13.684	17.354	2702937431	14000	400	ug/ml
Aliphatic C28-C40	17.355	22.310	789467269	4960	600	ug/ml
Aliphatic EPH	3.232	22.310	3839990512	20800		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	0.000	0.000	0	0		ug/ml
Aliphatic C9-C28	3.232	17.354	3050523243	15900	1200	ug/ml