

Report of Analysis

Client: G Environmental
Project: Communipaw
Client Sample ID: PB170346BSD
Lab Sample ID: PB170346BSD
Analytical Method: 8270E Level: LOW
Sample Wt/Vol: 1000 mL Final Vol: 1000 uL
Prep Method : 3510C Prep Date: 10/31/25

Date Collected:
Date Received:
SDG No.: Q3494
Matrix: Water
% Solid: 0
Test: SVOCMS Group2

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
100-52-7	Benzaldehyde	31.6		1	3.90	10.0	ug/L	11/03/25 14:44	PB170346
111-44-4	bis(2-Chloroethyl)ether	39.6		1	0.81	5.00	ug/L	11/03/25 14:44	PB170346
108-60-1	2,2-oxybis(1-Chloropropane)	40.0		1	1.30	5.00	ug/L	11/03/25 14:44	PB170346
98-86-2	Acetophenone	44.9		1	0.74	5.00	ug/L	11/03/25 14:44	PB170346
621-64-7	n-Nitroso-di-n-propylamine	42.1		1	1.40	2.50	ug/L	11/03/25 14:44	PB170346
67-72-1	Hexachloroethane	41.1		1	0.65	5.00	ug/L	11/03/25 14:44	PB170346
98-95-3	Nitrobenzene	42.5		1	0.76	5.00	ug/L	11/03/25 14:44	PB170346
78-59-1	Isophorone	41.5		1	0.75	5.00	ug/L	11/03/25 14:44	PB170346
111-91-1	bis(2-Chloroethoxy)methane	41.9		1	0.68	5.00	ug/L	11/03/25 14:44	PB170346
91-20-3	Naphthalene	40.3		1	0.50	5.00	ug/L	11/03/25 14:44	PB170346
106-47-8	4-Chloroaniline	25.1		1	0.84	5.00	ug/L	11/03/25 14:44	PB170346
87-68-3	Hexachlorobutadiene	39.7		1	0.54	5.00	ug/L	11/03/25 14:44	PB170346
105-60-2	Caprolactam	43.5		1	1.10	10.0	ug/L	11/03/25 14:44	PB170346
91-57-6	2-Methylnaphthalene	37.4		1	0.56	5.00	ug/L	11/03/25 14:44	PB170346
77-47-4	Hexachlorocyclopentadiene	120	E	1	3.60	10.0	ug/L	11/03/25 14:44	PB170346
92-52-4	1,1-Biphenyl	45.4		1	0.53	5.00	ug/L	11/03/25 14:44	PB170346
91-58-7	2-Chloronaphthalene	40.6		1	0.61	5.00	ug/L	11/03/25 14:44	PB170346
88-74-4	2-Nitroaniline	44.1		1	1.30	5.00	ug/L	11/03/25 14:44	PB170346
131-11-3	Dimethylphthalate	42.9		1	0.61	5.00	ug/L	11/03/25 14:44	PB170346
208-96-8	Acenaphthylene	47.2		1	0.75	5.00	ug/L	11/03/25 14:44	PB170346
606-20-2	2,6-Dinitrotoluene	47.3		1	0.92	5.00	ug/L	11/03/25 14:44	PB170346
99-09-2	3-Nitroaniline	33.4		1	1.10	5.00	ug/L	11/03/25 14:44	PB170346
83-32-9	Acenaphthene	39.6		1	0.55	5.00	ug/L	11/03/25 14:44	PB170346
132-64-9	Dibenzofuran	40.3		1	0.61	5.00	ug/L	11/03/25 14:44	PB170346
121-14-2	2,4-Dinitrotoluene	46.2		1	1.20	5.00	ug/L	11/03/25 14:44	PB170346
84-66-2	Diethylphthalate	43.1		1	0.69	5.00	ug/L	11/03/25 14:44	PB170346
7005-72-3	4-Chlorophenyl-phenylether	39.6		1	0.68	5.00	ug/L	11/03/25 14:44	PB170346
86-73-7	Fluorene	40.9		1	0.63	5.00	ug/L	11/03/25 14:44	PB170346
100-01-6	4-Nitroaniline	44.9		1	1.50	5.00	ug/L	11/03/25 14:44	PB170346
86-30-6	n-Nitrosodiphenylamine	43.3		1	0.58	5.00	ug/L	11/03/25 14:44	PB170346
101-55-3	4-Bromophenyl-phenylether	42.0		1	0.40	5.00	ug/L	11/03/25 14:44	PB170346
118-74-1	Hexachlorobenzene	41.0		1	0.52	5.00	ug/L	11/03/25 14:44	PB170346
1912-24-9	Atrazine	46.9		1	1.00	5.00	ug/L	11/03/25 14:44	PB170346
85-01-8	Phenanthrene	40.5		1	0.50	5.00	ug/L	11/03/25 14:44	PB170346
120-12-7	Anthracene	42.3		1	0.61	5.00	ug/L	11/03/25 14:44	PB170346
86-74-8	Carbazole	42.4		1	0.72	5.00	ug/L	11/03/25 14:44	PB170346
84-74-2	Di-n-butylphthalate	44.5		1	1.20	5.00	ug/L	11/03/25 14:44	PB170346
206-44-0	Fluoranthene	41.0		1	0.82	5.00	ug/L	11/03/25 14:44	PB170346
129-00-0	Pyrene	42.8		1	0.50	5.00	ug/L	11/03/25 14:44	PB170346
85-68-7	Butylbenzylphthalate	46.8		1	1.90	5.00	ug/L	11/03/25 14:44	PB170346
91-94-1	3,3-Dichlorobenzidine	34.8		1	0.93	10.0	ug/L	11/03/25 14:44	PB170346
56-55-3	Benzo(a)anthracene	42.2		1	0.45	5.00	ug/L	11/03/25 14:44	PB170346

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Communipaw	Date Received:	
Client Sample ID:	PB170346BSD	SDG No.:	Q3494
Lab Sample ID:	PB170346BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 mL	Test:	SVOCMS Group2
Prep Method :	3510C		
	Level: LOW		
	Final Vol: 1000 uL		
	Prep Date: 10/31/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
218-01-9	Chrysene	42.1		1	0.44	5.00	ug/L	11/03/25 14:44	PB170346
117-81-7	Bis(2-ethylhexyl)phthalate	46.0		1	1.60	5.00	ug/L	11/03/25 14:44	PB170346
117-84-0	Di-n-octyl phthalate	51.0		1	2.30	10.0	ug/L	11/03/25 14:44	PB170346
205-99-2	Benzo(b)fluoranthene	43.8		1	0.49	5.00	ug/L	11/03/25 14:44	PB170346
207-08-9	Benzo(k)fluoranthene	44.1		1	0.48	5.00	ug/L	11/03/25 14:44	PB170346
50-32-8	Benzo(a)pyrene	46.2		1	0.55	5.00	ug/L	11/03/25 14:44	PB170346
193-39-5	Indeno(1,2,3-cd)pyrene	44.4		1	0.59	5.00	ug/L	11/03/25 14:44	PB170346
53-70-3	Dibenzo(a,h)anthracene	45.0		1	0.67	5.00	ug/L	11/03/25 14:44	PB170346
191-24-2	Benzo(g,h,i)perylene	45.8		1	0.69	5.00	ug/L	11/03/25 14:44	PB170346
95-94-3	1,2,4,5-Tetrachlorobenzene	43.6		1	0.52	5.00	ug/L	11/03/25 14:44	PB170346
123-91-1	1,4-Dioxane	32.4		1	1.00	5.00	ug/L	11/03/25 14:44	PB170346

SURROGATES

4165-60-0	Nitrobenzene-d5	80.8			30 (67) - 130 (132)	81%	SPK: 100
321-60-8	2-Fluorobiphenyl	74.0			30 (52) - 130 (132)	74%	SPK: 100
1718-51-0	Terphenyl-d14	79.6			30 (42) - 130 (152)	80%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	395000
1146-65-2	Naphthalene-d8	1600000
15067-26-2	Acenaphthene-d10	1010000
1517-22-2	Phenanthrene-d10	2010000
1719-03-5	Chrysene-d12	2000000
1520-96-3	Perylene-d12	2130000

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products