

## Report of Analysis

Client: G Environmental  
Project: Communipaw  
Client Sample ID: VX1103WBL01  
Lab Sample ID: VX1103WBL01  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected:  
Date Received:  
SDG No.: Q3494  
Matrix: Water  
% Solid: 0  
Test: VOCMS Group1

| CAS Number     | Parameter                      | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Date Ana.      | BatchID  |
|----------------|--------------------------------|-------|------|----|-------|------------|-------|----------------|----------|
| <b>TARGETS</b> |                                |       |      |    |       |            |       |                |          |
| 75-71-8        | Dichlorodifluoromethane        | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 74-87-3        | Chloromethane                  | 0.32  | U    | 1  | 0.32  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-01-4        | Vinyl Chloride                 | 0.26  | U    | 1  | 0.26  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 74-83-9        | Bromomethane                   | 1.40  | U    | 1  | 1.40  | 5.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-00-3        | Chloroethane                   | 0.47  | U    | 1  | 0.47  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-69-4        | Trichlorofluoromethane         | 0.33  | U    | 1  | 0.33  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-35-4        | 1,1-Dichloroethene             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 67-64-1        | Acetone                        | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-15-0        | Carbon Disulfide               | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 79-20-9        | Methyl Acetate                 | 0.27  | U    | 1  | 0.27  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-09-2        | Methylene Chloride             | 0.28  | U    | 1  | 0.28  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 110-82-7       | Cyclohexane                    | 1.50  | U    | 1  | 1.50  | 5.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 78-93-3        | 2-Butanone                     | 0.98  | U    | 1  | 0.98  | 5.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 74-97-5        | Bromochloromethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 67-66-3        | Chloroform                     | 0.25  | U    | 1  | 0.25  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 108-87-2       | Methylcyclohexane              | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 71-43-2        | Benzene                        | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 107-06-2       | 1,2-Dichloroethane             | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 79-01-6        | Trichloroethene                | 0.090 | U    | 1  | 0.090 | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 78-87-5        | 1,2-Dichloropropane            | 0.20  | U    | 1  | 0.20  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-27-4        | Bromodichloromethane           | 0.22  | U    | 1  | 0.22  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.68  | U    | 1  | 0.68  | 5.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 108-88-3       | Toluene                        | 0.14  | U    | 1  | 0.14  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.17  | U    | 1  | 0.17  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.16  | U    | 1  | 0.16  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 79-00-5        | 1,1,2-Trichloroethane          | 0.21  | U    | 1  | 0.21  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 591-78-6       | 2-Hexanone                     | 0.89  | U    | 1  | 0.89  | 5.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 124-48-1       | Dibromochloromethane           | 0.18  | U    | 1  | 0.18  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 106-93-4       | 1,2-Dibromoethane              | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 127-18-4       | Tetrachloroethene              | 0.23  | U    | 1  | 0.23  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 108-90-7       | Chlorobenzene                  | 0.12  | U    | 1  | 0.12  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 100-41-4       | Ethyl Benzene                  | 0.13  | U    | 1  | 0.13  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 179601-23-1    | m/p-Xylenes                    | 0.24  | U    | 1  | 0.24  | 2.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 95-47-6        | o-Xylene                       | 0.12  | U    | 1  | 0.12  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 100-42-5       | Styrene                        | 0.15  | U    | 1  | 0.15  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |
| 75-25-2        | Bromoform                      | 0.19  | U    | 1  | 0.19  | 1.00       | ug/L  | 11/03/25 11:25 | VX110325 |

## Report of Analysis

Client: G Environmental  
Project: Communipaw  
Client Sample ID: VX1103WBL01  
Lab Sample ID: VX1103WBL01  
Analytical Method: 8260D  
Sample Wt/Vol: 5 mL

Level: LOW  
Final Vol: 5000 uL

Date Collected:  
Date Received:  
SDG No.: Q3494  
Matrix: Water  
% Solid: 0  
Test: VOCMS Group1

| CAS Number                | Parameter                   | Conc.             | Qua. | DF | MDL                 | LOQ / CRQL | Units   | Date Ana.      | BatchID  |
|---------------------------|-----------------------------|-------------------|------|----|---------------------|------------|---------|----------------|----------|
| 98-82-8                   | Isopropylbenzene            | 0.12              | U    | 1  | 0.12                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.26              | U    | 1  | 0.26                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.16              | U    | 1  | 0.16                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.19              | U    | 1  | 0.19                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.16              | U    | 1  | 0.16                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.53              | U    | 1  | 0.53                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.20              | U    | 1  | 0.20                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.20              | U    | 1  | 0.20                | 1.00       | ug/L    | 11/03/25 11:25 | VX110325 |
| <b>SURROGATES</b>         |                             |                   |      |    |                     |            |         |                |          |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 52.7              |      |    | 70 (74) - 130 (125) | 105%       | SPK: 50 |                |          |
| 1868-53-7                 | Dibromofluoromethane        | 59.8              |      |    | 70 (75) - 130 (124) | 120%       | SPK: 50 |                |          |
| 2037-26-5                 | Toluene-d8                  | 45.5              |      |    | 70 (86) - 130 (113) | 91%        | SPK: 50 |                |          |
| 460-00-4                  | 4-Bromofluorobenzene        | 48.3              |      |    | 70 (77) - 130 (121) | 97%        | SPK: 50 |                |          |
| <b>INTERNAL STANDARDS</b> |                             |                   |      |    |                     |            |         |                |          |
|                           |                             | <b>Area Count</b> |      |    |                     |            |         |                |          |
| 363-72-4                  | Pentafluorobenzene          | 160000            |      |    |                     |            |         |                |          |
| 540-36-3                  | 1,4-Difluorobenzene         | 268000            |      |    |                     |            |         |                |          |
| 3114-55-4                 | Chlorobenzene-d5            | 290000            |      |    |                     |            |         |                |          |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 117000            |      |    |                     |            |         |                |          |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products