

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:	10/27/25
Project:	Maclearie Park		Date Received:	10/29/25
Client Sample ID:	SB-1025-2MS		SDG No.:	Q3495
Lab Sample ID:	Q3495-02MS		Matrix:	SOIL
Analytical Method:	8082A		% Solid:	75.1
Sample Wt/Vol:	30.09 g	Final Vol: 10000 uL	Test:	PCB
Prep Method:	SW3541	Prep Date: 10/31/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	227		1	5.20	22.6	ug/kg	10/31/25 14:17	PB170339
11104-28-2	Aroclor-1221	5.40	U	1	5.40	22.6	ug/kg	10/31/25 14:17	PB170339
11141-16-5	Aroclor-1232	4.90	U	1	4.90	22.6	ug/kg	10/31/25 14:17	PB170339
53469-21-9	Aroclor-1242	5.30	U	1	5.30	22.6	ug/kg	10/31/25 14:17	PB170339
12672-29-6	Aroclor-1248	7.90	U	1	7.90	22.6	ug/kg	10/31/25 14:17	PB170339
11097-69-1	Aroclor-1254	4.30	U	1	4.30	22.6	ug/kg	10/31/25 14:17	PB170339
37324-23-5	Aroclor-1262	6.70	U	1	6.70	22.6	ug/kg	10/31/25 14:17	PB170339
11100-14-4	Aroclor-1268	4.80	U	1	4.80	22.6	ug/kg	10/31/25 14:17	PB170339
11096-82-5	Aroclor-1260	204		1	4.30	22.6	ug/kg	10/31/25 14:17	PB170339
SURROGATES									
877-09-8	Tetrachloro-m-xylene	21.6			32 - 144	108%	SPK: 20		
2051-24-3	Decachlorobiphenyl	16.4			32 - 175	82%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit