

Report of Analysis

Client: Remington & Vernick Engineers
Project: Maclearie Park
Client Sample ID: PB170340BL
Lab Sample ID: PB170340BL
Analytical Method: 8081B
Sample Wt/Vol: 30.02 g Final Vol: 10000 uL
Prep Method: SW3541B Prep Date: 10/31/25

Date Collected:
Date Received:
SDG No.: Q3495
Matrix: SOIL
% Solid: 100
Test: Pesticide-TCL

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
319-84-6	alpha-BHC	0.13	U	1	0.13	1.70	ug/kg	10/31/25 13:06	PB170340
319-85-7	beta-BHC	0.18	U	1	0.18	1.70	ug/kg	10/31/25 13:06	PB170340
319-86-8	delta-BHC	0.39	U	1	0.39	1.70	ug/kg	10/31/25 13:06	PB170340
58-89-9	gamma-BHC (Lindane)	0.14	U	1	0.14	1.70	ug/kg	10/31/25 13:06	PB170340
76-44-8	Heptachlor	0.12	U	1	0.12	1.70	ug/kg	10/31/25 13:06	PB170340
309-00-2	Aldrin	0.12	U	1	0.12	1.70	ug/kg	10/31/25 13:06	PB170340
1024-57-3	Heptachlor epoxide	0.19	U	1	0.19	1.70	ug/kg	10/31/25 13:06	PB170340
959-98-8	Endosulfan I	0.14	U	1	0.14	1.70	ug/kg	10/31/25 13:06	PB170340
60-57-1	Dieldrin	0.14	U	1	0.14	1.70	ug/kg	10/31/25 13:06	PB170340
72-55-9	4,4-DDE	0.14	U	1	0.14	1.70	ug/kg	10/31/25 13:06	PB170340
72-20-8	Endrin	0.14	U	1	0.14	1.70	ug/kg	10/31/25 13:06	PB170340
33213-65-9	Endosulfan II	0.29	U	1	0.29	1.70	ug/kg	10/31/25 13:06	PB170340
72-54-8	4,4-DDD	0.15	U	1	0.15	1.70	ug/kg	10/31/25 13:06	PB170340
1031-07-8	Endosulfan Sulfate	0.13	U	1	0.13	1.70	ug/kg	10/31/25 13:06	PB170340
50-29-3	4,4-DDT	0.14	U	1	0.14	1.70	ug/kg	10/31/25 13:06	PB170340
72-43-5	Methoxychlor	0.37	U	1	0.37	1.70	ug/kg	10/31/25 13:06	PB170340
53494-70-5	Endrin ketone	0.19	U	1	0.19	1.70	ug/kg	10/31/25 13:06	PB170340
7421-93-4	Endrin aldehyde	0.37	U	1	0.37	1.70	ug/kg	10/31/25 13:06	PB170340
5103-71-9	alpha-Chlordane	0.12	U	1	0.12	1.70	ug/kg	10/31/25 13:06	PB170340
5103-74-2	gamma-Chlordane	0.15	U	1	0.15	1.70	ug/kg	10/31/25 13:06	PB170340
8001-35-2	Toxaphene	5.40	U	1	5.40	33.0	ug/kg	10/31/25 13:06	PB170340
SURROGATES									
2051-24-3	Decachlorobiphenyl	18.9			20 - 144	94%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	20.0			19 - 148	100%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit