

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102425\
 Data File : BG064575.D
 Acq On : 24 Oct 2025 14:24
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC080

Quant Time: Nov 03 18:02:41 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 03 17:56:56 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.221	152	45466	20.000	ng	0.00
21) Naphthalene-d8	11.053	136	179569	20.000	ng	0.00
39) Acenaphthene-d10	14.842	164	133797	20.000	ng	0.00
64) Phenanthrene-d10	17.580	188	333421	20.000	ng	0.00
76) Chrysene-d12	21.863	240	363291	20.000	ng	0.00
86) Perylene-d12	25.201	264	382372	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.747	112	411587	151.948	ng	0.00
7) Phenol-d6	7.357	99	554287	149.124	ng	0.00
23) Nitrobenzene-d5	9.390	82	511341	171.034	ng	0.00
42) 2,4,6-Tribromophenol	16.323	330	328066	169.886	ng	0.00
45) 2-Fluorobiphenyl	13.479	172	1314892	148.960	ng	0.00
79) Terphenyl-d14	20.177	244	2697491	140.125	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.591	88	83655	69.757	ng	99
3) Pyridine	3.996	79	259519	72.062	ng	96
4) n-Nitrosodimethylamine	3.908	42	141185	73.105	ng	99
6) Aniline	7.533	93	364528	72.073	ng	99
8) 2-Chlorophenol	7.780	128	221112	77.988	ng	99
9) Benzaldehyde	7.339	77	120456	59.361	ng	94
10) Phenol	7.386	94	307886	74.900	ng	98
11) bis(2-Chloroethyl)ether	7.627	93	217960	72.119	ng	96
12) 1,3-Dichlorobenzene	8.109	146	236208	72.385	ng	98
13) 1,4-Dichlorobenzene	8.256	146	240570	72.502	ng	97
14) 1,2-Dichlorobenzene	8.579	146	233326	72.905	ng	98
15) Benzyl Alcohol	8.456	79	233374	76.140	ng	95
16) 2,2'-oxybis(1-Chloropr...	8.743	45	573671	72.364	ng	99
17) 2-Methylphenol	8.649	107	203667	74.625	ng	97
18) Hexachloroethane	9.325	117	87876	75.469	ng	98
19) n-Nitroso-di-n-propyla...	9.031	70	192155	74.804	ng	99
20) 3+4-Methylphenols	8.984	107	285690	74.434	ng	98
22) Acetophenone	9.049	105	365265	74.412	ng	# 99
24) Nitrobenzene	9.431	77	273231	84.025	ng	97
25) Isophorone	9.966	82	539122	75.150	ng	100
26) 2-Nitrophenol	10.148	139	103090	79.938	ng	94
27) 2,4-Dimethylphenol	10.195	122	208054	77.967	ng	97
28) bis(2-Chloroethoxy)met...	10.436	93	299758	73.388	ng	99
29) 2,4-Dichlorophenol	10.682	162	231256	80.526	ng	97
30) 1,2,4-Trichlorobenzene	10.906	180	250883	76.888	ng	97
31) Naphthalene	11.100	128	744985	74.828	ng	99
32) Benzoic acid	10.342	122	138285	64.940	ng	95
33) 4-Chloroaniline	11.188	127	290611	75.100	ng	98
34) Hexachlorobutadiene	11.393	225	196140	76.863	ng	99
35) Caprolactam	11.975	113	83266	75.596	ng	93
36) 4-Chloro-3-methylphenol	12.298	107	265909	77.031	ng	99
37) 2-Methylnaphthalene	12.692	142	542132	74.168	ng	99
38) 1-Methylnaphthalene	12.909	142	527717	72.945	ng	98
40) 1,2,4,5-Tetrachloroben...	13.056	216	351719	78.328	ng	99
41) Hexachlorocyclopentadiene	13.038	237	163461	80.876	ng	99
43) 2,4,6-Trichlorophenol	13.279	196	218318	84.998	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102425\
 Data File : BG064575.D
 Acq On : 24 Oct 2025 14:24
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 8 Sample Multiplier: 1


Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC080


Quant Time: Nov 03 18:02:41 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 03 17:56:56 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.350	196	243241	82.064	ng	99
46) 1,1'-Biphenyl	13.685	154	713186	74.977	ng	100
47) 2-Chloronaphthalene	13.732	162	547242	76.218	ng	99
48) 2-Nitroaniline	13.914	65	196580	79.301	ng	95
49) Acenaphthylene	14.566	152	858511	75.806	ng	99
50) Dimethylphthalate	14.290	163	782708	76.450	ng	98
51) 2,6-Dinitrotoluene	14.402	165	135769	78.216	ng	98
52) Acenaphthene	14.913	154	589213	76.150	ng	99
53) 3-Nitroaniline	14.731	138	159072	90.409	ng	96
54) 2,4-Dinitrophenol	14.930	184	82655	79.755	ng	# 65
55) Dibenzofuran	15.242	168	923386	73.816	ng	99
56) 4-Nitrophenol	15.018	139	142966	87.640	ng	98
57) 2,4-Dinitrotoluene	15.189	165	212164	79.117	ng	96
58) Fluorene	15.888	166	711212	72.801	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.459	232	240094	84.708	ng	99
60) Diethylphthalate	15.653	149	803621	76.874	ng	100
61) 4-Chlorophenyl-phenyle...	15.876	204	408239	74.463	ng	99
62) 4-Nitroaniline	15.894	138	173159	88.462	ng	96
63) Azobenzene	16.170	77	723988	75.482	ng	99
65) 4,6-Dinitro-2-methylph...	15.947	198	124101	80.450	ng	95
66) n-Nitrosodiphenylamine	16.088	169	666665	74.020	ng	98
67) 4-Bromophenyl-phenylether	16.769	248	299348	75.762	ng	99
68) Hexachlorobenzene	16.893	284	341338	75.724	ng	96
69) Atrazine	17.028	200	281950	72.745	ng	97
70) Pentachlorophenol	17.228	266	235472	83.771	ng	93
71) Phenanthrene	17.627	178	1340610	73.525	ng	99
72) Anthracene	17.715	178	1367044	73.704	ng	99
73) Carbazole	17.974	167	1195960	73.122	ng	99
74) Di-n-butylphthalate	18.538	149	1433446	75.790	ng	100
75) Fluoranthene	19.619	202	1663673	72.835	ng	98
77) Benzidine	19.783	184	556525	68.376	ng	98
78) Pyrene	19.977	202	1737788	73.215	ng	99
80) Butylbenzylphthalate	20.859	149	595333	82.988	ng	98
81) Benzo(a)anthracene	21.840	228	1805628	74.959	ng	99
82) 3,3'-Dichlorobenzidine	21.740	252	615546	76.524	ng	99
83) Chrysene	21.910	228	1704533	74.368	ng	97
84) Bis(2-ethylhexyl)phtha...	21.752	149	854027	79.672	ng	98
85) Di-n-octyl phthalate	23.015	149	1432956	79.289	ng	100
87) Indeno(1,2,3-cd)pyrene	29.061	276	2156428	76.663	ng	98
88) Benzo(b)fluoranthene	24.143	252	1810094	77.199	ng	99
89) Benzo(k)fluoranthene	24.219	252	1757758	74.916	ng	98
90) Benzo(a)pyrene	25.060	252	1649779	76.546	ng	99
91) Dibenzo(a,h)anthracene	29.137	278	1747890	76.486	ng	98
92) Benzo(g,h,i)perylene	30.265	276	1669976	76.498	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Nov 03 18:02:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 03 17:56:56 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.221 min Scan# 81
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Instrument :
BNA_G
ClientSampleId :
SSTDICC080







Tgt Ion:152 Resp: 45466
Ion Ratio Lower Upper
152 100
150 150.5 122.2 183.4
115 61.3 50.8 76.2



#2
1,4-Dioxane
Concen: 69.757 ng
RT: 3.591 min Scan# 85
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 88 Resp: 83655
Ion Ratio Lower Upper
88 100
58 114.3 92.4 138.6
43 42.2 33.0 49.6









#3
Pyridine
Concen: 72.062 ng
RT: 3.996 min Scan# 155
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 259519
Ion Ratio Lower Upper
79 100
52 122.7 94.2 141.2
51 56.2 46.1 69.1



#4
n-Nitrosodimethylamine
Concen: 73.105 ng
RT: 3.908 min Scan# 139
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 42 Resp: 141185
Ion Ratio Lower Upper
42 100
74 96.0 76.1 114.1
44 8.7 6.3 9.5









#5
2-Fluorophenol
Concen: 151.948 ng
RT: 5.747 min Scan# 411
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:112 Resp: 411587
Ion Ratio Lower Upper
112 100
64 80.3 60.7 91.1
63 43.5 33.4 50.0



#6
Aniline
Concen: 72.073 ng
RT: 7.533 min Scan# 756
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 93 Resp: 364528
Ion Ratio Lower Upper
93 100
66 46.6 37.0 55.6
65 24.3 18.3 27.5









#7
Phenol-d6
Concen: 149.124 ng
RT: 7.357 min Scan# 71
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 99 Resp: 554287
Ion Ratio Lower Upper
99 100
42 24.9 18.3 27.5
71 37.8 28.6 43.0



#8
2-Chlorophenol
Concen: 77.988 ng
RT: 7.780 min Scan# 798
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 128 Resp: 221112
Ion Ratio Lower Upper
128 100
130 32.7 13.5 53.5
64 65.9 45.2 85.2









#9
Benzaldehyde
Concen: 59.361 ng
RT: 7.339 min Scan# 711
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 77 Resp: 120456
Ion Ratio Lower Upper
77 100
105 88.4 72.9 112.9
106 84.2 70.8 110.8



#10
Phenol
Concen: 74.900 ng
RT: 7.386 min Scan# 731
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 94 Resp: 307886
Ion Ratio Lower Upper
94 100
65 36.2 15.8 55.8
66 46.0 24.0 64.0









#11
bis(2-Chloroethyl)ether
Concen: 72.119 ng
RT: 7.627 min Scan# 71
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 93 Resp: 217960
Ion Ratio Lower Upper
93 100
63 106.7 91.3 131.3
95 31.7 13.3 53.3



#12
1,3-Dichlorobenzene
Concen: 72.385 ng
RT: 8.109 min Scan# 854
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:146 Resp: 236208
Ion Ratio Lower Upper
146 100
148 67.1 55.3 82.9
75 36.1 28.2 42.2









#13
1,4-Dichlorobenzene
Concen: 72.502 ng
RT: 8.256 min Scan# 81
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:146 Resp: 240570
Ion Ratio Lower Upper
146 100
148 66.4 56.2 84.4
111 43.2 35.4 53.0



#14
1,2-Dichlorobenzene
Concen: 72.905 ng
RT: 8.579 min Scan# 934
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:146 Resp: 233326
Ion Ratio Lower Upper
146 100
148 67.2 51.5 77.3
111 43.8 35.0 52.6









#15
Benzyl Alcohol
Concen: 76.140 ng
RT: 8.456 min Scan# 912
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 233374
Ion Ratio Lower Upper
79 100
108 67.5 58.1 87.1
77 62.4 52.8 79.2



#16
2,2'-oxybis(1-Chloropropane)
Concen: 72.364 ng
RT: 8.743 min Scan# 962
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 45 Resp: 573671
Ion Ratio Lower Upper
45 100
77 8.4 0.0 28.5
79 5.9 0.0 25.6





#17

2-Methylphenol

Concen: 74.625 ng

RT: 8.649 min Scan# 947

Delta R.T. -0.002 min

Lab File: BG064575.D


Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080



Tgt Ion:107 Resp: 203667




Ion Ratio Lower Upper

107 100

108 115.8 90.0 135.0

77 50.4 37.8 56.8

79 50.6 40.5 60.7



#18

Hexachloroethane

Concen: 75.469 ng

RT: 9.325 min Scan# 1061

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:117 Resp: 87876


Ion Ratio Lower Upper

117 100

119 92.8 75.4 113.2

201 122.1 99.2 148.8









#19
n-Nitroso-di-n-propylamine
Concen: 74.804 ng
RT: 9.031 min Scan# 1011
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 70 Resp: 192155
Ion Ratio Lower Upper
70 100
42 80.5 65.2 97.8
101 9.3 7.9 11.9
130 17.1 14.3 21.5



#20
3+4-Methylphenols
Concen: 74.434 ng
RT: 8.984 min Scan# 1003
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 107 Resp: 285690
Ion Ratio Lower Upper
107 100
108 88.9 70.3 110.3
77 36.2 14.6 54.6
79 32.3 11.7 51.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.053 min Scan# 11
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Instrument :
BNA_G
ClientSampleId :
SSTDICC080

Tgt Ion:136 Resp: 179569




Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.2	13.8
54	14.0	12.6	19.0
68	6.7	5.7	8.5




#22
Acetophenone
Concen: 74.412 ng
RT: 9.049 min Scan# 1014
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:105 Resp: 365265

Ion	Ratio	Lower	Upper
105	100		
71	3.4	1.5	2.3#
51	41.4	33.7	50.5
120	20.8	16.1	24.1









#23
Nitrobenzene-d5
Concen: 171.034 ng
RT: 9.390 min Scan# 1072
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 82 Resp: 511341
Ion Ratio Lower Upper
82 100
128 40.8 31.3 46.9
54 73.3 56.6 84.8



#24
Nitrobenzene
Concen: 84.025 ng
RT: 9.431 min Scan# 1079
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 77 Resp: 273231
Ion Ratio Lower Upper
77 100
123 40.7 31.0 46.6
65 16.8 12.7 19.1









#25
Isophorone
Concen: 75.150 ng
RT: 9.966 min Scan# 1169
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion: 82 Resp: 539122
Ion Ratio Lower Upper
82 100
95 7.5 6.1 9.1
138 16.0 13.0 19.4



#26
2-Nitrophenol
Concen: 79.938 ng
RT: 10.148 min Scan# 1201
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:139 Resp: 103090
Ion Ratio Lower Upper
139 100
109 34.1 24.6 37.0
65 63.6 47.5 71.3





#27

2,4-Dimethylphenol

Concen: 77.967 ng

RT: 10.195 min Scan# 1

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:122 Resp: 208054

Ion Ratio Lower Upper

122 100

107 125.0 103.0 154.4

121 58.5 47.8 71.8



#28

bis(2-Chloroethoxy)methane

Concen: 73.388 ng

RT: 10.436 min Scan# 1250

Delta R.T. -0.002 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion: 93 Resp: 299758


Ion Ratio Lower Upper

93 100

95 32.0 25.4 38.2

123 9.7 8.4 12.6





#29

2,4-Dichlorophenol

Concen: 80.526 ng

RT: 10.682 min Scan# 1

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:162 Resp: 231256

Ion Ratio Lower Upper

162 100

164 66.5 48.7 88.7

98 34.8 16.9 56.9



#30

1,2,4-Trichlorobenzene

Concen: 76.888 ng

RT: 10.906 min Scan# 1330

Delta R.T. -0.002 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:180 Resp: 250883


Ion Ratio Lower Upper

180 100

182 92.0 76.9 115.3

145 27.2 22.1 33.1





#31

Naphthalene

Concen: 74.828 ng

RT: 11.100 min Scan# 11

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:128 Resp: 744985

Ion Ratio Lower Upper

128 100

129 10.4 8.8 13.2

127 13.1 10.6 15.8



#32

Benzoic acid

Concen: 64.940 ng

RT: 10.342 min Scan# 1234

Delta R.T. 0.033 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:122 Resp: 138285


Ion Ratio Lower Upper

122 100

105 124.4 104.2 144.2

77 100.9 70.2 110.2









#33
4-Chloroaniline
Concen: 75.100 ng
RT: 11.188 min Scan# 11
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:127	Resp: 290611
Ion Ratio	Lower Upper
127 100	
129 29.5	25.5 38.3
65 40.5	32.2 48.4
92 21.9	18.2 27.2



#34
Hexachlorobutadiene
Concen: 76.863 ng
RT: 11.393 min Scan# 1413
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt	Ion:225	Resp:	196140
Ion	Ratio	Lower	Upper
225	100		
223	60.7	48.8	73.2
227	62.8	49.5	74.3









#35
Caprolactam
Concen: 75.596 ng
RT: 11.975 min Scan# 11
Delta R.T. 0.027 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:113 Resp: 83266
Ion Ratio Lower Upper
113 100
55 318.6 290.1 330.1
56 221.7 183.8 223.8



#36
4-Chloro-3-methylphenol
Concen: 77.031 ng
RT: 12.298 min Scan# 1567
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:107 Resp: 265909
Ion Ratio Lower Upper
107 100
144 23.4 19.1 28.7
142 74.0 58.6 87.8





#37

2-Methylnaphthalene

Concen: 74.168 ng

RT: 12.692 min Scan# 1

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:142 Resp: 542132

Ion Ratio Lower Upper

142 100

141 87.2 68.9 103.3

115 39.6 30.6 46.0



#38

1-Methylnaphthalene

Concen: 72.945 ng

RT: 12.909 min Scan# 1671

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:142 Resp: 527717


Ion Ratio Lower Upper

142 100

141 90.1 73.3 109.9

116 4.1 3.1 4.7









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.842 min Scan# 20
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:164 Resp: 133797
Ion Ratio Lower Upper
164 100
162 98.9 77.0 115.6
160 43.9 34.4 51.6



#40
1,2,4,5-Tetrachlorobenzene
Concen: 78.328 ng
RT: 13.056 min Scan# 1696
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:216 Resp: 351719
Ion Ratio Lower Upper
216 100
214 76.1 61.4 92.2
179 19.3 15.4 23.0
108 14.3 11.8 17.6









#41
Hexachlorocyclopentadiene
Concen: 80.876 ng
RT: 13.038 min Scan# 1
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:237 Resp: 163461
Ion Ratio Lower Upper
237 100
235 63.6 44.1 84.1
272 12.3 0.0 32.4



#42
2,4,6-Tribromophenol
Concen: 169.886 ng
RT: 16.323 min Scan# 2252
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:330 Resp: 328066
Ion Ratio Lower Upper
330 100
332 96.4 78.0 117.0
141 27.1 21.8 32.6









#43
2,4,6-Trichlorophenol
Concen: 84.998 ng
RT: 13.279 min Scan# 1734
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:196 Resp: 218318
Ion Ratio Lower Upper
196 100
198 94.0 76.6 115.0
200 31.2 26.0 39.0



#44
2,4,5-Trichlorophenol
Concen: 82.064 ng
RT: 13.350 min Scan# 1746
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:196 Resp: 243241
Ion Ratio Lower Upper
196 100
198 94.3 74.2 111.4
97 46.3 37.0 55.6
132 23.4 18.5 27.7









#45
2-Fluorobiphenyl
Concen: 148.960 ng
RT: 13.479 min Scan# 1768
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:172 Resp: 1314892
Ion Ratio Lower Upper
172 100
171 36.9 29.4 44.0
170 24.9 19.1 28.7



#46
1,1'-Biphenyl
Concen: 74.977 ng
RT: 13.685 min Scan# 1803
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:154 Resp: 713186
Ion Ratio Lower Upper
154 100
153 42.2 22.4 62.4
76 13.2 0.0 33.5









#47
2-Chloronaphthalene
Concen: 76.218 ng
RT: 13.732 min Scan# 1811
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:162 Resp: 547242
Ion Ratio Lower Upper
162 100
127 41.1 32.2 48.2
164 33.7 27.5 41.3



#48
2-Nitroaniline
Concen: 79.301 ng
RT: 13.914 min Scan# 1842
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion: 65 Resp: 196580
Ion Ratio Lower Upper
65 100
92 59.1 48.3 72.5
138 86.4 74.9 112.3









#49
Acenaphthylene
Concen: 75.806 ng
RT: 14.566 min Scan# 1954
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:152 Resp: 858511
Ion Ratio Lower Upper
152 100
151 19.7 15.4 23.2
153 13.5 11.0 16.4



#50
Dimethylphthalate
Concen: 76.450 ng
RT: 14.290 min Scan# 1906
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:163 Resp: 782708
Ion Ratio Lower Upper
163 100
194 3.4 2.8 4.2
164 10.5 7.7 11.5









#51
2,6-Dinitrotoluene
Concen: 78.216 ng
RT: 14.402 min Scan# 1925
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:165 Resp: 135769
Ion Ratio Lower Upper
165 100
63 74.1 57.4 86.0
89 59.7 47.8 71.8



#52
Acenaphthene
Concen: 76.150 ng
RT: 14.913 min Scan# 2012
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:154 Resp: 589213
Ion Ratio Lower Upper
154 100
153 117.2 92.2 138.4
152 54.2 43.2 64.8









#53
3-Nitroaniline
Concen: 90.409 ng
RT: 14.731 min Scan# 1981
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:138 Resp: 159072
Ion Ratio Lower Upper
138 100
108 12.0 11.4 17.0
92 122.9 95.3 142.9



#54
2,4-Dinitrophenol
Concen: 79.755 ng
RT: 14.930 min Scan# 2015
Delta R.T. 0.003 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:184 Resp: 82655
Ion Ratio Lower Upper
184 100
63 69.0 56.6 85.0
154 128.4 158.6 238.0#









#55
Dibenzofuran
Concen: 73.816 ng
RT: 15.242 min Scan# 2068
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:168 Resp: 923386
Ion Ratio Lower Upper
168 100
139 35.8 27.8 41.8
169 13.0 10.3 15.5



#56
4-Nitrophenol
Concen: 87.640 ng
RT: 15.018 min Scan# 2030
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:139 Resp: 142966
Ion Ratio Lower Upper
139 100
109 91.9 67.8 107.8
65 123.7 103.7 143.7









#57
2,4-Dinitrotoluene
Concen: 79.117 ng
RT: 15.189 min Scan# 2058
Delta R.T. 0.010 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:165 Resp: 212164
Ion Ratio Lower Upper
165 100
63 50.3 41.8 62.8
89 69.0 58.1 87.1
182 1.8 1.4 2.0



#58
Fluorene
Concen: 72.801 ng
RT: 15.888 min Scan# 2178
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:166 Resp: 711212
Ion Ratio Lower Upper
166 100
165 104.4 81.5 122.3
167 13.8 11.4 17.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 84.708 ng
RT: 15.459 min Scan# 2105
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:	232	Resp:	240094
Ion	Ratio	Lower	Upper
232	100		
131	34.1	26.7	40.1
130	2.1	1.6	2.4
166	25.3	20.5	30.7



#60
Diethylphthalate
Concen: 76.874 ng
RT: 15.653 min Scan# 2138
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:	149	Resp:	803621
Ion	Ratio	Lower	Upper
149	100		
177	22.4	18.0	27.0
150	12.4	10.2	15.4









#61
4-Chlorophenyl-phenylether
Concen: 74.463 ng
RT: 15.876 min Scan# 2176
Delta R.T. -0.002 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:204 Resp: 408239
Ion Ratio Lower Upper
204 100
206 32.0 25.6 38.4
141 51.7 40.6 60.8



#62
4-Nitroaniline
Concen: 88.462 ng
RT: 15.894 min Scan# 2179
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:138 Resp: 173159
Ion Ratio Lower Upper
138 100
92 55.1 36.1 76.1
108 101.4 75.6 115.6





#63

Azobenzene

Concen: 75.482 ng

RT: 16.170 min Scan# 21

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080

Tgt Ion: 77 Resp: 723988





Ion Ratio Lower Upper

77 100

182 26.3 4.9 44.9

105 21.0 1.3 41.3

51 38.9 19.0 59.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.580 min Scan# 2466

Delta R.T. -0.002 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:188 Resp: 333421


Ion Ratio Lower Upper

188 100

94 7.9 5.7 8.5

80 8.6 6.8 10.2









#65
4,6-Dinitro-2-methylphenol
Concen: 80.450 ng
RT: 15.947 min Scan# 2188
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:198 Resp: 124101
Ion Ratio Lower Upper
198 100
51 49.5 24.7 64.7
105 36.3 18.0 58.0



#66
n-Nitrosodiphenylamine
Concen: 74.020 ng
RT: 16.088 min Scan# 2212
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:169 Resp: 666665
Ion Ratio Lower Upper
169 100
168 71.0 56.3 84.5
167 38.3 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 75.762 ng
RT: 16.769 min Scan# 21
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:248 Resp: 299348
Ion Ratio Lower Upper
248 100
250 96.9 77.7 116.5
141 58.0 48.6 72.8



#68
Hexachlorobenzene
Concen: 75.724 ng
RT: 16.893 min Scan# 2349
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:284 Resp: 341338
Ion Ratio Lower Upper
284 100
142 26.1 21.0 31.6
249 35.4 24.9 37.3









#69
 Atrazine
 Concen: 72.745 ng
 RT: 17.028 min Scan# 21
 Delta R.T. 0.004 min
 Lab File: BG064575.D
 Acq: 24 Oct 2025 14:24




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC080


Tgt Ion:200 Resp: 281950
 Ion Ratio Lower Upper
 200 100
 173 22.2 0.9 40.9
 215 45.2 27.0 67.0



#70
 Pentachlorophenol
 Concen: 83.771 ng
 RT: 17.228 min Scan# 2406
 Delta R.T. 0.004 min
 Lab File: BG064575.D
 Acq: 24 Oct 2025 14:24

Tgt Ion:266 Resp: 235472
 Ion Ratio Lower Upper
 266 100
 268 67.7 50.3 75.5
 264 65.8 47.3 70.9









#71
Phenanthrene
Concen: 73.525 ng
RT: 17.627 min Scan# 2474
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:178 Resp: 1340610
Ion Ratio Lower Upper
178 100
176 19.0 14.7 22.1
179 15.8 12.2 18.4



#72
Anthracene
Concen: 73.704 ng
RT: 17.715 min Scan# 2489
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:178 Resp: 1367044
Ion Ratio Lower Upper
178 100
176 18.6 14.4 21.6
179 15.1 12.4 18.6









#73
 Carbazole
 Concen: 73.122 ng
 RT: 17.974 min Scan# 21
 Delta R.T. 0.004 min
 Lab File: BG064575.D
 Acq: 24 Oct 2025 14:24




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC080


Tgt Ion:167 Resp: 1195960
 Ion Ratio Lower Upper
 167 100
 166 22.5 17.9 26.9
 139 13.0 9.7 14.5



#74
 Di-n-butylphthalate
 Concen: 75.790 ng
 RT: 18.538 min Scan# 2629
 Delta R.T. 0.004 min
 Lab File: BG064575.D
 Acq: 24 Oct 2025 14:24

Tgt Ion:149 Resp: 1433446
 Ion Ratio Lower Upper
 149 100
 150 8.8 7.0 10.6
 104 5.4 4.1 6.1





#75

Fluoranthene

Concen: 72.835 ng

RT: 19.619 min Scan# 2813

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:202 Resp: 1663673

Ion Ratio Lower Upper

202 100

101 8.8 0.0 28.7

203 18.2 0.0 37.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.863 min Scan# 3195

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:240 Resp: 363291


Ion Ratio Lower Upper

240 100

120 6.7 6.5 9.7

236 26.2 20.2 30.2









#77
Benzidine
Concen: 68.376 ng
RT: 19.783 min Scan# 2841
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:184 Resp: 556525
Ion Ratio Lower Upper
184 100
185 13.5 11.4 17.2
183 11.3 9.4 14.2



#78
Pyrene
Concen: 73.215 ng
RT: 19.977 min Scan# 2874
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:202 Resp: 1737788
Ion Ratio Lower Upper
202 100
200 22.2 17.0 25.4
203 17.5 13.8 20.6





#79

Terphenyl-d14

Concen: 140.125 ng

RT: 20.177 min Scan# 2908

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:244 Resp: 2697491

Ion Ratio Lower Upper

244 100

212 8.1 6.1 9.1

122 7.0 5.6 8.4



#80

Butylbenzylphthalate

Concen: 82.988 ng

RT: 20.859 min Scan# 3024

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:149 Resp: 595333


Ion Ratio Lower Upper

149 100

91 72.8 59.2 88.8

206 23.6 18.1 27.1





#81

Benzo(a)anthracene

Concen: 74.959 ng

RT: 21.840 min Scan# 3191

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:228 Resp: 1805628

Ion Ratio Lower Upper

228 100

226 28.0 21.9 32.9

229 20.1 15.6 23.4



#82

3,3'-Dichlorobenzidine

Concen: 76.524 ng

RT: 21.740 min Scan# 3174

Delta R.T. -0.002 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:252 Resp: 615546


Ion Ratio Lower Upper

252 100

254 63.9 50.8 76.2

126 7.7 5.8 8.6





#83

Chrysene

Concen: 74.368 ng

RT: 21.910 min Scan# 31

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:228 Resp: 1704533

Ion Ratio Lower Upper

228 100

226 30.8 23.3 34.9

229 20.0 15.2 22.8



#84

Bis(2-ethylhexyl)phthalate

Concen: 79.672 ng

RT: 21.752 min Scan# 3176

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:149 Resp: 854027


Ion Ratio Lower Upper

149 100

167 26.3 20.0 30.0

279 4.3 3.1 4.7









#85
Di-n-octyl phthalate
Concen: 79.289 ng
RT: 23.015 min Scan# 311
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:149 Resp: 1432956
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 13.5 10.8 16.2



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.201 min Scan# 3763
Delta R.T. 0.004 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:264 Resp: 382372
Ion Ratio Lower Upper
264 100
260 23.6 19.0 28.4
265 21.0 17.6 26.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 76.663 ng

RT: 29.061 min Scan# 4417

Delta R.T. 0.021 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:276 Resp: 2156428

Ion Ratio Lower Upper

276 100

138 10.9 10.8 16.2

277 25.2 20.1 30.1



#88

Benzo(b)fluoranthene

Concen: 77.199 ng

RT: 24.143 min Scan# 3583

Delta R.T. 0.004 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24




Tgt Ion:252 Resp: 1810094


Ion Ratio Lower Upper

252 100

253 21.9 17.8 26.8

125 6.8 5.6 8.4









#89
Benzo(k)fluoranthene
Concen: 74.916 ng
RT: 24.219 min Scan# 31
Delta R.T. 0.009 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24




Instrument :
BNA_G
ClientSampleId :
SSTDICC080


Tgt Ion:252 Resp: 1757758
Ion Ratio Lower Upper
252 100
253 21.8 16.8 25.2
125 7.1 5.4 8.0



#90
Benzo(a)pyrene
Concen: 76.546 ng
RT: 25.060 min Scan# 3739
Delta R.T. 0.015 min
Lab File: BG064575.D
Acq: 24 Oct 2025 14:24

Tgt Ion:252 Resp: 1649779
Ion Ratio Lower Upper
252 100
253 21.7 17.6 26.4
125 7.2 6.1 9.1





#91

Dibenzo(a,h)anthracene

Concen: 76.486 ng

RT: 29.137 min Scan# 4429

Delta R.T. 0.027 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Instrument :

BNA_G

ClientSampleId :

SSTDICC080





Tgt Ion:278 Resp: 1747890

Ion Ratio Lower Upper

278 100

139 10.0 8.0 12.0

279 23.0 19.8 29.6



#92

Benzo(g,h,i)perylene

Concen: 76.498 ng

RT: 30.265 min Scan# 4625

Delta R.T. 0.033 min

Lab File: BG064575.D

Acq: 24 Oct 2025 14:24

Tgt Ion:276 Resp: 1669976

Ion Ratio Lower Upper

276 100

277 23.1 19.1 28.7

138 13.9 11.3 16.9

