

Report of Analysis

Client:	PSEG	Date Collected:	10/30/25
Project:	Hackensack - Palisades Electric Division Sub HQ	Date Received:	10/30/25
Client Sample ID:	72-11986	SDG No.:	Q3504
Lab Sample ID:	Q3504-02	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	0.10	U	1	0.026	0.10	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050
7440-39-3	Barium	1.30		1	0.073	0.50	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050
7440-43-9	Cadmium	0.0044	J	1	0.0025	0.030	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050
7440-47-3	Chromium	0.060		1	0.011	0.050	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050
7439-92-1	Lead	0.022	J	1	0.012	0.060	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050
7439-97-6	Mercury	0.0020	UN	1	0.00076	0.0020	mg/L	10/31/25 15:05	11/03/25 11:45	7470A	
7782-49-2	Selenium	0.10	U	1	0.048	0.10	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050
7440-22-4	Silver	0.050	U	1	0.0081	0.050	mg/L	10/31/25 12:30	11/03/25 15:34	6010D	SW3050

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits