

DATA PACKAGE GENERAL CHEMISTRY

PROJECT NAME : NWIRP BETHPAGE 112G08005-WE13

TETRA TECH NUS, INC.

661 Andersen Drive

Suite 200

Pittsburgh, PA - 15220-2745

Phone No: 412-921-7090

ORDER ID : Q3527

ATTENTION : Ernie Wu



Laboratory Certification ID # 20012



1) GENERAL CHEMISTRY DATA	2
2) Signature Page	3
3) Case Narrative	4
4) Qualifier Page	5
5) Conformance/Non Conformance	6
6) QA Checklist	7
7) Chronicle	8
8) Sample Data	9
8.1) RW8-SP100-20251030	10
8.2) RW8-SP303-20251030	11
9) QC Data Summary For Genchem	12
9.1) Preparation Blank Summary	13
9.2) Duplicate Sample Summary	14
9.3) Laboratory Control Sample Summary	16
10) GENCHEM RAW DATA	18
10.1) GENCHEM RAW DATA - ANALYTICAL	19
10.1.1) LB137742	19
10.1.2) LB137774	21
11) Analytical Runlogs	23
12) Standard Prep Logs	25
13) Shipping Document	27
13.1) Chain Of Custody	28
13.2) Lab Certificate	29

1
2
3
4
5
6
7
8
9
10
11
12
13

Cover Page

Order ID : Q3527

Project ID : NWIRP Bethpage 112G08005-WE13

Client : Tetra Tech NUS, Inc.

Lab Sample Number

Q3527-01
Q3527-02

Client Sample Number

RW8-SP100-20251030
RW8-SP303-20251030

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/6/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Tetra Tech NUS, Inc.

Project Name: NWIRP Bethpage 112G08005-WE13

Project Manager : Ernie Wu

Order ID # Q3527

Test Name: TDS,TSS

A. Number of Samples and Date of Receipt:

2 Water samples were received on 11/03/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: TDS,TSS. This data package contains results for TDS,TSS.

C. Analytical Techniques:

The analysis of TDS was based on method SM2540 C and The analysis of TSS was based on method SM2540 D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

The laboratory certifies that the all-electronic diskette deliverable exactly match the data summary forms (i.e. Form Is).

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

GENERAL CHEMISTRY CONFORMANCE/NON-CONFORMANCE SUMMARY

ORDER ID: Q3527

MATRIX: Water

METHOD: SM2540 C,SM2540 D

	NA	NO	YES
1. Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
2. The Blank Spike met requirements for all compounds.			✓
3. Sample Duplicate Analysis Met QC Criteria			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			
4. Digestion Holding Time Met			✓
If not met, list number of days exceeded for each sample:			

ADDITIONAL COMMENTS: The laboratory certifies that the all-electronic diskette deliverable exactly match the data summary forms (i.e. Form Is).

QA REVIEW

Date

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3527

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/06/2025

LAB CHRONICLE

OrderID:	Q3527	OrderDate:	11/3/2025 9:29:00 AM
Client:	Tetra Tech NUS, Inc.	Project:	NWIRP Bethpage 112G08005-WE13
Contact:	Ernie Wu	Location:	J32

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3527-01	RW8-SP100-2025103 0	WATER			10/30/25 13:05			11/03/25
			TDS	SM2540 C			11/03/25 16:00	
			TSS	SM2540 D			11/05/25 10:30	
Q3527-02	RW8-SP303-2025103 0	WATER			10/30/25 13:13			11/03/25
			TDS	SM2540 C			11/03/25 16:00	
			TSS	SM2540 D			11/05/25 10:30	



SAMPLE DATA

1
2
3
4
5
6
7
8
9
10
11
12
13

Report of Analysis

Client: Tetra Tech NUS, Inc.
Project: NWIRP Bethpage 112G08005-WE13
Client Sample ID: RW8-SP100-20251030
Lab Sample ID: Q3527-01

Date Collected: 10/30/25 13:05
Date Received: 11/03/25
SDG No.: Q3527
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TDS	3.00	J	1	1.00	10.0	10.0	mg/L		11/03/25 16:00	SM 2540 C-20
TSS	4.00	U	1	1.00	4.00	4.00	mg/L		11/05/25 10:30	SM 2540 D-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tetra Tech NUS, Inc.
Project: NWIRP Bethpage 112G08005-WE13
Client Sample ID: RW8-SP303-20251030
Lab Sample ID: Q3527-02

Date Collected: 10/30/25 13:13
Date Received: 11/03/25
SDG No.: Q3527
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TDS	2.00	J	1	1.00	10.0	10.0	mg/L		11/03/25 16:00	SM 2540 C-20
TSS	4.00	U	1	1.00	4.00	4.00	mg/L		11/05/25 10:30	SM 2540 D-20

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits



QC RESULT SUMMARY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Preparation Blank Summary

Client: Tetra Tech NUS, Inc.

SDG No.: Q3527

Project: NWIRP Bethpage 112G08005-WE13

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB137742BL							
TDS	mg/L	1	5.0000	J	1.0	10	11/03/2025
Sample ID: LB137774BL							
TSS	mg/L	< 2.0000	2.0000	U	1	4	11/05/2025

Duplicate Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q3527
Project:	NWIRP Bethpage 112G08005-WE13	Sample ID:	Q3527-02
Client ID:	RW8-SP303-20251030DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TDS	mg/L	+/-5	2.00	J	2.00	J	1	0		11/03/2025

Duplicate Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q3527
Project:	NWIRP Bethpage 112G08005-WE13	Sample ID:	Q3528-01
Client ID:	SW-2DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
TSS	mg/L	+/-5	324		325		1	0.18		11/05/2025

Laboratory Control Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q3527
Project:	NWIRP Bethpage 112G08005-WE13	Run No.:	LB137742

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137742BS							
TDS	mg/L	100	95.0		95	1	90-110	11/03/2025

Laboratory Control Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q3527
Project:	NWIRP Bethpage 112G08005-WE13	Run No.:	LB137774

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137774BS							
TSS	mg/L	550	533		97	1	90-110	11/05/2025



RAW DATA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

TOTAL Dissolved Solids - SM2540C

Run Number: LB137742

Date: 11/04/2025

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-5

Filter ID: 17416528

EMPTY DISH				EMPTY DISH				OvenID:	WC OVEN-1	Thermo ID:	WET OVEN#1
TEMP IN:	104 °C	10/31/2025	11:00	TEMP OUT:	104 °C	10/31/2025	12:00				
TEMP1 IN:	104 °C	10/31/2025	12:30	TEMP1 OUT:	104 °C	10/31/2025	13:30	OvenID1:	WC OVEN-1	Thermo ID1:	WET OVEN#1
TEMP2 IN:	103 °C	11/03/2025	16:00	TEMP2 OUT:	103 °C	11/04/2025	07:00	OvenID2:	WC OVEN-2	Thermo ID2:	WET OVEN#2
TEMP3 IN:	180 °C	11/04/2025	07:05	TEMP3 OUT:	182 °C	11/04/2025	09:10	OvenID3:	WC OVEN-2	Thermo ID3:	WET OVEN#2

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @180(±2) °C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @180(±2) °C (g)	Final Empty Dish+Sample weight after 1.5hr drying @180(±2) °C (g)	Weight (g)	Result mg/L
1	LB137742BL	LB137742BL	148.7453	148.7453	100	148.7454	148.7454	148.7454	0.0001	1
2	LB137742BS	LB137742BS	156.3048	156.3048	100	156.3143	156.3143	156.3143	0.0095	95
3	Q3527-01	RW8-SP100-20251030	106.1325	106.1325	100	106.1328	106.1328	106.1328	0.0003	3
4	Q3527-02	RW8-SP303-20251030	110.2082	110.2082	100	110.2084	110.2084	110.2084	0.0002	2
5	Q3527-02DUP	RW8-SP303-20251030DUP	156.5533	156.5533	100	156.5535	156.5535	156.5535	0.0002	2

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = 2nd Empty Dish + Sample weight after 1.5 hr drying @180(±2) °C(g)

D = Weight (g)

$$\text{Weight (g)} = C - B$$

$$\text{Result mg/L} = \frac{D}{A} * 1000 * 1000$$

VB 137742

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TDS Q3525 WorkList ID : 192858 Department : Wet-Chemistry Date : 11-03-2025 12:01:01

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3527-01	RW8-SP100-20251030	Water	TDS	Cool 4 deg C	TETR06	J32	10/30/2025	SM2540 C
Q3527-02	RW8-SP303-20251030	Water	TDS	Cool 4 deg C	TETR06	J32	10/30/2025	SM2540 C

Date/Time 11/03/25 12:13:35
Raw Sample Received by: JR (GEC)
Raw Sample Relinquished by: JT (GEC)

Date/Time 11/03/25 16:30
Raw Sample Received by: JT (GEC)
Raw Sample Relinquished by: JR (GEC)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

TOTAL SUSPENDED SOLIDS - SM2540D

SUPERVISOR: rubina

ANALYST: jignesh

Date: 11/04/2025

Run Number: LB137774

BalanceID: WC SC-5

OvenID: WC OVEN-1

FilterID: 17416528

ThermometerID: WET OVEN#1

TEMP1 IN: 104 °C 11/04/2025 14:00 TEMP1 OUT: 103 °C 11/04/2025 15:30
 TEMP2 IN: 104 °C 11/04/2025 16:00 TEMP2 OUT: 104 °C 11/04/2025 17:00
 TEMP3 IN: 104 °C 11/05/2025 10:30 TEMP3 OUT: 103 °C 11/05/2025 12:10
 TEMP4 IN: 104 °C 11/05/2025 13:00 TEMP4 OUT: 103 °C 11/05/2025 14:35

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB137774BL	LB137774BL	1.5896	1.5897	100	1.5897	1.5897	1.5897	0.0000	0
2	LB137774BS	LB137774BS	1.4713	1.4713	100	1.5246	1.5246	1.5246	0.0533	533
3	Q3527-01	RW8-SP100-20251030	1.4885	1.4885	1900	1.4887	1.4887	1.4887	0.0002	0.1
4	Q3527-02	RW8-SP303-20251030	1.4799	1.4799	1800	1.4800	1.4800	1.4800	0.0001	0.1
5	Q3528-01	SW-2	1.4899	1.4899	500	1.6521	1.6521	1.6521	0.1622	324.4
6	Q3528-01DUP	SW-2DUP	1.4813	1.4813	500	1.6438	1.6438	1.6438	0.1625	325
7	Q3529-01	SW1	1.4940	1.4940	1000	5.1645	5.1645	5.1645	3.6705	3670.5
8	Q3537-03	MW-17-PURGE-WATER	1.4947	1.4947	2000	1.5083	1.5083	1.5083	0.0136	6.8
9	Q3541-01	N48969	1.4752	1.4752	2000	1.7916	1.7916	1.7916	0.3164	158.2

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

137774

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tss q3541 WorkList ID : 192891 Department : Wet-Chemistry Date : 11-05-2025 08:42:46

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3527-01	B,C RW8-SP100-20251030	Water	TSS	Cool 4 deg C	TETR06	J32	10/30/2025	SM2540 D
Q3527-02	B,C RW8-SP303-20251030	Water	TSS	Cool 4 deg C	TETR06	J32	10/30/2025	SM2540 D
Q3528-01	B SW-2	Water	TSS	Cool 4 deg C	ATGG01	J11	10/29/2025	SM2540 D
Q3529-01	B SW1	Water	TSS	Cool 4 deg C	ATGG01	J11	10/29/2025	SM2540 D
Q3537-03	K6 MW-17-WATER	Water	TSS	Cool 4 deg C	PSEG03	D41	11/04/2025	SM2540 D
Q3541-01	12,3 N48969	Water	TSS	Cool 4 deg C	PSEG03	D41	11/04/2025	SM2540 D

Date/Time 11/05/25 08:50
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 11/05/25 13:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB137742

Review By	jignesh	Review On	11/4/2025 10:59:40 AM
Supervise By	Iwona	Supervise On	11/4/2025 1:29:04 PM
SubDirectory	LB137742	Test	TDS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB137742BL	LB137742BL	MB	11/03/25 16:00		jignesh	OK
2	LB137742BS	LB137742BS	LCS	11/03/25 16:00	WP115423	jignesh	OK
3	Q3527-01	RW8-SP100-2025103	SAM	11/03/25 16:00		jignesh	OK
4	Q3527-02	RW8-SP303-2025103	SAM	11/03/25 16:00		jignesh	OK
5	Q3527-02DUP	RW8-SP303-2025103	DUP	11/03/25 16:00		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB137774

Review By	jignesh	Review On	11/6/2025 8:51:25 AM
Supervise By	rubina	Supervise On	11/6/2025 12:04:59 PM
SubDirectory	LB137774	Test	TSS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB137774BL	LB137774BL	MB	11/05/25 10:30		jignesh	OK
2	LB137774BS	LB137774BS	LCS	11/05/25 10:30		jignesh	OK
3	Q3527-01	RW8-SP100-2025103	SAM	11/05/25 10:30		jignesh	OK
4	Q3527-02	RW8-SP303-2025103	SAM	11/05/25 10:30		jignesh	OK
5	Q3528-01	SW-2	SAM	11/05/25 10:30		jignesh	OK
6	Q3528-01DUP	SW-2DUP	DUP	11/05/25 10:30		jignesh	OK
7	Q3529-01	SW1	SAM	11/05/25 10:30		jignesh	OK
8	Q3537-03	MW-17-PURGE-WAT	SAM	11/05/25 10:30		jignesh	OK
9	Q3541-01	N48969	SAM	11/05/25 10:30		jignesh	OK

Prep Standard - Chemical Standard Summary

Order ID : Q3527

Test : TDS,TSS

Prepbatch ID :

Sequence ID/Qc Batch ID: LB137742, LB137774,

Standard ID :

Chemical ID :

1
2
3
4
5
6
7
8
9
10
11
12
13

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
				/	/	

1
2
3
4
5
6
7
8
9
10
11
12
13



SHIPPING DOCUMENTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CHEMTECH CHAIN OF CUSTODY RECORD		284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 Fax: (908) 78-8922 www.chemtech.net		Chemtech Project Number: Q3527																					
				COC Number:																					
CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION																					
COMPANY: Tetra Tech		PROJECT NAME: NWIRP Bethpage		BILL TO: PO#																					
ADDRESS: 4433 Corporation Ln, Suite 300		PROJECT #: 112G08005-WE13 LOCATION: RW8		ADDRESS:																					
CITY: Virginia Beach STATE: VA ZIP: 23462		PROJECT MANAGER: Ernie Wu		CITY: STATE: ZIP:																					
ATTENTION: Ernie Wu		E-MAIL: ernie.wu@tetratech.com		ATTENTION: PHONE:																					
PHONE: 757-466-4901 FAX: 757-461-4148		PHONE: 757-466-4901 FAX: 757-461-4148																							
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		ANALYSIS																					
FAX: _____ 10 _____ DAYS* HARD COPY: _____ 10 _____ DAYS* EDD _____ 10 _____ DAYS* * TO BE APPROVED BY CHEMTECH STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		<input type="checkbox"/> RESEULTS ONLY <input type="checkbox"/> USEPA CLP <input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New York State ASP "B" <input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New York State ASP "A" <input type="checkbox"/> New Jersey CLP <input type="checkbox"/> Other _____ <input type="checkbox"/> EDD Format _____		1,4-Dioxane SW846 8270 <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>SIM</td> <td>Iron, Total</td> <td>TSS</td> <td>TDS</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td></td> </tr> </table>		SIM	Iron, Total	TSS	TDS							1	2	3	4	5	6	7	8	9	
SIM	Iron, Total	TSS	TDS																						
1	2	3	4	5	6	7	8	9																	
				PRESERVATIVES																					
				COMMENTS																					
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE COMP GRAB	SAMPLE COLLECTION DATE TIME	# of Bottles																				
1.	RW8-SP100-20251030	GW		10/30/25 13:05	4																				
2.	RW8-SP303-20251030	GW		10/30/25 13:13	4																				
3.																									
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY									
RELINQUISHED BY SAMPLER	DATE/TIME	RECEIVED BY	Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp 23°C MeOH extraction requires an additional 4oz. Jar for percent solid Comments:						
1. UHL	10/31/25 / Ru	1. [Signature]							
RELINQUISHED BY	DATE/TIME	RECEIVED BY							
2.		2.							
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY							
3.		3.							
			SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight CHEMTECH: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight				Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO		

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT
YELLOW - CHEMTECH COPY
PINK - SAMPLER COPY

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312