

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

## **Report of Analysis**

Client: Alliance Technical Group, LLC - Newark

Project: LOD-LOQ-MDL Study

Client Sample ID: LOD-MDL-SOIL-01-QT4-2025

Lab Sample ID: Q3530-01 Analytical Method: 8015D GRO

Sample Wt/Vol: 5 g Final Vol: 5 mL

Date Collected: 11/03/25 Date Received: 11/03/25 SDG No.: Q3530

Matrix: SOIL % Solid: 100

Test: Gasoline Range Organics

CAS Number	Parameter	Conc.	Qua. DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS GRO	GRO	46.0	1	8.00	45.0	ug/kg	11/04/25 15:55	FB110425
SURROGATES 98-08-8 Alpha,Alpha,Alpha-Trifluoi 16.1			50 - 150	81%	SPK: 20			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit