

DATA PACKAGE

SUB DATA

PROJECT NAME : NETFLIX

ATLANTIC RECOVERY SERVICES, INC.

2080 Cabot Blvd W Suite 201

Langhorne, PA - 19047

Phone No: 267-797-5173

ORDER ID : Q3533

ATTENTION : Alex Godart



Cover Page

Order ID : Q3533

Project ID : Netflix

Client : Atlantic Recovery Services, Inc.

Lab Sample Number

Q3533-01

Client Sample Number

Building 1A1603

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:43 am, Nov 13, 2025

Date: 11/10/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

November 13, 2025

Yazmeen Gomez
ATG - NEWARK LAB
284 Sheffield Street
Mountainside, NJ 07092
TEL:
FAX:

RE: Q3533 REVISION

Dear Yazmeen Gomez:

Order No.: 25110401

Alliance Technical Group - Akron received 1 sample(s) on 11/6/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink that reads "Amy Getz". The signature is fluid and cursive, with a long horizontal stroke extending from the end.

Amy Getz

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Case Narrative

WO#: 25110401
Date: 11/13/2025

CLIENT: ATG - NEWARK LAB

Project: Q3533 REVISION

WorkOrder Narrative:

25110401: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

WorkOrder Comments:

25110401: Alliance Technical Group - Akron does not hold certification in the state of NJ which may or may not provide accreditation for the analyses requested.

Analytical Sequence Sample Notes:

25110401-001A ALCOHOLS_NPW(8015): Corresponding spike indicates matrix interference. The method is in control as indicated by the laboratory control sample (LCS).

25110401-001A ALCOHOLS_NPW(8015): Sample exhibited Ethanol recovery above the calibration range, sample was diluted and re-ran.

Revision v1



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

Case Narrative

WO#: 25110401

Date: 11/13/2025

CLIENT: ATG - NEWARK LAB

Project: Q3533 REVISION

Revised Report 11/13/25: Added flashpoint test.

Revision v1

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

U	The compound was analyzed for but was not detected above the MDL.
J	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
H	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
D	The result is reported from a dilution.
E	The result exceeded the linear range of the calibration or is estimated due to interference.
MC	The result is below the Minimum Compound Limit.
*	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
m	Manual integration was used to determine the area response.
d	Manual integration in which peak was deleted
N	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
P	The second column confirmation exceeded 25% difference.
C	The result has been confirmed by GC/MS.
X	The result was not confirmed when GC/MS Analysis was performed.
B	The analyte was detected in the Method Blank at a concentration greater than the RL.
MB+	The analyte was detected in the Method Blank at a concentration greater than the MDL.
G	The ICB or CCB contained reportable amounts of analyte.
QC-/+	The CCV recovery failed low (-) or high (+).
R/QDR	The RPD was outside of accepted recovery limits.
QL-/+	The LCS or LCSD recovery failed low (-) or high (+).
QLR	The LCS/LCSD RPD was outside of accepted recovery limits.
QM-/+	The MS or MSD recovery failed low (-) or high (+).
QMR	The MS/MSD RPD was outside of accepted recovery limits.
QV-/+	The ICV recovery failed low (-) or high (+).
S	The spike result was outside of accepted recovery limits.
W	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
Z	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

Acronyms

ND	Not Detected	RL	Reporting Limit
QC	Quality Control	MDL	Method Detection Limit
MB	Method Blank	LOD	Level of Detection
LCS	Laboratory Control Sample	LOQ	Level of Quantitation
LCSD	Laboratory Control Sample Duplicate	PQL	Practical Quantitation Limit
QCS	Quality Control Sample	CRQL	Contract Required Quantitation Limit
DUP	Duplicate	PL	Permit Limit
MS	Matrix Spike	RegLvl	Regulatory Limit
MSD	Matrix Spike Duplicate	MCL	Maximum Contamination Limit
RPD	Relative Percent Different	MinCL	Minimum Compound Limit
ICV	Initial Calibration Verification	RA	Reanalysis
ICB	Initial Calibration Blank	RE	Reextraction
CCV	Continuing Calibration Verification	TIC	Tentatively Identified Compound
CCB	Continuing Calibration Blank	RT	Retention Time
RLC	Reporting Limit Check	CF	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

Workorder
Sample Summary
WO#: **25110401**
13-Nov-25

CLIENT: ATG - NEWARK LAB
Project: Q3533 REVISION

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25110401-001	Building 1A1603		11/3/2025 8:30:00 AM	11/6/2025 10:45:00 AM	Non-Potable Water



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 25110401

13-Nov-25

Client: ATG - NEWARK LAB

Project: Q3533 REVISION

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25110401-001A	Building 1A1603	11/3/2025 8:30:00 AM	Non-Potable Water	Alcohols (EPA 8015) C			11/7/2025 11:18:00 PM
				Alcohols (EPA 8015) C			11/7/2025 10:57:00 PM
				Alcohols (EPA 8015) C			11/7/2025 10:37:00 PM
				Alcohols (EPA 8015) C			11/7/2025 10:16:00 PM
				Alcohols (EPA 8015) C			11/7/2025 11:18:00 PM
				Alcohols (EPA 8015) C			11/7/2025 10:57:00 PM
				Alcohols (EPA 8015) C			11/7/2025 10:37:00 PM
				Alcohols (EPA 8015) C			11/7/2025 10:16:00 PM
				Flashpoint (EPA 1010)			11/12/2025 4:08:19 PM

Revision v1



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: **25110401**
Date Reported: **11/13/2025**
Company: **ATG - NEWARK LAB**
Address: **284 Sheffield Street**
Mountainside NJ 07092
Received: **11/6/2025**
Project#: **Q3533 REVISIO**

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
Building 1A1603	001	11/3/2025	Flashpoint (200°F)	117	°F		Non-Potable Water	EPA 1010	1			11/12/2025	TAH
Building 1A1603	001	11/3/2025	Ethanol	109000	mg/L		Non-Potable Water	EPA 8015 B	100	679	1000	11/7/2025	BMJ



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110401

13-Nov-25

Client: ATG - NEWARK LAB

Project: Q3533 REVISION

BatchID: ALN251107A

Sample ID: MB-AL251107	SampType: MBLK	TestCode: ALCOHOLS_	Units: mg/L	Prep Date:	RunNo: 220487						
Client ID: BatchQC	Batch ID: ALN251107A	TestNo: SW8015C		Analysis Date: 11/7/2025	SeqNo: 5879799						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethanol	ND	10.0									U
Surr: Cyclohexanol	501		500.0		100	70	130				

Sample ID: LCS-AL251107	SampType: LCS	TestCode: ALCOHOLS_ Units: mg/L				Prep Date:			RunNo: 220487		
Client ID: BatchQC	Batch ID: ALN251107A	TestNo: SW8015C				Analysis Date: 11/7/2025			SeqNo: 5879800		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethanol	567	10.0	500.0	0	113	54	143				
Surr: Cyclohexanol	498		500.0		99.6	41	153				

Sample ID: 25110401-001AMS	SampType: MS	TestCode: ALCOHOLS_ Units: mg/L				Prep Date:			RunNo: 220487		
Client ID: Building 1A1603	Batch ID: ALN251107A	TestNo: SW8015C				Analysis Date: 11/7/2025			SeqNo: 5879801		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethanol	ND	10.0	500.0	0	0	10	207				SUm
Surr: Cyclohexanol	488		500.0		97.6	70	130				

Qualifiers:

H Holding times for preparation or analysis exceeded
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified at testcode

ND Not Detected
S Spike Recovery outside accepted recovery limits

Revision v1



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110401

13-Nov-25

Client: ATG - NEWARK LAB

Project: Q3533 REVISION

BatchID: ALN251107A

Sample ID: 25110401-001AMSD		SampType: MSD		TestCode: ALCOHOLS_ Units: mg/L		Prep Date:		RunNo: 220487			
Client ID: Building 1A1603		Batch ID: ALN251107A		TestNo: SW8015C		Analysis Date: 11/7/2025		SeqNo: 5879802			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethanol	ND	10.0	500.0	0	0	10	207	0	0	30	SUm
Surr: Cyclohexanol	488		500.0		97.5	70	130		0	0	

Qualifiers: H Holding times for preparation or analysis exceeded
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified at testcode

ND Not Detected
S Spike Recovery outside accepted recovery limits

Revision v1

CLIENT INFORMATION

COMPANY: Soil managers
ADDRESS: 47 Warren Rd
CITY: West Orange STATE: NJ ZIP: 07052
ATTENTION: Josh Jackson
PHONE: 973-525-8242 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Netflix
PROJECT NO.: LOCATION: Fort Monmouth
PROJECT MANAGER: Alex Godart
e-mail: Alex@atlanters.com
PHONE: 631-839-9822 FAX: :

CLIENT BILLING INFORMATION

BILL TO: Atlantic Recovery Services PO#:
ADDRESS: 2080 Cabot Blvd W STE 201
CITY: Langhorne STATE: PA ZIP: 19047
ATTENTION: Alex Godart PHONE: 631-839-9822

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): 10 3 DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1	2	3	4	5	6	7	8	9
Ethanol								

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS		
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives		
																	A-HCl	D-NaOH	
																		B-HNO3	E-ICE
																		C-H2SO4	F-OTHER
1.	Building 1A/603	ML	X		11/3/05	0830	1	X											Misc. Liquid
2.																			
3.																			
4.																			
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: <u>11:10</u> <u>11/3/05</u>	RECEIVED BY: 1. <u>[Signature]</u> <u>11/4/05</u>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>1.9-C</u> °C Comments: _____
RELINQUISHED BY SAMPLER: 2. _____	DATE/TIME: _____	RECEIVED BY: <u>11:10</u>	_____
RELINQUISHED BY SAMPLER: 3. _____	DATE/TIME: _____	RECEIVED BY: _____	_____

Page 1 of 1

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

25110401

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Alliance Technical Group - Akron	ORDER ID : Q3533	BILL TO: CHEMTECH PO# : q3533
ADDRESS : 3310 Win Street	PROJECT ID:Netflix	ADDRESS : 284, Sheffield Street
CITY:Cuyahoga Fal State :OH ZIP :44223	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail :jennifer.woolf@alliancetg.com	E-mail : YAZMEEN.GOMEZ@AllianceTG.com	ATTENTION :YAZMEE
PHONE :330-253-8211	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : EXCEL NOCLEAN	Report : NJ Reduced	Comment : NJ COMP
---------------------	---------------------	-------------------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	Building 1A1603	Water	Ethanol	1:1 HNO3 to pH < 2	sub	11/03/2025	08:30:00	1	3

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY									
RELINQUISHED BY SAMPLER: 1. JT	DATETIME: 11-5-25	RECEIVED BY: 1. [Signature]	Conditions of bottles or Coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant Cooler Temp _____ Ice or Cooler? _____						
RELINQUISHED BY: 2.	DATETIME:	RECEIVED BY: 2.	2.8 + 0.2 = 3.0						
RELINQUISHED BY: 3.	DATETIME:	RECEIVED BY: 3.	Page 1 of 1 Page 10 of 11				<input type="checkbox"/> OVERNIGHT	Shipment Complete: <input type="checkbox"/> YES <input type="checkbox"/> NO	

Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25110401**

RcptNo: **1**

Logged by: **Nick Rigby** **11/6/2025 10:45:00 AM**

Completed By: **Nick Rigby** **11/6/2025 3:00:50 PM**

Reviewed By: **Jennifer Woolf** **11/7/2025 3:00:12 PM**



Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐

2. How was the sample delivered?

FedEx

Tracking No.: 885632192110

Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐

4. Shipping container/cooler in good condition?

Yes ☒ No ☐

Custody seals intact on shipping container/cooler?

Yes ☐ No ☐ Not Present ☒ NA ☐

No.

Seal Date:

Signed By:

5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐

6. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐

7. Sample(s) in proper container(s)? Yes ☒ No ☐

8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐

9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐

10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐

11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒

12. Were any sample containers received broken? Yes ☐ No ☒

13. Does paperwork match bottle labels? Yes ☒ No ☐

(Note discrepancies on chain of custody)

14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐

15. Is it clear what analyses were requested? Yes ☒ No ☐

16. Were all holding times able to be met? Yes ☒ No ☐

(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via:

☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	3	Good	Not Present			

CLIENT INFORMATION

COMPANY: Soil managers
ADDRESS: 47 Warren Rd
CITY: West Orange STATE: NJ ZIP: 07052
ATTENTION: Josh Jackson
PHONE: 973-525-8242 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Netflix
PROJECT NO.: LOCATION: Fort Monmouth
PROJECT MANAGER: Alex Godart
e-mail: Alex@atlanters.com
PHONE: 631-839-9822 FAX:

CLIENT BILLING INFORMATION

BILL TO: Atlantic Recovery Services
ADDRESS: 2080 Cabot Blvd W STE 201
CITY: Langhorne STATE: PA ZIP: 19047
ATTENTION: Alex Godart PHONE: 631-839-9822

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): 10-15 3 DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	<u>Building 1A/603</u>	<u>ML</u>	<u>X</u>		<u>11/3/15</u>	<u>0830</u>	<u>1</u>	<u>X</u>									<u>Misc. Liquid</u>
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: <u>11:10</u> <u>11/3/15</u>	RECEIVED BY: 1. <u>[Signature]</u> <u>11/4/15</u>	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>1.9-C</u> °C
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME: <u>11:10</u>	RECEIVED BY: 2. <u>[Signature]</u>	Comments: <u>IL-Gun #1</u>
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: 3. <u>[Signature]</u>	Page <u>1</u> of <u>1</u> CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other <u>Shipment Complete</u> <input type="checkbox"/> YES <input type="checkbox"/> NO