

## Duplicate Sample Summary

|                                              |                                           |
|----------------------------------------------|-------------------------------------------|
| <b>Client:</b> Remington & Vernick Engineers | <b>SDG No.:</b> Q3534                     |
| <b>Project:</b> Edison Landfill              | <b>Sample ID:</b> Q3534-01                |
| <b>Client ID:</b> MW-6DUP                    | <b>Percent Solids for Spike Sample:</b> 0 |

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| Cyanide | mg/L  | +/-20               | 0.047            | U                  | 0.047               | U                  | 1                  | 0          |      | 11/07/2025       |

### Duplicate Sample Summary

|                   |                               |                                         |          |
|-------------------|-------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | Remington & Vernick Engineers | <b>SDG No.:</b>                         | Q3534    |
| <b>Project:</b>   | Edison Landfill               | <b>Sample ID:</b>                       | Q3534-01 |
| <b>Client ID:</b> | MW-6MSD                       | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| Cyanide | mg/L  | +/-20               | 1.80             |                    | 1.80                |                    | 1                  | 0          |      | 11/07/2025       |

## Duplicate Sample Summary

|                                                                                                                 |                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Client:</b> Remington & Vernick Engineers<br><b>Project:</b> Edison Landfill<br><b>Client ID:</b> MW-EB-3DUP | <b>SDG No.:</b> Q3534<br><b>Sample ID:</b> Q3534-07<br><b>Percent Solids for Spike Sample:</b> 0 |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|

| Analyte             | Units | Acceptance Limit | Sample Result | Conc. Qualifier | Duplicate Result | Conc. Qualifier | Dilution Factor | RPD/AD | Qual | Analysis Date |
|---------------------|-------|------------------|---------------|-----------------|------------------|-----------------|-----------------|--------|------|---------------|
| Hexavalent Chromium | mg/L  | +/-20            | 0.0030        | U               | 0.0030           | U               | 1               | 0      |      | 11/04/2025    |
| TDS                 | mg/L  | +/-5             | 8970          |                 | 9400             |                 | 1               | 4.69   |      | 11/05/2025    |

### Duplicate Sample Summary

|                   |                               |                                         |          |
|-------------------|-------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | Remington & Vernick Engineers | <b>SDG No.:</b>                         | Q3534    |
| <b>Project:</b>   | Edison Landfill               | <b>Sample ID:</b>                       | Q3534-07 |
| <b>Client ID:</b> | MW-EB-3MSD                    | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte             | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------------------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| Hexavalent Chromium | mg/L  | +/-20               | 0.94             |                    | 0.95                |                    | 2                  | 0.42       |      | 11/04/2025       |

## Duplicate Sample Summary

|                                                                                                                           |                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Client:</b> Remington & Vernick Engineers<br><b>Project:</b> Edison Landfill<br><b>Client ID:</b> MW-17-PURGE-WATERDUP | <b>SDG No.:</b> Q3534<br><b>Sample ID:</b> Q3537-03<br><b>Percent Solids for Spike Sample:</b> 0 |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| BOD5    | mg/L  | +/-20               | 0.20             | U                  | 0.20                | U                  | 1                  | 0          |      | 11/05/2025       |
| TKN     | mg/L  | +/-20               | 0.25             | J                  | 0.25                | J                  | 1                  | 0          |      | 11/06/2025       |

## Duplicate Sample Summary

|                                                                                                                           |                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Client:</b> Remington & Vernick Engineers<br><b>Project:</b> Edison Landfill<br><b>Client ID:</b> MW-17-PURGE-WATERMSD | <b>SDG No.:</b> Q3534<br><b>Sample ID:</b> Q3537-03<br><b>Percent Solids for Spike Sample:</b> 0 |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|

| Analyte             | Units | Acceptance Limit | Sample Result | Conc. Qualifier | Duplicate Result | Conc. Qualifier | Dilution Factor | RPD/AD | Qual | Analysis Date |
|---------------------|-------|------------------|---------------|-----------------|------------------|-----------------|-----------------|--------|------|---------------|
| Fluoride            | mg/L  | +/-20            | 2.10          | OR              | 2.10             | OR              | 1               | 0      |      | 11/05/2025    |
| Chloride            | mg/L  | +/-20            | 132           |                 | 132              |                 | 1               | 0      |      | 11/05/2025    |
| Sulfate             | mg/L  | +/-20            | 22.9          |                 | 23.4             |                 | 1               | 2      |      | 11/05/2025    |
| Nitrate             | mg/L  | +/-20            | 2.60          |                 | 2.70             |                 | 1               | 4      |      | 11/05/2025    |
| Bromide             | mg/L  | +/-20            | 9.50          |                 | 10.0             |                 | 1               | 5      |      | 11/05/2025    |
| Orthophosphate as P | mg/L  | +/-20            | 5.00          |                 | 4.70             |                 | 1               | 6      |      | 11/05/2025    |
| Nitrite             | mg/L  | +/-20            | 2.80          |                 | 3.00             |                 | 1               | 7      |      | 11/05/2025    |
| TKN                 | mg/L  | +/-20            | 5.20          |                 | 5.10             |                 | 1               | 2      |      | 11/06/2025    |

### Duplicate Sample Summary

|                   |                               |                                         |          |
|-------------------|-------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | Remington & Vernick Engineers | <b>SDG No.:</b>                         | Q3534    |
| <b>Project:</b>   | Edison Landfill               | <b>Sample ID:</b>                       | Q3541-01 |
| <b>Client ID:</b> | N48969DUP                     | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| COD     | mg/L  | +/-20               | 11.7             |                    | 11.7                |                    | 1                  | 0          |      | 11/07/2025       |

### Duplicate Sample Summary

|                   |                               |                                         |          |
|-------------------|-------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | Remington & Vernick Engineers | <b>SDG No.:</b>                         | Q3534    |
| <b>Project:</b>   | Edison Landfill               | <b>Sample ID:</b>                       | Q3541-01 |
| <b>Client ID:</b> | N48969MSD                     | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| COD     | mg/L  | +/-20               | 60.3             |                    | 59.3                |                    | 1                  | 1.67       |      | 11/07/2025       |

## Duplicate Sample Summary

|                                              |                                           |
|----------------------------------------------|-------------------------------------------|
| <b>Client:</b> Remington & Vernick Engineers | <b>SDG No.:</b> Q3534                     |
| <b>Project:</b> Edison Landfill              | <b>Sample ID:</b> Q3542-01                |
| <b>Client ID:</b> AUD-25-182-194DUP          | <b>Percent Solids for Spike Sample:</b> 0 |

| Analyte | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|---------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| pH      | pH    | +/-20               | 9.70             |                    | 9.72                |                    | 1                  | 0.21       |      | 11/05/2025       |

## Duplicate Sample Summary

|                                              |                                           |
|----------------------------------------------|-------------------------------------------|
| <b>Client:</b> Remington & Vernick Engineers | <b>SDG No.:</b> Q3534                     |
| <b>Project:</b> Edison Landfill              | <b>Sample ID:</b> Q3554-01                |
| <b>Client ID:</b> EFFLUENTMSD                | <b>Percent Solids for Spike Sample:</b> 0 |

| Analyte        | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|----------------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| Oil and Grease | mg/L  | +/-18               | 38.6             |                    | 38.8                |                    | 1                  | 0.52       |      | 11/07/2025       |

### Duplicate Sample Summary

|                   |                               |                                         |          |
|-------------------|-------------------------------|-----------------------------------------|----------|
| <b>Client:</b>    | Remington & Vernick Engineers | <b>SDG No.:</b>                         | Q3534    |
| <b>Project:</b>   | Edison Landfill               | <b>Sample ID:</b>                       | Q3551-01 |
| <b>Client ID:</b> | MANHOLEMSD                    | <b>Percent Solids for Spike Sample:</b> | 0        |

| Analyte        | Units | Acceptance<br>Limit | Sample<br>Result | Conc.<br>Qualifier | Duplicate<br>Result | Conc.<br>Qualifier | Dilution<br>Factor | RPD/<br>AD | Qual | Analysis<br>Date |
|----------------|-------|---------------------|------------------|--------------------|---------------------|--------------------|--------------------|------------|------|------------------|
| Oil and Grease | mg/L  | +/-18               | 25.9             |                    | 26.0                |                    | 1                  | 0.39       |      | 11/07/2025       |