

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:	11/03/25
Project:	Edison Landfill		Date Received:	11/04/25
Client Sample ID:	MW-EB-1		SDG No.:	Q3534
Lab Sample ID:	Q3534-05		Matrix:	Water
Analytical Method:	8270E	Level: LOW	% Solid:	0
Sample Wt/Vol:	960 mL	Final Vol:	1000 uL	Test:
Prep Method :	3510C	Prep Date:	11/06/25	

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
100-52-7	Benzaldehyde	4.10	U	1	4.10	10.4	ug/L	11/06/25 17:24	PB170424
108-95-2	Phenol	0.95	U	1	0.95	5.20	ug/L	11/06/25 17:24	PB170424
111-44-4	bis(2-Chloroethyl)ether	0.84	U	1	0.84	5.20	ug/L	11/06/25 17:24	PB170424
95-57-8	2-Chlorophenol	0.60	U	1	0.60	5.20	ug/L	11/06/25 17:24	PB170424
95-48-7	2-Methylphenol	1.20	U	1	1.20	5.20	ug/L	11/06/25 17:24	PB170424
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1	1.30	5.20	ug/L	11/06/25 17:24	PB170424
98-86-2	Acetophenone	0.77	U	1	0.77	5.20	ug/L	11/06/25 17:24	PB170424
65794-96-9	3+4-Methylphenols	1.10	U	1	1.10	10.4	ug/L	11/06/25 17:24	PB170424
621-64-7	n-Nitroso-di-n-propylamine	1.50	U	1	1.50	2.60	ug/L	11/06/25 17:24	PB170424
67-72-1	Hexachloroethane	0.68	U	1	0.68	5.20	ug/L	11/06/25 17:24	PB170424
98-95-3	Nitrobenzene	0.79	U	1	0.79	5.20	ug/L	11/06/25 17:24	PB170424
78-59-1	Isophorone	0.78	U	1	0.78	5.20	ug/L	11/06/25 17:24	PB170424
88-75-5	2-Nitrophenol	1.80	U	1	1.80	5.20	ug/L	11/06/25 17:24	PB170424
105-67-9	2,4-Dimethylphenol	1.90	U	1	1.90	5.20	ug/L	11/06/25 17:24	PB170424
111-91-1	bis(2-Chloroethoxy)methane	0.71	U	1	0.71	5.20	ug/L	11/06/25 17:24	PB170424
120-83-2	2,4-Dichlorophenol	0.54	U	1	0.54	5.20	ug/L	11/06/25 17:24	PB170424
91-20-3	Naphthalene	0.52	U	1	0.52	5.20	ug/L	11/06/25 17:24	PB170424
106-47-8	4-Chloroaniline	0.88	UQ	1	0.88	5.20	ug/L	11/06/25 17:24	PB170424
87-68-3	Hexachlorobutadiene	0.56	U	1	0.56	5.20	ug/L	11/06/25 17:24	PB170424
105-60-2	Caprolactam	1.20	U	1	1.20	10.4	ug/L	11/06/25 17:24	PB170424
59-50-7	4-Chloro-3-methylphenol	0.61	U	1	0.61	5.20	ug/L	11/06/25 17:24	PB170424
91-57-6	2-Methylnaphthalene	0.58	U	1	0.58	5.20	ug/L	11/06/25 17:24	PB170424
77-47-4	Hexachlorocyclopentadiene	3.80	U	1	3.80	10.4	ug/L	11/06/25 17:24	PB170424
88-06-2	2,4,6-Trichlorophenol	0.53	U	1	0.53	5.20	ug/L	11/06/25 17:24	PB170424
95-95-4	2,4,5-Trichlorophenol	0.65	U	1	0.65	5.20	ug/L	11/06/25 17:24	PB170424
92-52-4	1,1-Biphenyl	0.55	U	1	0.55	5.20	ug/L	11/06/25 17:24	PB170424
91-58-7	2-Chloronaphthalene	0.64	U	1	0.64	5.20	ug/L	11/06/25 17:24	PB170424
88-74-4	2-Nitroaniline	1.30	U	1	1.30	5.20	ug/L	11/06/25 17:24	PB170424
131-11-3	Dimethylphthalate	0.64	U	1	0.64	5.20	ug/L	11/06/25 17:24	PB170424
208-96-8	Acenaphthylene	0.78	U	1	0.78	5.20	ug/L	11/06/25 17:24	PB170424
606-20-2	2,6-Dinitrotoluene	0.96	U	1	0.96	5.20	ug/L	11/06/25 17:24	PB170424
99-09-2	3-Nitroaniline	1.10	U	1	1.10	5.20	ug/L	11/06/25 17:24	PB170424
83-32-9	Acenaphthene	0.57	U	1	0.57	5.20	ug/L	11/06/25 17:24	PB170424
51-28-5	2,4-Dinitrophenol	6.20	U	1	6.20	10.4	ug/L	11/06/25 17:24	PB170424
100-02-7	4-Nitrophenol	2.50	U	1	2.50	10.4	ug/L	11/06/25 17:24	PB170424
132-64-9	Dibenzofuran	0.64	U	1	0.64	5.20	ug/L	11/06/25 17:24	PB170424
121-14-2	2,4-Dinitrotoluene	1.30	U	1	1.30	5.20	ug/L	11/06/25 17:24	PB170424
84-66-2	Diethylphthalate	0.72	U	1	0.72	5.20	ug/L	11/06/25 17:24	PB170424
7005-72-3	4-Chlorophenyl-phenylether	0.71	U	1	0.71	5.20	ug/L	11/06/25 17:24	PB170424
86-73-7	Fluorene	0.66	U	1	0.66	5.20	ug/L	11/06/25 17:24	PB170424
100-01-6	4-Nitroaniline	1.60	U	1	1.60	5.20	ug/L	11/06/25 17:24	PB170424
534-52-1	4,6-Dinitro-2-methylphenol	3.00	U	1	3.00	10.4	ug/L	11/06/25 17:24	PB170424

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:	11/03/25
Project:	Edison Landfill		Date Received:	11/04/25
Client Sample ID:	MW-EB-1		SDG No.:	Q3534
Lab Sample ID:	Q3534-05		Matrix:	Water
Analytical Method:	8270E	Level: LOW	% Solid:	0
Sample Wt/Vol:	960 mL	Final Vol:	1000 uL	Test:
Prep Method :	3510C	Prep Date:	11/06/25	

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
86-30-6	n-Nitrosodiphenylamine	3.90	J	1	0.60	5.20	ug/L	11/06/25 17:24	PB170424
101-55-3	4-Bromophenyl-phenylether	0.42	U	1	0.42	5.20	ug/L	11/06/25 17:24	PB170424
118-74-1	Hexachlorobenzene	0.54	U	1	0.54	5.20	ug/L	11/06/25 17:24	PB170424
1912-24-9	Atrazine	1.10	U	1	1.10	5.20	ug/L	11/06/25 17:24	PB170424
87-86-5	Pentachlorophenol	1.60	U	1	1.60	10.4	ug/L	11/06/25 17:24	PB170424
85-01-8	Phenanthrene	0.52	U	1	0.52	5.20	ug/L	11/06/25 17:24	PB170424
120-12-7	Anthracene	0.64	U	1	0.64	5.20	ug/L	11/06/25 17:24	PB170424
86-74-8	Carbazole	0.75	U	1	0.75	5.20	ug/L	11/06/25 17:24	PB170424
84-74-2	Di-n-butylphthalate	1.30	U	1	1.30	5.20	ug/L	11/06/25 17:24	PB170424
206-44-0	Fluoranthene	0.85	U	1	0.85	5.20	ug/L	11/06/25 17:24	PB170424
129-00-0	Pyrene	0.52	U	1	0.52	5.20	ug/L	11/06/25 17:24	PB170424
85-68-7	Butylbenzylphthalate	2.00	U	1	2.00	5.20	ug/L	11/06/25 17:24	PB170424
91-94-1	3,3-Dichlorobenzidine	0.97	U	1	0.97	10.4	ug/L	11/06/25 17:24	PB170424
56-55-3	Benzo(a)anthracene	0.47	U	1	0.47	5.20	ug/L	11/06/25 17:24	PB170424
218-01-9	Chrysene	0.46	U	1	0.46	5.20	ug/L	11/06/25 17:24	PB170424
117-81-7	Bis(2-ethylhexyl)phthalate	1.70	U	1	1.70	5.20	ug/L	11/06/25 17:24	PB170424
117-84-0	Di-n-octyl phthalate	2.40	U	1	2.40	10.4	ug/L	11/06/25 17:24	PB170424
205-99-2	Benzo(b)fluoranthene	0.51	U	1	0.51	5.20	ug/L	11/06/25 17:24	PB170424
207-08-9	Benzo(k)fluoranthene	0.50	U	1	0.50	5.20	ug/L	11/06/25 17:24	PB170424
50-32-8	Benzo(a)pyrene	0.57	U	1	0.57	5.20	ug/L	11/06/25 17:24	PB170424
193-39-5	Indeno(1,2,3-cd)pyrene	0.61	U	1	0.61	5.20	ug/L	11/06/25 17:24	PB170424
53-70-3	Dibenzo(a,h)anthracene	0.70	U	1	0.70	5.20	ug/L	11/06/25 17:24	PB170424
191-24-2	Benzo(g,h,i)perylene	0.72	U	1	0.72	5.20	ug/L	11/06/25 17:24	PB170424
95-94-3	1,2,4,5-Tetrachlorobenzene	0.54	U	1	0.54	5.20	ug/L	11/06/25 17:24	PB170424
123-91-1	1,4-Dioxane	7.50		1	1.00	5.20	ug/L	11/06/25 17:24	PB170424
58-90-2	2,3,4,6-Tetrachlorophenol	0.75	U	1	0.75	5.20	ug/L	11/06/25 17:24	PB170424

SURROGATES

367-12-4	2-Fluorophenol	72.1		15 (23) - 110 (138)	48%	SPK: 150
13127-88-3	Phenol-d6	48.7		15 (10) - 110 (134)	32%	SPK: 150
4165-60-0	Nitrobenzene-d5	88.9		30 (67) - 130 (132)	89%	SPK: 100
321-60-8	2-Fluorobiphenyl	86.4		30 (52) - 130 (132)	86%	SPK: 100
118-79-6	2,4,6-Tribromophenol	120		15 (44) - 110 (137)	80%	SPK: 150
1718-51-0	Terphenyl-d14	66.2		30 (42) - 130 (152)	66%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	62800
1146-65-2	Naphthalene-d8	229000
15067-26-2	Acenaphthene-d10	121000
1517-22-2	Phenanthrene-d10	183000
1719-03-5	Chrysene-d12	157000
1520-96-3	Perylene-d12	214000

TENTATIVE IDENTIFIED COMPOUNDS

000121-44-8	Triethylamine	9.80	J	2.22	ug/L
000496-11-7	Indane	42.9	J	7.05	ug/L

Report of Analysis

Client:	Remington & Vernick Engineers	Date Collected:	11/03/25
Project:	Edison Landfill	Date Received:	11/04/25
Client Sample ID:	MW-EB-1	SDG No.:	Q3534
Lab Sample ID:	Q3534-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	960 mL	Test:	SVOC-TCL BNA -20
Prep Method :	3510C		
	Level: LOW		
	Final Vol: 1000 uL		
	Prep Date: 11/06/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
000098-54-4	Phenol, p-tert-butyl-	280	J			8.73	ug/L		
000080-46-6	Phenol, 4-(1,1-dimethylpropyl)-	120	J			9.34	ug/L		
000934-34-9	2(3H)-Benzothiazolone	27.3	J			10.8	ug/L		
000050-06-6	Phenobarbital	11.3	J			12.2	ug/L		
000080-05-7	Phenol, 4,4-(1-methylethylidene)b	11.1	J			12.9	ug/L		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products