

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110625\
 Data File : BP026084.D
 Acq On : 06 Nov 2025 19:48
 Operator : RC/JU
 Sample : Q3534-06
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MW-EB-2

Quant Time: Nov 07 01:02:25 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP102925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 30 11:51:34 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.678	152	311269	20.000	ng	-0.01
21) Naphthalene-d8	10.449	136	1204036	20.000	ng	0.00
39) Acenaphthene-d10	14.319	164	734309	20.000	ng	0.00
64) Phenanthrene-d10	17.125	188	1476005	20.000	ng	0.00
76) Chrysene-d12	21.572	240	1673935	20.000	ng	0.00
86) Perylene-d12	24.895	264	1952856	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.296	112	1208679	64.074	ng	0.00
7) Phenol-d6	6.849	99	1017253	42.368	ng	0.00
23) Nitrobenzene-d5	8.819	82	1756493	90.944	ng	0.00
42) 2,4,6-Tribromophenol	15.825	330	1265917	159.464	ng	0.00
45) 2-Fluorobiphenyl	12.925	172	4039177	79.040	ng	0.00
79) Terphenyl-d14	19.866	244	6548074	79.475	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.231	88	28071	3.530	ng	# 85
32) Benzoic acid	9.678	122	23950	6.009	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110625\
Data File : BP026084.D
Acq On : 06 Nov 2025 19:48
Operator : RC/JU
Sample : Q3534-06
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
MW-EB-2

Quant Time: Nov 07 01:02:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP102925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 30 11:51:34 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.678 min Scan# 80
 Delta R.T. -0.012 min
 Lab File: BP026084.D
 Acq: 06 Nov 2025 19:48




Instrument :
 BNA_P
 ClientSampleId :
 MW-EB-2


Tgt Ion:152 Resp: 311269
 Ion Ratio Lower Upper
 152 100
 150 156.1 125.7 188.5
 115 56.6 46.4 69.6



#2
 1,4-Dioxane
 Concen: 3.530 ng
 RT: 3.231 min Scan# 50
 Delta R.T. -0.006 min
 Lab File: BP026084.D
 Acq: 06 Nov 2025 19:48

Tgt Ion: 88 Resp: 28071
 Ion Ratio Lower Upper
 88 100
 58 82.3 65.4 98.0
 43 0.0 23.1 34.7#









#5
2-Fluorophenol
Concen: 64.074 ng
RT: 5.296 min Scan# 401
Delta R.T. 0.000 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48




Instrument :
BNA_P
ClientSampleId :
MW-EB-2


Tgt Ion:112 Resp: 1208679
Ion Ratio Lower Upper
112 100
64 56.5 47.4 71.2
63 28.4 24.2 36.4



#7
Phenol-d6
Concen: 42.368 ng
RT: 6.849 min Scan# 665
Delta R.T. -0.006 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48

Tgt Ion: 99 Resp: 1017253
Ion Ratio Lower Upper
99 100
42 16.5 13.7 20.5
71 29.6 24.4 36.6









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.449 min Scan# 11
Delta R.T. -0.005 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48

Instrument :
BNA_P
ClientSampleId :
MW-EB-2

Tgt Ion:136 Resp: 1204036




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	8.6	6.6	10.0
68	6.1	4.7	7.1




#23
Nitrobenzene-d5
Concen: 90.944 ng
RT: 8.819 min Scan# 1000
Delta R.T. -0.006 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48

Tgt Ion: 82 Resp: 1756493

Ion	Ratio	Lower	Upper
82	100		
128	48.9	37.4	56.0
54	50.8	42.7	64.1









#32
Benzoic acid
Concen: 6.009 ng
RT: 9.678 min Scan# 1157
Delta R.T. -0.100 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48




Instrument :
BNA_P
ClientSampleId :
MW-EB-2


Tgt Ion:122 Resp: 23950
Ion Ratio Lower Upper
122 100
105 121.7 104.8 144.8
77 92.0 70.9 110.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.319 min Scan# 1935
Delta R.T. 0.000 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48

Tgt Ion:164 Resp: 734309
Ion Ratio Lower Upper
164 100
162 100.0 81.5 122.3
160 43.9 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 159.464 ng
RT: 15.825 min Scan# 2192
Delta R.T. -0.006 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48




Instrument :
BNA_P
ClientSampleId :
MW-EB-2


Tgt Ion:330 Resp: 1265917
Ion Ratio Lower Upper
330 100
332 96.7 77.3 115.9
141 32.7 28.6 42.8



#45
2-Fluorobiphenyl
Concen: 79.040 ng
RT: 12.925 min Scan# 1698
Delta R.T. -0.006 min
Lab File: BP026084.D
Acq: 06 Nov 2025 19:48

Tgt Ion:172 Resp: 4039177
Ion Ratio Lower Upper
172 100
171 35.6 27.9 41.9
170 23.8 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.125 min Scan# 2412

Delta R.T. 0.000 min

Lab File: BP026084.D

Acq: 06 Nov 2025 19:48

Instrument :

BNA_P

ClientSampleId :

MW-EB-2





Tgt Ion:188 Resp: 1476005

Ion Ratio Lower Upper

188 100

94 9.0 7.1 10.7

80 9.7 7.9 11.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.572 min Scan# 3168

Delta R.T. 0.006 min

Lab File: BP026084.D

Acq: 06 Nov 2025 19:48




Tgt Ion:240 Resp: 1673935


Ion Ratio Lower Upper

240 100

120 10.7 8.9 13.3

236 25.6 20.6 31.0





#79

Terphenyl-d14

Concen: 79.475 ng

RT: 19.866 min Scan# 2878

Delta R.T. 0.000 min

Lab File: BP026084.D

Acq: 06 Nov 2025 19:48

Instrument :

BNA_P

ClientSampleId :

MW-EB-2





Tgt Ion:244 Resp: 6548074

Ion Ratio Lower Upper

244 100

212 7.4 6.0 9.0

122 10.5 9.0 13.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.895 min Scan# 3733

Delta R.T. 0.012 min

Lab File: BP026084.D

Acq: 06 Nov 2025 19:48

Tgt Ion:264 Resp: 1952856

Ion Ratio Lower Upper

264 100

260 23.7 19.1 28.7

265 21.5 17.2 25.8

