

Report of Analysis

Client:	PSEG	Date Collected:	11/05/25
Project:	PSEG Onyx UG	Date Received:	11/05/25
Client Sample ID:	ONYX-1-EPH	SDG No.:	Q3544
Lab Sample ID:	Q3544-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.5
Sample Wt/Vol:	30.08 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	11/06/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	6.11		1	1.34	2.28	mg/kg	FE056695.D	11/06/25 16:08	PB170423
Aliphatic C9-C28	Aliphatic C9-C28	3.38	J	1	1.04	4.56	mg/kg	FE056695.D	11/06/25 16:08	PB170423
Total AliphaticEPH	Total AliphaticEPH	9.49			2.38	6.84	mg/kg			
Total EPH	Total EPH	9.49			2.38	6.84	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	11/05/25
Project:	PSEG Onyx UG	Date Received:	11/05/25
Client Sample ID:	ONYX-1-EPH	SDG No.:	Q3544
Lab Sample ID:	Q3544-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.5
Sample Wt/Vol:	30.08 g	Final Vol:	2000 uL
Prep Method :		Prep Date	11/06/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	3.38	J	1	1.04	4.56	mg/kg	11/06/25	PB170423
Aliphatic C28-C40	Aliphatic C28-C40	6.11		1	1.34	2.28	mg/kg	11/06/25	PB170423
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	28.0			40 - 140	56%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	27.4			40 - 140	55%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3544-02	Acq On:	06 Nov 2025 16:08
Client Sample ID:	ONYX-1-EPH	Operator:	YP\AJ
Data file:	FE056695.D	Misc:	
Instrument:	FID_E	ALS Vial:	19
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.221	6.847	482791	2.821	300	ug/ml
Aliphatic C12-C16	6.848	10.296	665024	3.72	200	ug/ml
Aliphatic C16-C21	10.297	13.673	5443757	29.188	300	ug/ml
Aliphatic C21-C28	13.674	17.343	1671137	8.669	400	ug/ml
Aliphatic C28-C40	17.344	22.292	12818729	80.462	600	ug/ml
Aliphatic EPH	3.221	22.292	21081438	124.86		ug/ml
ortho-Terphenyl (SURR)	11.965	11.965	5719733	27.38		ug/ml
1-chlorooctadecane (SURR)	13.405	13.405	4516921	28.04		ug/ml
Aliphatic C9-C28	3.221	17.343	8262709	44.398	1200	ug/ml