

LAB CHRONICLE

OrderID:	Q3552	OrderDate:	11/5/2025 2:23:00 PM
Client:	Remington & Vernick Engineers	Project:	Edison Landfill
Contact:	Kyle Carlson	Location:	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3552-01	MW-4	WATER	PCB	8082A	11/04/25	11/06/25	11/06/25	11/05/25
			Pesticide-TCL	8081B		11/06/25	11/06/25	
Q3552-02	MW-8	WATER	PCB	8082A	11/04/25	11/06/25	11/06/25	11/05/25
			Pesticide-TCL	8081B		11/06/25	11/06/25	
Q3552-03	MW-9	WATER	PCB	8082A	11/04/25	11/06/25	11/06/25	11/05/25
			Pesticide-TCL	8081B		11/06/25	11/06/25	
Q3552-04	MW-10	WATER	PCB	8082A	11/05/25	11/06/25	11/06/25	11/05/25
			Pesticide-TCL	8081B		11/06/25	11/06/25	
Q3552-05	MW-3	WATER	PCB	8082A	11/04/25	11/06/25	11/06/25	11/05/25
			Pesticide-TCL	8081B		11/06/25	11/06/25	