

DATA PACKAGE

SUB - DATA

PROJECT NAME : EDISON LANDFILL

REMINGTON & VERNICK ENGINEERS

2059 Springdale Road

Cherry Hill, NJ - 08003

Phone No: 856-795-9595

ORDER ID : Q3553

ATTENTION : Kyle Carlson



Cover Page

Order ID : Q3553

Project ID : Edison Landfill

Client : Remington & Vernick Engineers

Lab Sample Number

Q3553-01
Q3553-02
Q3553-03
Q3553-04
Q3553-05
Q3553-06

Client Sample Number

MW-2
MW-4
MW-8
MW-9
MW-10
MW-3

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Sohil Jodhani, QA/QC Director at 8:28 am, Nov 25, 2025

Date: 11/19/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

November 21, 2025

Yazmeen Gomez
ATG - NEWARK LAB
284 Sheffield Street
Mountainside, NJ 07092
TEL:
FAX:
RE: Q3553

Order No.: 25110396

Dear Yazmeen Gomez:

Alliance Technical Group - Akron received 6 sample(s) on 11/6/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink, appearing to read "Jennifer Woolf", written in a cursive style.

Jennifer Woolf

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4485
Website: <http://www.settek.com>

Case Narrative

WO#: 25110396
Date: 11/21/2025

CLIENT: ATG - NEWARK LAB

Project: Q3553

WorkOrder Narrative:

25110396: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

Analytical Sequence Sample Notes:

25110396-001A SVOC-EPA1633_NPW: E - Sample exhibited an IAR outside quality control limits for PFUnA. Confirmed via extract dilution analysis. Identification could not be confirmed and must be considered tentative. Results reported as estimated. Sample exhibited low recoveries for multiple IDAs. Potential high bias in associated analytes. Confirmed via extract dilution analysis.

25110396-002A SVOC-EPA1633_NPW: E - Sample exhibited an IAR outside quality control limits for HFPO-DA and PFUnA. Confirmed via extract dilution analysis. Identification could not be confirmed and must be considered tentative. Results reported as estimated. Sample exhibited a low recovery for IDA 13C5-PFPeA. Potential high bias in associated analytes. Confirmed via extract dilution analysis. Sample exhibited a recovery for IPS 13C2-PFHxA below quality control limits. Potential high

Original



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4485
Website: <http://www.settek.com>*

Case Narrative

WO#: 25110396
Date: 11/21/2025

CLIENT: ATG - NEWARK LAB

Project: Q3553

bias in associated IDAs. Potential matrix effects. Confirmed via extract dilution analysis. Sample exhibited a S/N ratio outside quality control limits for 3:3FTCA and PFBA. Confirmed via extract dilution analysis. Positive identification criteria not met. Results reported as ND. CCB misinjected, instrument background was not able to be confirmed. Analyte results confirmed via extract dilution analysis.

25110396-004A SVOC-EPA1633_NPW: E - Sample exhibited an IAR outside quality control limits for 3:3FTCA, HFPO-DA. Confirmed via extract dilution analysis. Identification could not be confirmed and must be considered tentative. Results reported as estimated.

25110396-006A SVOC-EPA1633_NPW: Sample exhibited a S/N ratio outside quality control limits for PFUnA. Confirmed via extract dilution analysis. Positive identification criteria not met. Results reported as ND. Sample exhibited low recoveries for multiple IDAs. Potential high bias in associated analytes. Confirmed via extract dilution analysis.

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

U	The compound was analyzed for but was not detected above the MDL.
J	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
H	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
D	The result is reported from a dilution.
E	The result exceeded the linear range of the calibration or is estimated due to interference.
MC	The result is below the Minimum Compound Limit.
*	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
m	Manual integration was used to determine the area response.
d	Manual integration in which peak was deleted
N	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
P	The second column confirmation exceeded 25% difference.
C	The result has been confirmed by GC/MS.
X	The result was not confirmed when GC/MS Analysis was performed.
B	The analyte was detected in the Method Blank at a concentration greater than the RL.
MB+	The analyte was detected in the Method Blank at a concentration greater than the MDL.
G	The ICB or CCB contained reportable amounts of analyte.
QC-/+	The CCV recovery failed low (-) or high (+).
R/QDR	The RPD was outside of accepted recovery limits.
QL-/+	The LCS or LCSD recovery failed low (-) or high (+).
QLR	The LCS/LCSD RPD was outside of accepted recovery limits.
QM-/+	The MS or MSD recovery failed low (-) or high (+).
QMR	The MS/MSD RPD was outside of accepted recovery limits.
QV-/+	The ICV recovery failed low (-) or high (+).
S	The spike result was outside of accepted recovery limits.
W	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
Z	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

Acronyms

ND	Not Detected	RL	Reporting Limit
QC	Quality Control	MDL	Method Detection Limit
MB	Method Blank	LOD	Level of Detection
LCS	Laboratory Control Sample	LOQ	Level of Quantitation
LCSD	Laboratory Control Sample Duplicate	PQL	Practical Quantitation Limit
QCS	Quality Control Sample	CRQL	Contract Required Quantitation Limit
DUP	Duplicate	PL	Permit Limit
MS	Matrix Spike	RegLvl	Regulatory Limit
MSD	Matrix Spike Duplicate	MCL	Maximum Contamination Limit
RPD	Relative Percent Different	MinCL	Minimum Compound Limit
ICV	Initial Calibration Verification	RA	Reanalysis
ICB	Initial Calibration Blank	RE	Reextraction
CCV	Continuing Calibration Verification	TIC	Tentatively Identified Compound
CCB	Continuing Calibration Blank	RT	Retention Time
RLC	Reporting Limit Check	CF	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Workorder Sample Summary

WO#: **25110396**
21-Nov-25

CLIENT: ATG - NEWARK LAB
Project: Q3553

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25110396-001	MW-2		11/5/2025 12:00:00 PM	11/6/2025 10:45:00 AM	Non-Potable Water
25110396-002	MW-4		11/4/2025 12:40:00 PM	11/6/2025 10:45:00 AM	Non-Potable Water
25110396-003	MW-8		11/4/2025 1:45:00 PM	11/6/2025 10:45:00 AM	Non-Potable Water
25110396-004	MW-9		11/4/2025 4:00:00 PM	11/6/2025 10:45:00 AM	Non-Potable Water
25110396-005	MW-10		11/5/2025 12:00:00 PM	11/6/2025 10:45:00 AM	Non-Potable Water
25110396-006	MW-3		11/5/2025 4:15:00 PM	11/6/2025 10:45:00 AM	Non-Potable Water



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25110396-001A	MW-2	11/5/2025 12:00:00 PM	Non-Potable Water	PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 11:03:00 AM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/19/2025 3:57:00 AM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/19/2025 4:04:00 PM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 5:54:00 AM
				TSS for 1633			11/12/2025 3:00:00 PM
25110396-002A	MW-4	11/4/2025 12:40:00 PM		PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 6:09:00 AM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/19/2025 4:19:00 PM
				TSS for 1633			11/10/2025 3:00:00 PM
25110396-003A	MW-8	11/4/2025 1:45:00 PM		PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/19/2025 4:34:00 PM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 6:24:00 AM
				TSS for 1633			11/10/2025 3:00:00 PM
25110396-004A	MW-9	11/4/2025 4:00:00 PM		PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 6:38:00 AM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/19/2025 4:48:00 PM
				TSS for 1633			11/11/2025 4:20:00 PM
25110396-005A	MW-10	11/5/2025 12:00:00 PM		PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 6:53:00 AM
				PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/19/2025 5:03:00 PM
				TSS for 1633			11/12/2025 3:00:00 PM
25110396-006A	MW-3	11/5/2025 4:15:00 PM		PFAS in Aqueous Samples (EPA Meth 1633Mod)		11/12/2025 7:26:10 AM	11/18/2025 7:08:00 AM

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25110396-006A	MW-3	11/5/2025 4:15:00 PM	Non-Potable Water	PFAS in Aqueous Samples (EPA Meth 1633Mod) TSS for 1633		11/12/2025 7:26:10 AM	11/19/2025 5:18:00 PM 11/12/2025 3:00:00 PM

Original



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-2	001	11/5/2025	11CI-PF3OUdS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000225	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	3:3 FTCA	0.00485 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000474	0.0103	11/18/2025	AEH
MW-2	001	11/5/2025	4:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00176	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	5:3 FTCA	0.0473 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00178	0.0515	11/18/2025	AEH
MW-2	001	11/5/2025	6:2 FTS	0.00600 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00270	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	7:3 FTCA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00315	0.0515	11/18/2025	AEH
MW-2	001	11/5/2025	8:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00317	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	9CL-PF3ONS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000309	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	ADONA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000352	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	HFPO-DA	0.0448 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000429	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	NEtFOSA	0.00368 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000377	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	NEtFOSAA	0.166 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00105	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	NEtFOSE	0.0427 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00362	0.0206	11/18/2025	AEH
MW-2	001	11/5/2025	NFDHA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000300	0.00412	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-2	001	11/5/2025	NMeFOSA	0.00207 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000631	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	NMeFOSAA	0.0452 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000918	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	NMeFOSE	0.0132 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00389	0.0206	11/18/2025	AEH
MW-2	001	11/5/2025	PFBA	0.286 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000846	0.00824	11/18/2025	AEH
MW-2	001	11/5/2025	PFBS	0.118 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000502	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFDA	0.00203 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000658	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFDaA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000592	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFDoS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000412	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFDS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000424	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFEESA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000249	0.00412	11/18/2025	AEH
MW-2	001	11/5/2025	PFHpA	0.138 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000691	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFHpS	0.00860 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000658	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFHxA	0.283 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000418	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFHxS	0.102 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00126	0.00206	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-2	001	11/5/2025	PFMBA	0.00113 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000286	0.00412	11/18/2025	AEH
MW-2	001	11/5/2025	PFMPA	0.000577 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000137	0.00412	11/18/2025	AEH
MW-2	001	11/5/2025	PFNA	0.0115 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000390	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFNS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000838	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFOA	0.570 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000551	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFOS	0.282 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00135	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFOSA	0.00972 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000304	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFPeA	0.139 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000601	0.00412	11/18/2025	AEH
MW-2	001	11/5/2025	PFPeS	0.0850 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000689	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFTeDA	0.00132 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000446	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFTTrDA	0.00171 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000342	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	PFUnA	0.0107 µg/L	E	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000738	0.00206	11/18/2025	AEH
MW-2	001	11/5/2025	Surr: 13C2-PFDA	92.3 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-2	001	11/5/2025	Surr: 13C2-PFHxA	93.4 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110396
Date Reported: 11/21/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/6/2025
Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-2	001	11/5/2025	Surr: 13C3-PFBA	67.1	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-2	001	11/5/2025	Surr: 13C4-PFOA	83.3	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-2	001	11/5/2025	Surr: 13C4-PFOS	101	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-2	001	11/5/2025	Surr: 13C5-PFNA	89.9	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-2	001	11/5/2025	Surr: 18O2-PFHxS	92.5	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-4	002	11/4/2025	11CI-PF3OUdS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000210	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	3:3 FTCA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000443	0.00962	11/18/2025	AEH
MW-4	002	11/4/2025	4:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00164	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	5:3 FTCA	0.625 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00166	0.0481	11/18/2025	AEH
MW-4	002	11/4/2025	6:2 FTS	0.0153 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00252	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	7:3 FTCA	0.397 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00294	0.0481	11/18/2025	AEH
MW-4	002	11/4/2025	8:2 FTS	0.00404 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00296	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	9CL-PF3ONS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000289	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	ADONA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000328	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	HFPO-DA	0.0184 µg/L	E	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000401	0.00770	11/18/2025	AEH
MW-4	002	11/4/2025	NEtFOSA	0.000981 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000352	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	NEtFOSAA	0.321 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000977	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	NEtFOSE	0.00605 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00338	0.0192	11/18/2025	AEH
MW-4	002	11/4/2025	NFDHA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000280	0.00385	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-4	002	11/4/2025	NMeFOSA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000589	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	NMeFOSAA	0.0303 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000858	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	NMeFOSE	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00363	0.0192	11/18/2025	AEH
MW-4	002	11/4/2025	PFBA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000790	0.00770	11/19/2025	AEH
MW-4	002	11/4/2025	PFBS	0.124 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000469	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFDA	0.00452 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000614	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFDaA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000553	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFDoS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000384	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFDS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000396	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFEESA	0.000289 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000233	0.00385	11/18/2025	AEH
MW-4	002	11/4/2025	PFHpA	0.314 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000645	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFHpS	0.00789 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000614	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFHxA	0.783 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000390	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFHxS	0.401 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00118	0.00192	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-4	002	11/4/2025	PFMBA	0.00284 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000267	0.00385	11/18/2025	AEH
MW-4	002	11/4/2025	PFMPA	0.000731 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000128	0.00385	11/18/2025	AEH
MW-4	002	11/4/2025	PFNA	0.0214 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000364	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFNS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000783	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFOA	0.850 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000514	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFOS	0.186 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00126	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFOSA	0.00164 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000284	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFPeA	0.373 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000561	0.00385	11/19/2025	AEH
MW-4	002	11/4/2025	PFPeS	0.0693 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000644	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFTeDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000416	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFTTrDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000320	0.00192	11/18/2025	AEH
MW-4	002	11/4/2025	PFUnA	0.00539 µg/L	E	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000689	0.00192	11/19/2025	AEH
MW-4	002	11/4/2025	Surr: 13C2-PFDA	78.4 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-4	002	11/4/2025	Surr: 13C2-PFHxA	47.2 %Rec	S	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110396
Date Reported: 11/21/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/6/2025
Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-4	002	11/4/2025	Surr: 13C3-PFBA	51.8	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-4	002	11/4/2025	Surr: 13C4-PFOA	77.6	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-4	002	11/4/2025	Surr: 13C4-PFOS	80.7	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-4	002	11/4/2025	Surr: 13C5-PFNA	72.8	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-4	002	11/4/2025	Surr: 18O2-PFHxS	53.2	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-8	003	11/4/2025	11CI-PF3OUdS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000208	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	3:3 FTCA	0.00911 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000439	0.00954	11/18/2025	AEH
MW-8	003	11/4/2025	4:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00163	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	5:3 FTCA	0.0241 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00165	0.0477	11/18/2025	AEH
MW-8	003	11/4/2025	6:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00250	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	7:3 FTCA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00291	0.0477	11/18/2025	AEH
MW-8	003	11/4/2025	8:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00293	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	9CL-PF3ONS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000287	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	ADONA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000326	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	HFPO-DA	0.00166 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000398	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	NEtFOSA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000349	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	NEtFOSAA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000969	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	NEtFOSE	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00336	0.0191	11/18/2025	AEH
MW-8	003	11/4/2025	NFDHA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000278	0.00382	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-8	003	11/4/2025	NMeFOSA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000584	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	NMeFOSAA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000851	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	NMeFOSE	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00360	0.0191	11/18/2025	AEH
MW-8	003	11/4/2025	PFBA	0.0625	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000784	0.00763	11/18/2025	AEH
MW-8	003	11/4/2025	PFBS	0.0360	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000465	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFDA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000609	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFDaA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000548	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFDoS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000381	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFDS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000393	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFEESA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000231	0.00382	11/18/2025	AEH
MW-8	003	11/4/2025	PFHpA	0.0357	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000640	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFHpS	0.000611	µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000609	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFHxA	0.129	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000387	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFHxS	0.0753	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00117	0.00191	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-8	003	11/4/2025	PFMBA	0.000458 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000265	0.00382	11/18/2025	AEH
MW-8	003	11/4/2025	PFMPA	0.000200 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000127	0.00382	11/18/2025	AEH
MW-8	003	11/4/2025	PFNA	0.00154 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000361	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFNS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000776	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFOA	0.0866 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000510	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFOS	0.0300 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00125	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFOSA	0.000429 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000282	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFPeA	0.0557 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000556	0.00382	11/18/2025	AEH
MW-8	003	11/4/2025	PFPeS	0.0203 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000638	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFTeDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000413	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFTTrDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000317	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	PFUnA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000683	0.00191	11/18/2025	AEH
MW-8	003	11/4/2025	Surr: 13C2-PFDA	75.1 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-8	003	11/4/2025	Surr: 13C2-PFHxA	68.4 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110396
Date Reported: 11/21/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/6/2025
Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-8	003	11/4/2025	Surr: 13C3-PFBA	55.3	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-8	003	11/4/2025	Surr: 13C4-PFOA	61.6	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-8	003	11/4/2025	Surr: 13C4-PFOS	79.0	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-8	003	11/4/2025	Surr: 13C5-PFNA	68.4	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-8	003	11/4/2025	Surr: 18O2-PFHxS	76.8	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-9	004	11/4/2025	11CI-PF3OUdS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000210	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	3:3 FTCA	0.0192 µg/L	E	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000444	0.00964	11/18/2025	AEH
MW-9	004	11/4/2025	4:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00165	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	5:3 FTCA	0.653 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00167	0.0482	11/18/2025	AEH
MW-9	004	11/4/2025	6:2 FTS	0.0136 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00253	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	7:3 FTCA	0.237 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00294	0.0482	11/18/2025	AEH
MW-9	004	11/4/2025	8:2 FTS	0.0145 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00297	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	9CL-PF3ONS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000290	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	ADONA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000329	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	HFPO-DA	0.0155 µg/L	E	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000402	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	NEtFOSA	0.00104 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000353	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	NEtFOSAA	0.422 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000980	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	NEtFOSE	0.0559 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00339	0.0193	11/18/2025	AEH
MW-9	004	11/4/2025	NFDHA	0.000453 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000281	0.00386	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-9	004	11/4/2025	NMeFOSA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000591	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	NMeFOSAA	0.0273	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000860	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	NMeFOSE	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00364	0.0193	11/18/2025	AEH
MW-9	004	11/4/2025	PFBA	0.681	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000792	0.00771	11/18/2025	AEH
MW-9	004	11/4/2025	PFBS	0.0819	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000470	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFDA	0.00473	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000616	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFDaA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000554	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFDoS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000385	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFDS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000397	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFEESA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000233	0.00386	11/18/2025	AEH
MW-9	004	11/4/2025	PFHpA	0.122	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000646	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFHpS	0.00667	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000616	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFHxA	0.319	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000391	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFHxS	0.545	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00118	0.00193	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-9	004	11/4/2025	PFMBA	0.000887 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000268	0.00386	11/18/2025	AEH
MW-9	004	11/4/2025	PFMPA	0.000338 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000128	0.00386	11/18/2025	AEH
MW-9	004	11/4/2025	PFNA	0.0156 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000365	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFNS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000785	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFOA	0.588 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000516	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFOS	0.256 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00126	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFOSA	0.00473 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000285	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFPeA	0.120 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000562	0.00386	11/18/2025	AEH
MW-9	004	11/4/2025	PFPeS	0.0441 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000645	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFTeDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000417	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFTTrDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000320	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	PFUnA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000690	0.00193	11/18/2025	AEH
MW-9	004	11/4/2025	Surr: 13C2-PFDA	75.2 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-9	004	11/4/2025	Surr: 13C2-PFHxA	63.2 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-9	004	11/4/2025	Surr: 13C3-PFBA	50.6 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-9	004	11/4/2025	Surr: 13C4-PFOA	71.2 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-9	004	11/4/2025	Surr: 13C4-PFOS	75.9 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-9	004	11/4/2025	Surr: 13C5-PFNA	72.0 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-9	004	11/4/2025	Surr: 18O2-PFHxS	66.2 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-10	005	11/5/2025	11CI-PF3OUdS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000201	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	3:3 FTCA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000424	0.00920	11/18/2025	AEH
MW-10	005	11/5/2025	4:2 FTS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00157	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	5:3 FTCA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00159	0.0460	11/18/2025	AEH
MW-10	005	11/5/2025	6:2 FTS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00241	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	7:3 FTCA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00281	0.0460	11/18/2025	AEH
MW-10	005	11/5/2025	8:2 FTS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00283	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	9CL-PF3ONS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000276	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	ADONA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000314	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	HFPO-DA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000383	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	NEtFOSA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000336	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	NEtFOSAA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000935	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	NEtFOSE	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00324	0.0184	11/18/2025	AEH
MW-10	005	11/5/2025	NFDHA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000268	0.00368	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-10	005	11/5/2025	NMeFOSA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000563	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	NMeFOSAA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000820	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	NMeFOSE	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00347	0.0184	11/18/2025	AEH
MW-10	005	11/5/2025	PFBA	0.0192	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000755	0.00736	11/18/2025	AEH
MW-10	005	11/5/2025	PFBS	0.00169	µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000448	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFDA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000587	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFDaA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000529	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFDoS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000368	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFDS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000379	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFEESA	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000222	0.00368	11/18/2025	AEH
MW-10	005	11/5/2025	PFHpA	0.00427	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000617	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFHpS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000587	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFHxA	0.0154	µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000373	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFHxS	ND	µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00112	0.00184	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-10	005	11/5/2025	PFMBA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000255	0.00368	11/18/2025	AEH
MW-10	005	11/5/2025	PFMPA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000122	0.00368	11/18/2025	AEH
MW-10	005	11/5/2025	PFNA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000348	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFNS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000749	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFOA	0.00315 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000492	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFOS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00121	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFOSA	0.000488 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000272	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFPeA	0.0120 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000536	0.00368	11/18/2025	AEH
MW-10	005	11/5/2025	PFPeS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000616	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFTeDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000398	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFTTrDA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000306	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	PFUnA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000659	0.00184	11/18/2025	AEH
MW-10	005	11/5/2025	Surr: 13C2-PFDA	97.7 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-10	005	11/5/2025	Surr: 13C2-PFHxA	83.9 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110396
Date Reported: 11/21/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/6/2025
Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-10	005	11/5/2025	Surr: 13C3-PFBA	72.6	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-10	005	11/5/2025	Surr: 13C4-PFOA	90.1	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-10	005	11/5/2025	Surr: 13C4-PFOS	101	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-10	005	11/5/2025	Surr: 13C5-PFNA	92.4	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-10	005	11/5/2025	Surr: 18O2-PFHxS	95.3	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-3	006	11/5/2025	11CI-PF3OUdS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000206	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	3:3 FTCA	0.0401 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000435	0.00944	11/19/2025	AEH
MW-3	006	11/5/2025	4:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00161	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	5:3 FTCA	0.321 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00163	0.0472	11/18/2025	AEH
MW-3	006	11/5/2025	6:2 FTS	0.00308 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00248	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	7:3 FTCA	0.0240 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00288	0.0472	11/18/2025	AEH
MW-3	006	11/5/2025	8:2 FTS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00290	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	9CL-PF3ONS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000284	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	ADONA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000322	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	HFPO-DA	0.0286 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000394	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	NEtFOSA	0.00446 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000345	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	NEtFOSAA	0.428 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000959	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	NEtFOSE	0.128 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00332	0.0189	11/18/2025	AEH
MW-3	006	11/5/2025	NFDHA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000275	0.00378	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-3	006	11/5/2025	NMeFOSA	0.000652 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000578	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	NMeFOSAA	0.0121 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000842	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	NMeFOSE	0.0176 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00356	0.0189	11/18/2025	AEH
MW-3	006	11/5/2025	PFBA	0.498 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000775	0.00755	11/18/2025	AEH
MW-3	006	11/5/2025	PFBS	0.0450 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000460	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFDA	0.00420 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000603	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFDaA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000543	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFDoS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000377	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFDS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000389	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFEESA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000228	0.00378	11/18/2025	AEH
MW-3	006	11/5/2025	PFHpA	0.209 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000633	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFHpS	0.0159 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000603	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFHxA	0.358 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000383	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFHxS	0.180 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00115	0.00189	11/18/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110396
 Date Reported: 11/21/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/6/2025
 Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-3	006	11/5/2025	PFMBA	0.000359 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000262	0.00378	11/18/2025	AEH
MW-3	006	11/5/2025	PFMPA	0.000312 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000126	0.00378	11/18/2025	AEH
MW-3	006	11/5/2025	PFNA	0.0320 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000357	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFNS	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000768	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFOA	0.822 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000505	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFOS	0.585 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.00124	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFOSA	0.0165 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000279	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFPeA	0.281 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000550	0.00378	11/18/2025	AEH
MW-3	006	11/5/2025	PFPeS	0.0317 µg/L		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000632	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFTeDA	0.000888 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000409	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFTTrDA	0.000831 µg/L	J	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000314	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	PFUnA	ND µg/L	U	Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.000676	0.00189	11/18/2025	AEH
MW-3	006	11/5/2025	Surr: 13C2-PFDA	59.1 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-3	006	11/5/2025	Surr: 13C2-PFHxA	70.8 %Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110396
Date Reported: 11/21/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/6/2025
Project#: Q3553

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MW-3	006	11/5/2025	Surr: 13C3-PFBA	50.6	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-3	006	11/5/2025	Surr: 13C4-PFOA	75.6	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-3	006	11/5/2025	Surr: 13C4-PFOS	78.6	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH
MW-3	006	11/5/2025	Surr: 13C5-PFNA	72.0	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/19/2025	AEH
MW-3	006	11/5/2025	Surr: 18O2-PFHxS	67.8	%Rec		Non-Potable Water	EPA 1633 Draft - Rev. 4 EPA 1633	1	0		11/18/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4485
Website: <http://www.settek.com>

Accreditation Program Analytes Report

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

State: NJ

Program Name: NJ_DW_NPW_SC
M_NELAP

Test Name	Matrix	Analyte	Status
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	11Cl-PF3OUdS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	4:2 FTS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	5:3 FTCA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	6:2 FTS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	8:2 FTS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	9CL-PF3ONS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	ADONA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	HFPO-DA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NEtFOSA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NEtFOSAA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NEtFOSE	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NFDHA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NMeFOSA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NMeFOSAA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	NMeFOSE	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFBA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFBS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFDA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFDoA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFDoS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFEESA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFHpA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFHpS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFHxA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFHxS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFMBA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFMPA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFNA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFNS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFOA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFOS	A



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4486
Website: <http://www.settek.com>

Accreditation Program Analytes Report

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

State: NJ

Program Name: NJ_DW_NPW_SC
M_NELAP

Test Name	Matrix	Analyte	Status
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFOSA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFPeA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFPeS	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFTeDA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFTTrDA	A
PFAS in Aqueous Samples (EPA Method 1633Mod)	Non-Potable Water	PFUnA	A



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: 89839

Sample ID: MB-89839	SampType: MBLK	TestCode: SVOC-EPA16	Units: µg/L	Prep Date: 11/12/2025	RunNo: 221198						
Client ID: BatchQC	Batch ID: 89839	TestNo: E1633	E1633	Analysis Date: 11/18/2025	SeqNo: 5898441						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
11Cl-PF3OUdS	ND	0.00800									U
3:3 FTCA	ND	0.0100									U
4:2 FTS	ND	0.00800									U
5:3 FTCA	ND	0.0500									U
6:2 FTS	ND	0.00800									U
7:3 FTCA	ND	0.0500									U
8:2 FTS	ND	0.00800									U
9CL-PF3ONS	ND	0.00800									U
ADONA	ND	0.00800									U
HFPO-DA	ND	0.00800									U
NEtFOSA	ND	0.00200									U
NEtFOSAA	ND	0.00200									U
NEtFOSE	ND	0.0200									U
NFDHA	ND	0.00400									U
NMeFOSA	ND	0.00200									U
NMeFOSAA	ND	0.00200									U
NMeFOSE	ND	0.0200									U
PFBA	ND	0.00800									U
PFBS	ND	0.00200									U
PFDA	ND	0.00200									U
PFDaA	ND	0.00200									U
PFDoS	ND	0.00200									U
PFDS	ND	0.00200									U

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: 89839

Sample ID: MB-89839	SampType: MBLK	TestCode: SVOC-EPA16	Units: µg/L	Prep Date: 11/12/2025	RunNo: 221198						
Client ID: BatchQC	Batch ID: 89839	TestNo: E1633	E1633	Analysis Date: 11/18/2025	SeqNo: 5898441						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
PFEESA	ND	0.00400									U
PFHpA	ND	0.00200									U
PFHpS	ND	0.00200									U
PFHxA	ND	0.00200									U
PFHxS	ND	0.00200									U
PFMBA	ND	0.00400									U
PFMPA	ND	0.00400									U
PFNA	ND	0.00200									U
PFNS	ND	0.00200									U
PFOA	ND	0.00200									U
PFOS	ND	0.00200									U
PFOSA	ND	0.00200									U
PFPeA	ND	0.00400									U
PFPeS	ND	0.00200									U
PFTeDA	ND	0.00200									U
PFTTrDA	ND	0.00200									U
PFUnA	ND	0.00200									U
Surr: 13C2-PFDA	0.0208		0.02500		83.3	50	200				
Surr: 13C2-PFHxA	0.0377		0.05000		75.3	50	200				
Surr: 13C3-PFBA	0.0659		0.1000		65.9	50	200				
Surr: 13C4-PFOA	0.0386		0.05000		77.2	50	200				
Surr: 13C4-PFOS	0.0397		0.04790		82.9	50	200				
Surr: 13C5-PFNA	0.0208		0.02500		83.2	50	200				

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: 89839

Sample ID: MB-89839	SampType: MBLK	TestCode: SVOC-EPA16	Units: µg/L	Prep Date: 11/12/2025	RunNo: 221198						
Client ID: BatchQC	Batch ID: 89839	TestNo: E1633	E1633	Analysis Date: 11/18/2025	SeqNo: 5898441						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 18O2-PFHxS	0.0368		0.04740		77.5	50	200				

Sample ID: LCS-89839	SampType: LCS	TestCode: SVOC-EPA16		Units: µg/L	Prep Date: 11/12/2025			RunNo: 221198			
Client ID: BatchQC	Batch ID: 89839	TestNo: E1633		E1633	Analysis Date: 11/18/2025			SeqNo: 5898442			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
11Cl-PF3OUdS	0.377	0.00800	0.3772	0	99.8	55	160				
3:3 FTCA	0.379	0.0100	0.5000	0	75.8	65	130				
4:2 FTS	0.345	0.00800	0.3748	0	92.2	70	145				
5:3 FTCA	2.19	0.0500	2.500	0	87.7	70	135				
6:2 FTS	0.355	0.00800	0.3804	0	93.2	65	155				
7:3 FTCA	2.28	0.0500	2.500	0	91.2	50	145				
8:2 FTS	0.365	0.00800	0.3840	0	95.0	60	150				
9CL-PF3ONS	0.405	0.00800	0.3732	0	108	70	155				
ADONA	0.386	0.00800	0.3780	0	102	65	145				
HFPO-DA	0.375	0.00800	0.4000	0	93.7	70	140				
NEtFOSA	0.0962	0.00200	0.1000	0	96.2	65	145				
NEtFOSAA	0.0985	0.00200	0.1000	0	98.5	70	145				
NEtFOSE	0.958	0.0200	1.000	0	95.8	70	135				
NFDHA	0.183	0.00400	0.2000	0	91.4	50	150				
NMeFOSA	0.0949	0.00200	0.1000	0	94.9	60	150				
NMeFOSAA	0.105	0.00200	0.1000	0	105	50	140				

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: 89839

Sample ID: LCS-89839	SampType: LCS	TestCode: SVOC-EPA16	Units: µg/L	Prep Date: 11/12/2025	RunNo: 221198						
Client ID: BatchQC	Batch ID: 89839	TestNo: E1633	E1633	Analysis Date: 11/18/2025	SeqNo: 5898442						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
NMeFOSE	0.956	0.0200	1.000	0	95.6	70	145				
PFBA	0.385	0.00800	0.4000	0	96.3	70	140				
PFBS	0.0860	0.00200	0.08880	0	96.9	60	145				
PFDA	0.109	0.00200	0.1000	0	109	70	140				
PFDaA	0.0890	0.00200	0.1000	0	89.0	70	140				
PFDoS	0.0803	0.00200	0.09680	0	82.9	50	145				
PFDS	0.0934	0.00200	0.09640	0	96.9	60	145				
PFEESA	0.201	0.00400	0.1784	0	112	70	140				
PFHpA	0.0979	0.00200	0.1000	0	97.9	70	150				
PFHpS	0.0911	0.00200	0.09520	0	95.7	70	150				
PFHxA	0.100	0.00200	0.1000	0	100	70	145				
PFHxS	0.0874	0.00200	0.09124	0	95.8	65	145				
PFMBA	0.168	0.00400	0.2000	0	83.9	60	150				
PFMPA	0.146	0.00400	0.2000	0	73.1	55	140				
PFNA	0.105	0.00200	0.1000	0	105	70	150				
PFNS	0.0993	0.00200	0.09600	0	103	56	145				
PFOA	0.0952	0.00200	0.1000	0	95.2	70	150				
PFOS	0.0835	0.00200	0.09280	0	90.0	55	150				
PFOSA	0.0984	0.00200	0.1000	0	98.4	70	145				
PFPeA	0.189	0.00400	0.2000	0	94.4	65	135				
PFPeS	0.0975	0.00200	0.09400	0	104	65	140				
PFTeDA	0.0919	0.00200	0.1000	0	91.9	60	140				
PFTrDA	0.0934	0.00200	0.1000	0	93.4	65	140				

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: 89839

Sample ID: LCS-89839	SampType: LCS	TestCode: SVOC-EPA16	Units: µg/L	Prep Date: 11/12/2025	RunNo: 221198						
Client ID: BatchQC	Batch ID: 89839	TestNo: E1633	E1633	Analysis Date: 11/18/2025	SeqNo: 5898442						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
PFUnA	0.0965	0.00200	0.1000	0	96.5	70	145				
Surr: 13C2-PFDA	0.0187		0.02500		74.8	50	200				
Surr: 13C2-PFHxA	0.0345		0.05000		69.0	50	200				
Surr: 13C3-PFBA	0.0542		0.1000		54.2	50	200				
Surr: 13C4-PFOA	0.0381		0.05000		76.2	50	200				
Surr: 13C4-PFOS	0.0410		0.04790		85.6	50	200				
Surr: 13C5-PFNA	0.0173		0.02500		69.3	50	200				
Surr: 18O2-PFHxS	0.0381		0.04740		80.4	50	200				

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: R220618

Sample ID: MB-R220618	SampType: MBLK	TestCode: TSS_NPW(25 Units: mg/L			Prep Date:				RunNo: 220618		
Client ID: BatchQC	Batch ID: R220618	TestNo: A2540D			Analysis Date: 11/10/2025				SeqNo: 5883092		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TSS	ND	2.50									U

Sample ID: LCS-R220618	SampType: LCS	TestCode: TSS_NPW(25 Units: mg/L				Prep Date:				RunNo: 220618		
Client ID: BatchQC	Batch ID: R220618	TestNo: A2540D				Analysis Date: 11/10/2025				SeqNo: 5883093		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
TSS	94.5	25.0	100.0	0	94.5	85	115					

Sample ID: 25110453-003ADUP	SampType: DUP	TestCode: TSS_NPW(25 Units: mg/L				Prep Date:				RunNo: 220618		
Client ID: BatchQC	Batch ID: R220618	TestNo: A2540D				Analysis Date: 11/10/2025				SeqNo: 5883097		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
TSS	8800	500						8690	1.26	5	W	

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: R220735

Sample ID: MB-R220735	SampType: MBLK	TestCode: TSS_NPW(25 Units: mg/L			Prep Date:				RunNo: 220735		
Client ID: BatchQC	Batch ID: R220735	TestNo: A2540D			Analysis Date: 11/11/2025				SeqNo: 5885770		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TSS	ND	2.50									U

Sample ID: LCS-R220735	SampType: LCS	TestCode: TSS_NPW(25 Units: mg/L				Prep Date:				RunNo: 220735		
Client ID: BatchQC	Batch ID: R220735	TestNo: A2540D				Analysis Date: 11/11/2025				SeqNo: 5885771		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
TSS	96.5	25.0	100.0	0	96.5	85	115					

Sample ID: 25110512-001ADUP		SampType: DUP		TestCode: TSS_NPW(25			Units: mg/L			Prep Date:			RunNo: 220735		
Client ID: BatchQC		Batch ID: R220735		TestNo: A2540D						Analysis Date: 11/11/2025			SeqNo: 5885773		
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual		
TSS		104		16.7						108.0	4.06	5			

Sample ID: LCSD-R220735	SampType: LCSD	TestCode: TSS_NPW(25 Units: mg/L				Prep Date:				RunNo: 220735		
Client ID: BatchQC	Batch ID: R220735	TestNo: A2540D				Analysis Date: 11/11/2025				SeqNo: 5885774		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
TSS	97.0	25.0	100.0	0	97.0	85	115	96.50	0.517	20		

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: R220735

Sample ID: LCSD-R220735	SampType: LCSD	TestCode: TSS_NPW(25	Units: mg/L	Prep Date:	RunNo: 220735						
Client ID: BatchQC	Batch ID: R220735	TestNo: A2540D	Analysis Date: 11/11/2025	SeqNo: 5885774							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110396

21-Nov-25

Client: ATG - NEWARK LAB

Project: Q3553

BatchID: R220814

Sample ID: MB-R220814	SampType: MBLK	TestCode: TSS_NPW(25 Units: mg/L			Prep Date:				RunNo: 220814		
Client ID: BatchQC	Batch ID: R220814	TestNo: A2540D			Analysis Date: 11/12/2025				SeqNo: 5888440		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TSS	ND	2.00									U

Sample ID: LCS-R220814	SampType: LCS	TestCode: TSS_NPW(25 Units: mg/L				Prep Date:			RunNo: 220814		
Client ID: BatchQC	Batch ID: R220814	TestNo: A2540D				Analysis Date: 11/12/2025			SeqNo: 5888441		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TSS	91.5	2.00	100.0	0	91.5	85	115				

Sample ID: LCSD-R220814	SampType: LCSD	TestCode: TSS_NPW(25 Units: mg/L				Prep Date:				RunNo: 220814		
Client ID: BatchQC	Batch ID: R220814	TestNo: A2540D				Analysis Date: 11/12/2025				SeqNo: 5888444		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
TSS	94.0	2.00	100.0	0	94.0	85	115	91.50	2.70	20		

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original

CLIENT INFORMATION

REPORT TO BE SENT TO:
COMPANY: Remington Blumick Engineers
ADDRESS: 2059 Springdale Road
CITY: Cherry Hill STATE: NJ ZIP: 08003
ATTENTION: kyle.carson@nle.com
PHONE: 609-682-3091 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Edison Landfill
PROJECT NO.: 1705T007 LOCATION: Edison, NJ
PROJECT MANAGER: Leslie Hartzell
e-mail: Leslie.Hartzell@nle.com
PHONE: 610-663-4665 FAX:

CLIENT BILLING INFORMATION

BILL TO: APinno@nle.com PO#: 1705T007
ADDRESS: 2059 Springdale Road
CITY: Cherry Hill STATE: NJ ZIP: 08003
ATTENTION: Leslie Hartzell PHONE: 610-663-4665

DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS*
HARDCOPY (DATA PACKAGE): STAT DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
EDD FORMAT: Hartsite

PRESERVATIVES								
1	2	3	4	5	6	7	8	9

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	MW-2	GW		X	11/5/25	12:00	3	3									
2.	MW-4	GW		X	11/4/25	13:40	3	3									
3.	MW-8	GW		X	11/4/25	13:45	3	3									
4.	MW-9	GW		X	11/4/25	16:00	3	3									
5.	MW-10	GW		X	11/5/25	12:00	3	3									
6.	MW-3	GW		X	11/4/25	16:15	3	3									
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. Anna Mayer	DATE/TIME: 11/5/25 (13:30)	RECEIVED BY: 1. JT	Conditions of bottles or coolers at receipt: ☒ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP: 3.5 + 0 = 3.5
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.	Comments:
RELINQUISHED BY SAMPLER: 3. JT	DATE/TIME: 11/5/25	RECEIVED BY: 3.	

Page ____ of ____ CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete ☐ YES ☒ NO 45 of 47



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
WWW.CHEMTECH.NET

25110396

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Alliance Technical Group - Akron	ORDER ID : Q3553	BILL TO: CHEMTECH PO# : Q3553
ADDRESS : 3310 Win Street	PROJECT ID: Edison Landfill	ADDRESS : 284, Sheffield Street
CITY: Cuyahoga Fal State : OH ZIP : 44223	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail : jennifer.woolf@alliancetg.com	E-mail : YAZMEEN.GOMEZ@AllianceTG.com	ATTENTION : YAZMEE
PHONE : 330-253-8211	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : Excel NJ	Report : NJ Reduced	Comment : NJ. GRABS
----------------	---------------------	---------------------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	MW-2	Water	PFAS	Cool 4 deg C	1633	11/05/2025	12:00:00	1	10
02	MW-4	Water	PFAS	Cool 4 deg C	1633	11/04/2025	12:40:00	1	10
03	MW-8	Water	PFAS	Cool 4 deg C	1633	11/04/2025	13:45:00	1	10
04	MW-9	Water	PFAS	Cool 4 deg C	1633	11/04/2025	16:00:00	1	10
05	MW-10	Water	PFAS	Cool 4 deg C	1633	11/05/2025	12:00:00	1	10
06	MW-3	Water	PFAS	Cool 4 deg C	1633	11/05/2025	16:15:00	1	10

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY									
RELINQUISHED BY SAMPLER:	DATETIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt:				Cooler Temp		
1. JT	11.5.25	1. [Signature]	11/6/25 10:45 AM				☐ Compliant ☐ Non Compliant		
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	2.8 + 0.2 = 3.0				Ice or Cooler?		
2.		2.							
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	Page 1 of 1 Page 43 of 44				☐ OVERNIGHT ☐ OVERNIGHT		Shipment Complete:
3.		3.					☐ YES ☐ NO		46 of 47

Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25110396**

RcptNo: **1**

Logged by: **Nick Rigby** **11/6/2025 10:45:00 AM**

Completed By: **Nick Rigby** **11/6/2025 2:53:45 PM**

Reviewed By: **Jennifer Woolf** **11/7/2025 2:54:51 PM**



Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? FedEx
Tracking No.: 885632192110

Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
6. Were all samples received at a temperature of >0° C to 6.0° C Yes ☒ No ☐ NA ☐
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	3	Good	Not Present			