



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2510050				Courier :				1 of 4 COCs																					
Client ID : RTPE01				Project ID : At 151 Juniper Drive				Sampler Name(s) :				Analysis																					
Customer Name : RTP Environmental Address : 239 US Highway 22 East				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Matrix</td> </tr> <tr> <td style="height: 100px;"></td> </tr> </table>				Matrix																	
				Matrix																													
				Phone Number : 732-968-9600																													
Fax Number :																																	
Site Details:																																	
City : Green Brook				Analysis Turnaround Time																													
State : NJ																																	
Zip Code : 08812				Standard : 10 business days OR				Data Package Type : Regulatory																									
Country :				Rush (Specify): Days				EDD Type : Haz/Exce w/Conversion																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																
151-JA-1	11/4/25 to 11/5/25	8:04	8:04	-30	-5	70		-30	-5.9	10203	10153	6 L	4.16	VL042942.D	X	X																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Temperature (Fahrenheit)</th> </tr> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>										Temperature (Fahrenheit)					Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]							
Temperature (Fahrenheit)																																	
	Ambient	Maximum	Minimum																														
Start																																	
Stop																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Pressure (Inches of Hg)</th> </tr> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>										Pressure (Inches of Hg)					Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
Pressure (Inches of Hg)																																	
	Ambient	Maximum	Minimum																														
Start																																	
Stop																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High Medium Low PID Readings:																																	
Sampling site (State):																																	
Quick Connector required : NO																																	
Canisters Shipped by: [Signature]				Date/Time: 11/03/25				Canisters Received by: CV				Date/Time: 11/3/25 8:00																					
Samples Relinquished by: [Signature]				Date/Time: 11-5-25				Received by: IT				Date/Time: 11-5-25 1700																					
Relinquished by:				Date/Time:				Received by:				Date/Time:																					

Client Contact Information				Bottle Order ID : B2510050				Courier :				2 of 4 COCs							
Client ID : RTPE01				Project ID : Atk PSI Juniper Drive				Sampler Name(s) :				Analysis							
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Matrix</td> </tr> <tr> <td style="height: 100px;"></td> <td style="height: 100px;"></td> </tr> </table>				Matrix			
				Matrix															
				Phone Number : 732-968-9600															
Fax Number :																			
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type : Regulatory											
				Rush (Specify): Days				EDD Type : Hzr /Excel w/conversion table in excel.											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas
191-5A-2	11/14/25 to 11/15/25	8:02	302	-30	-5	70	70	-30	-2.2	10207	10492	6 L	4.16	VL042907.D	X	X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 11/03/25	Canisters Received by: CW	Date/Time: 11/3/25 8:00
Samples Relinquished by: CW	Date/Time: 11-5-25 1700	Received by: ST	Date/Time: 11-5-25 1700
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2510050 - 9

Client Contact Information						Bottle Order ID : B2510050				Courier :				3 of 4 COCs																
Client ID : RTPE01		Project ID : AK 151 JUNIPER DRIVE		Sampler Name(s) :		Analysis		Matrix																						
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																								
				Phone Number : 732-968-9600																										
				Fax Number :																										
				Site Details:																										
Analysis Turnaround Time				Data Package Type :																										
Standard : 10 business days OR				EDD Type :																										
Rush (Specify): Days																														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
151-06-1	11/5/25	1242	1342	-30	-5	70	70	-30	-10.8	10244	10653	1.4 L 25	VL042989.D	X				X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15)								
	Ambient	Maximum	Minimum																											
Start																														
Stop																														
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum																											
Start																														
Stop																														
Special Instructions/QC Requirements & Comments :																														
Suspected Contamination: High Medium Low PID Readings:																														
Sampling site (State):																														
Quick Connector required : yes																														
Canisters Shipped by: Sam				Date/Time: 11/03/25				Canisters Received by:				Date/Time:																		
Samples Relinquished by:				Date/Time: 11-5-25 1700				Received by: JT				Date/Time: 11-5-25 1700																		
Relinquished by:				Date/Time:				Received by:				Date/Time:																		
B2510050 - 10																														

Client Contact Information				Bottle Order ID : 82510050				Courier :				4 of 4 COCs					
Client ID : RTPE01				Project ID : Air				Sampler Name(s) :				Analysis		Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 732-968-9600													
				Fax Number :													
				Site Details:													
				Analysis Turnaround Time				Data Package Type :									
				Standard : 10 business days OR				EDD Type :									
				Rush (Specify): Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambinet Air	Soil Gas
151-56-2	11/5/25	12:41	1:34	-28	-4	70	70	-30	-10.8	10255	10423	1.4 L	25	VL042989.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Suf							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <u>Yes</u>																	
Canisters Shipped by: <u>Scann</u>				Date/Time: <u>11/03/25</u>				Canisters Received by: <u>H-5-25 16 JT</u>				Date/Time: <u>11-5-25 1500</u>				82510050 - 7	
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A2 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
10/28/25	Q3320-07	10311	12.6	-4.3				sy
	Q3320-08	10588	12.0	-5.5				
	Q3320-09	10601	12.2	-5.1				
	Q3320-10	10604	12.2	5.1				
	Q3320-11	10607	12.2	5.1				
	Q3320-12	10333	12.2	-5.1				
	Q3320-13	10609	12.6	-4.3				
10/10/25	Q3320-02	10113	1.0		20		20x	sy
11/05/25	Q3555-01	10153	11.8	-5.9				sy
	Q3555-02	10492	13.6	-2.2				
	Q3555-03	10653	9.4	-10.8				
	Q3555-04	10423	9.4	-10.8				
	Q3556-01	10266	8.6	-12.4				
	Q3556-02	10283	12.0	-5.5				
	Q3556-03	10737	9.6	-10.4				
	Q3556-04	10752	9.6	-10.4				
	Q3557-01	10296	12.4	-4.7				
	Q3557-02	10300	12.6	-4.3				
	Q3557-03	10060	12.2	-5.1				
	Q3557-04	10674	10.6	-8.4				
	Q3557-05	10428	10.6	-9.6				

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 151-IA-2
Client Name: RTP
Project Name: 151 Juniper Drive
Date: 11/4-11/5/25 Time: 8:02
Analysis: TO-15
Comments: 151 Juniper Drive

CHEMTECH'S SAM

Date Received:

Storage Location: Air Lab

Sample: Q3555-02

Cust #: 151-IA-2

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 151-IA-1
Client Name: RTP
Project Name: 151 Juniper Drive
Date: 11/4-11/5/25 Time: 8:09
Analysis: TO-15
Comments: 151 Juniper Drive

CHEMTECH

Date Received:

Storage Location: Air Lab

Sample: Q3555-01

Cust #: 151-IA-1

Disposal:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

151-SG-2

Client Name:

RTP

Project Name:

Chadwick

Date:

11/5/25

Time:

141

Analysis:

TO-15

Comments:

Storage Location: Air Lab

Sample: Q3555-04

Cust #: 151-SG-2

CHEMTECH'S SAMPLE

Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

151-SG-1

Client Name:

RTP

Project Name:

Chadwick

Date:

11/5/25

Time:

1242-1842

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q3555-03

Cust #: 151-SG-1

CHEMTECH'S

Date Received

Disposal:

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NAME

Title: Sample Custodian

Field Sample Seal No. Q3555


Date Broken: 11/5/2025

Military Time Seal Broken: 15:00:00

Case No.: 151 JUNIPER DRIVE

Analytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3555-01	151-IA-1		
Q3555-02	151-IA-2		
Q3555-03	151-SG-1		
Q3555-04	151-SG-2		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
11/6	1112	Signature 	Signature 	
		Printed Name GORSE, G. W.	Printed Name G. W. Gorse	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy