

Client Contact Information				Bottle Order ID : B2510050				Courier :				1 of 4 COCs							
Client ID : RTPE01				Project ID : Air 131 Juniper Drive				Sampler Name(s) :				Analysis							
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Matrix</td> </tr> <tr> <td style="height: 100px;"></td> <td style="height: 100px;"></td> </tr> </table>				Matrix			
				Matrix															
				Phone Number : 732-968-9600															
Fax Number :																			
				Site Details:															
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : Regulatory											
Rush (Specify) _____ Days				EDD Type : Air/Exel w/conversion															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas		
131-IA1	11/4/25 to 11/5/25	8:11	8:21	-30	-12	67		-30	-12.4	10626	10266	6 L	4.16	VL042942.D	X	X			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam				Date/Time: 11/03/25				Canisters Received by: CW				Date/Time: 11/3/25 8:00				B2510050 - 3			
Samples Relinquished by: CW				Date/Time: 11-5-25 1500				Received by: AT				Date/Time: 11-5-25 1500							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2510050				Courier :				2 of 4 COCs																					
Client ID : RTPE01				Project ID : 131 JUNIPER Drive				Sampler Name(s) :				Analysis																					
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Matrix</td> </tr> <tr> <td style="height: 100px;"></td> <td style="height: 100px;"></td> </tr> </table>				Matrix																	
				Matrix																													
				Phone Number : 732-968-9600																													
Fax Number :																																	
				Site Details:																													
				Analysis Turnaround Time																													
				Standard : 10 business days OR				Data Package Type : Regulatory																									
				Rush (Specify): Days				EDD Type : Haz/Excel w/ conversion																									
								table in excel.																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																
131-1A2	11/13/25 11/15/25	8:22	8:22	-30	-7	67		-30	-5.5	10537	10283	6 L	4.16	VL042942.D	X	X																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Temperature (Fahrenheit)</th> </tr> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>										Temperature (Fahrenheit)					Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]							
Temperature (Fahrenheit)																																	
	Ambient	Maximum	Minimum																														
Start																																	
Stop																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Pressure (Inches of Hg)</th> </tr> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>										Pressure (Inches of Hg)					Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
Pressure (Inches of Hg)																																	
	Ambient	Maximum	Minimum																														
Start																																	
Stop																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High Medium Low PID Readings:																																	
Sampling site (State):																																	
Quick Connector required : No																																	
Canisters Shipped by: Sam				Date/Time: 11/03/25				Canisters Received by: CW				Date/Time: 11/13/25 8:00																					
Samples Relinquished by: CW				Date/Time: 11.5.25 1500				Received by: ST				Date/Time: 11.5.25 1500																					
Relinquished by:				Date/Time:				Received by:				Date/Time:																					
B2510050 - 4																																	

Client Contact Information				Bottle Order ID : B2510050				Courier :				3 of 4 COCs									
Client ID : RTPE01				Project ID : 131 Juniper Drive				Sampler Name(s) :				Analysis									
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; height: 100%; border-collapse: collapse;"> <tr> <td colspan="2" rowspan="2">Matrix</td> <td colspan="2" rowspan="2">Indoor/Ambient Air</td> <td colspan="2" rowspan="2">Soil Gas</td> </tr> <tr> </tr> </table>				Matrix		Indoor/Ambient Air		Soil Gas	
				Matrix		Indoor/Ambient Air															
				Phone Number : 732-968-9600																	
Fax Number :																					
Site Details:																					
Analysis Turnaround Time				Data Package Type :				EDD Type :													
Standard : 10 business days OR				Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
12-06-1 13156-1	11/5/25	9:07	10:06	-30	-6	70	70	-30	-10.4	10166	10737	1.4 L	25	VL042989.D	X	X

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15)
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **Yes**

Canisters Shipped by: Sam	Date/Time: 11/03/25	Canisters Received by: JS	Date/Time: 11-5-25 1500
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2510050 - 12

Client Contact Information				Bottle Order ID : B2510050				Courier :				4 of 4 COCs																	
Client ID : RTPE01				Project ID : 131 Juniper Drive				Sampler Name(s) :				Analysis		Matrix															
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 732-968-9600																									
				Fax Number :																									
				Site Details:																									
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
131-56-2	11/5/25	9:06	10:06	-27	-5	70	70	-30	-10.4	10571	10752	1.4 L	25	VL042989.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: Sampling site (State):																													
Quick Connector required : Yes																													
Canisters Shipped by: Sam				Date/Time: 11/02/25				Canisters Received by: CW				Date/Time: 11/3/25 6:00				B2510050 - 13													
Samples Relinquished by: CW				Date/Time: 11.5.25 1500				Received by: ST				Date/Time: 11.5.25 1500																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: AZ 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
10/18/25	Q3320-07	10311	12.6	-4.3				sy
	Q3320-08	10588	12.0	-5.5				
	Q3320-09	10601	12.2	-5.1				
	Q3320-10	10604	12.2	5.1				
	Q3320-11	10607	12.2	5.1				
	Q3320-12	10333	12.2	-5.1				
	Q3320-13	10609	12.6	-4.3				
10/10/25	Q3320-02	10113	1.0		20		20x	sy
11/05/25	Q3555-01	10153	11.8	-5.9				sy
	Q3555-02	10492	13.6	-2.2				
	Q3555-03	10653	9.4	-10.8				
	Q3555-04	10423	9.4	-10.8				
	Q3556-01	10266	8.6	-12.4				
	Q3556-02	10283	12.0	-5.5				
	Q3556-03	10737	9.6	-10.4				
	Q3556-04	10752	9.6	-10.4				
	Q3557-01	10296	12.4	-4.7				
	Q3557-02	10300	12.6	-4.3				
	Q3557-03	10060	12.2	-5.1				
	Q3557-04	10674	10.6	-8.4				
	Q3557-05	10428	10.6	-9.6				

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

4.01-101
2510
Client Sample ID #: 131-SG-2
Client Name: RTP
Project Name: Chedwich
Date: 11/5/25 Time: 10:07
Analysis: TO-15
Comments: _____

CHEMTECH'S SAMPLE

Date Received: _____

Storage Location: Air Lab

Sample: Q3556-04

Cust #: 131-SG-2

B2510050

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

4.01-101
2510
Client Sample ID #: 131-SG-1
Client Name: RTP
Project Name: Chedwich
Date: 11/5/25 Time: 906-1006
Analysis: _____
Comments: _____

CHEMTECH'S SAMPLE

Date Received: _____

Storage Location: Air Lab

Sample: Q3556-03

Cust #: 131-SG-1

B2510050

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 131-1A2
Client Name: RIP
Project Name: 131 Juniper Drive
Date: 11/4/25-11/5/25 Time: 8:22
Analysis: TO-15
Comments: _____

CHEMTECH'S S

Date Received: _____

Storage Location: Air Lab

Sample: Q3556-02

Cust #: 131-IA2

osal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 131-1A1
Client Name: RIP
Project Name: 131 Juniper Drive
Date: 11/4/25-11/5/25 Time: 8:21
Analysis: TO-15
Comments: _____

CHEMTECH'S SAMI

Date Received: _____

Storage Location: Air Lab

Sample: Q3556-01

Cust #: 131-IA1