

Report of Analysis

Client: RTP Environmental
Project: 131 JUNIPER DRIVE
Client Sample ID: 131-IA1
Lab Sample ID: Q3556-01
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/05/25
Date Received: 11/05/25
SDG No.: Q3556
Matrix: Air
Test: TO-15

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
TARGETS									
75-71-8	Dichlorodifluoromethane	0.45	2.23	J	1	0.54	2.47	11/06/25 11:36	VL110625
74-87-3	Chloromethane	0.58	1.20		1	0.21	1.03	11/06/25 11:36	VL110625
75-01-4	Vinyl Chloride	0.030	0.080	U	1	0.080	0.080	11/06/25 11:36	VL110625
74-83-9	Bromomethane	0.080	0.31	U	1	0.31	1.94	11/06/25 11:36	VL110625
75-00-3	Chloroethane	0.15	0.40	U	1	0.40	1.32	11/06/25 11:36	VL110625
109-99-9	Tetrahydrofuran	0.080	0.24	U	1	0.24	1.47	11/06/25 11:36	VL110625
75-69-4	Trichlorofluoromethane	0.25	1.40	J	1	0.96	2.81	11/06/25 11:36	VL110625
76-13-1	1,1,2-Trichlorotrifluoroethane	0.14	1.07	U	1	1.07	3.83	11/06/25 11:36	VL110625
76-14-2	Dichlorotetrafluoroethane	0.15	1.05	U	1	1.05	3.49	11/06/25 11:36	VL110625
75-65-0	tert-Butyl alcohol	0.16	0.49	U	1	0.49	1.52	11/06/25 11:36	VL110625
142-82-5	Heptane	0.17	0.70	U	1	0.70	2.05	11/06/25 11:36	VL110625
75-35-4	1,1-Dichloroethene	0.15	0.59	U	1	0.59	1.98	11/06/25 11:36	VL110625
67-64-1	Acetone	3.20	7.60		1	0.43	1.19	11/06/25 11:36	VL110625
75-15-0	Carbon Disulfide	0.080	0.25	U	1	0.25	1.56	11/06/25 11:36	VL110625
1634-04-4	Methyl tert-Butyl Ether	0.23	0.83	U	1	0.83	1.80	11/06/25 11:36	VL110625
75-09-2	Methylene Chloride	1.20	4.17		1	0.80	1.74	11/06/25 11:36	VL110625
156-60-5	trans-1,2-Dichloroethene	0.12	0.48	U	1	0.48	1.98	11/06/25 11:36	VL110625
75-34-3	1,1-Dichloroethane	0.13	0.53	U	1	0.53	2.02	11/06/25 11:36	VL110625
110-82-7	Cyclohexane	0.22	0.76	U	1	0.76	1.72	11/06/25 11:36	VL110625
78-93-3	2-Butanone	0.31	0.91	J	1	0.18	1.47	11/06/25 11:36	VL110625
56-23-5	Carbon Tetrachloride	0.090	0.57		1	0.19	0.19	11/06/25 11:36	VL110625
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	1	0.40	1.98	11/06/25 11:36	VL110625
67-66-3	Chloroform	0.10	0.49	U	1	0.49	2.44	11/06/25 11:36	VL110625
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	1	0.11	0.16	11/06/25 11:36	VL110625
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	1	0.65	2.34	11/06/25 11:36	VL110625
71-43-2	Benzene	0.14	0.45	J	1	0.26	1.60	11/06/25 11:36	VL110625
107-06-2	1,2-Dichloroethane	0.090	0.36	U	1	0.36	2.02	11/06/25 11:36	VL110625
79-01-6	Trichloroethene	0.020	0.11	U	1	0.11	0.16	11/06/25 11:36	VL110625
78-87-5	1,2-Dichloropropane	0.13	0.60	U	1	0.60	2.31	11/06/25 11:36	VL110625
75-27-4	Bromodichloromethane	0.060	0.40	U	1	0.40	3.35	11/06/25 11:36	VL110625
108-10-1	4-Methyl-2-Pentanone	0.10	0.41	U	1	0.41	2.05	11/06/25 11:36	VL110625
108-88-3	Toluene	0.22	0.83	J	1	0.60	1.88	11/06/25 11:36	VL110625
10061-02-6	t-1,3-Dichloropropene	0.15	0.68	U	1	0.68	2.27	11/06/25 11:36	VL110625
10061-01-5	cis-1,3-Dichloropropene	0.11	0.50	U	1	0.50	2.27	11/06/25 11:36	VL110625
79-00-5	1,1,2-Trichloroethane	0.080	0.44	U	1	0.44	2.73	11/06/25 11:36	VL110625
124-48-1	Dibromochloromethane	0.090	0.77	U	1	0.77	4.26	11/06/25 11:36	VL110625
106-93-4	1,2-Dibromoethane	0.090	0.69	U	1	0.69	0.77	11/06/25 11:36	VL110625
127-18-4	Tetrachloroethene	0.020	0.14	U	1	0.14	0.20	11/06/25 11:36	VL110625
108-90-7	Chlorobenzene	0.080	0.37	U	1	0.37	2.30	11/06/25 11:36	VL110625
100-41-4	Ethyl Benzene	0.19	0.83	U	1	0.83	2.17	11/06/25 11:36	VL110625
179601-23-1	m/p-Xylene	0.41	1.78	U	1	1.78	4.34	11/06/25 11:36	VL110625
95-47-6	o-Xylene	0.21	0.91	U	1	0.91	2.17	11/06/25 11:36	VL110625
100-42-5	Styrene	0.16	0.68	U	1	0.68	2.13	11/06/25 11:36	VL110625
75-25-2	Bromoform	0.050	0.52	U	1	0.52	5.17	11/06/25 11:36	VL110625
79-34-5	1,1,2,2-Tetrachloroethane	0.020	0.14	U	1	0.14	0.21	11/06/25 11:36	VL110625
95-49-8	2-Chlorotoluene	0.17	0.88	U	1	0.88	2.59	11/06/25 11:36	VL110625

Report of Analysis

Client: RTP Environmental
Project: 131 JUNIPER DRIVE
Client Sample ID: 131-IA1
Lab Sample ID: Q3556-01
Analytical Method: TO-15
Sample Wt/Vol: 400 mL

Date Collected: 11/05/25
Date Received: 11/05/25
SDG No.: Q3556
Matrix: Air
Test: TO-15

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qua.	DF	MDL ug/m3	LOQ / CRQL ug/m3	Date Ana.	BatchID
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/06/25 11:36	VL110625
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	1	0.88	2.46	11/06/25 11:36	VL110625
541-73-1	1,3-Dichlorobenzene	0.050	0.30	U	1	0.30	3.01	11/06/25 11:36	VL110625
106-46-7	1,4-Dichlorobenzene	0.13	0.78	U	1	0.78	3.01	11/06/25 11:36	VL110625
95-50-1	1,2-Dichlorobenzene	0.13	0.78	U	1	0.78	3.01	11/06/25 11:36	VL110625
120-82-1	1,2,4-Trichlorobenzene	0.21	1.56	U	1	1.56	3.71	11/06/25 11:36	VL110625
87-68-3	Hexachloro-1,3-Butadiene	0.13	1.39	U	1	1.39	5.33	11/06/25 11:36	VL110625
106-99-0	1,3-Butadiene	0.050	0.11	U	1	0.11	1.11	11/06/25 11:36	VL110625
91-20-3	Naphthalene	0.010	0.050	U	1	0.050	0.52	11/06/25 11:36	VL110625
622-96-8	4-Ethyltoluene	0.21	1.03	U	1	1.03	2.46	11/06/25 11:36	VL110625
110-54-3	Hexane	1.50	5.29		1	0.56	1.76	11/06/25 11:36	VL110625
107-05-1	Allyl Chloride	0.11	0.34	U	1	0.34	1.57	11/06/25 11:36	VL110625
123-91-1	1,4-Dioxane	0.22	0.79	U	1	0.79	1.80	11/06/25 11:36	VL110625
80-62-6	Methyl Methacrylate	0.14	0.57	U	1	0.57	2.05	11/06/25 11:36	VL110625

SURROGATES

460-00-4 1-Bromo-4-Fluorobenzene 10.2 70 (65) - 130 102% SPK: 10

INTERNAL STANDARDS

Area Count
74-97-5 Bromochloromethane 117000
540-36-3 1,4-Difluorobenzene 350000
3114-55-4 Chlorobenzene-d5 295000

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements