

Client Contact Information										Bottle Order ID : B2510050										Courier :										1 of 5 COCs																													
Client ID : RTPE01										Project ID : At 141 Juniper Drive										Sampler Name(s) :										Analysis										Matrix																			
Customer Name : RTP Environmental										Project Manager : David gabel										AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																																							
Address : 239 US Highway 22 East										Phone Number : 732-968-9600																																																	
City : Green Brook										Fax Number :																																																	
State : NJ										Site Details:																																																	
Zip Code : 08812										Analysis Turnaround Time										Data Package Type : Regulatory																																							
Country :										Standard : 10 business days OR										EDD Type : Haz/Excel w/ conversion																																							
Rush (Specify):										Days																																																	
Sample Identification		Sample Date(s)		Time Start (24 hr Clock)		Time Stop (24 hr Clock)		Can Vacuum in Field ("Hg) (Start)		Can Vacuum in Field ("Hg) (Stop)**		Ambient Interior Temp. (F) (Start)		Ambient Interior Temp. (F) (Stop)		Out going Can Pressure ("Hg)(Lab)		In coming Can Pressure ("Hg)(Lab)		Flow Reg. ID		Can ID		Flow Controller Readout (ml/min)		Can Cert ID		TO-15		Indoor/ Ambient Air		Soil Gas																											
141-AA-1		11/4/25 11/5/25		8:13 8:13		-30 -6		-30 -6		44		-30		-4.7		10482		10296		6 L		4.16		VL042598.D		X		X		X																													
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15)																																																	
Ambient										Maximum										Minimum																																							
Start																																																											
Stop																																																											
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions.																																																	
Ambient										Maximum										Minimum																																							
Start																																																											
Stop																																																											
Special Instructions/QC Requirements & Comments :																																																											
Suspected Contamination: High Medium Low PID Readings:																																																											
Sampling site (State):																																																											
Quick Connector required : No																																																											
Canisters Shipped by: Sam										Date/Time: 11/03/25										Canisters Received by: CV										Date/Time: 11/3/25 8:00																													
Samples Relinquished by: CW										Date/Time: 11-5-25 1500										Received by: AT										Date/Time: 11-5-25 1500																													
Relinquished by:										Date/Time:										Received by:										Date/Time:																													
B2510050 - 5																																																											

Client Contact Information				Bottle Order ID : B2510050				Courier :				2 of 5 COCs			
Client ID : RTPE01				Project ID : 141 Juniper Drive				Sampler Name(s) :				Analysis			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor Ambient Air Soil Gas			
				Phone Number : 732-968-9600											
				Fax Number :											
				Site Details:											
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : Regulatory							
Rush (Specify):				Days				EDD Type : HQZ (Excel w/ conversion table in excel)							

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				
141-5A-1	11/4/25 to 11/5/25	8:10	8:10	30	-8	72	72	-30	-4.3	10520	10300	6 L	4.16	VL042942.D	X				

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 11/03/25	Canisters Received by: CW	Date/Time: 11/3/25 8:00
Samples Relinquished by: CW	Date/Time: 11.5.25 1500	Received by: ET	Date/Time: 11.5.25 1500
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2510050 - 6

Client Contact Information				Bottle Order ID : B2510050				Courier :				3 of 5 COCs																					
Client ID : RTPE01				Project ID : 141 Juniper Drive				Sampler Name(s) :				Analysis																					
Customer RTP Environmental Name : Address : 239 US Highway 22 East				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2">Matrix</td> </tr> <tr> <td style="height: 100px;"></td> </tr> </table>				Matrix																	
				Matrix																													
				Phone Number : 732-968-9600																													
Fax Number :																																	
City : Green Brook				Site Details:																													
State : NJ				Analysis Turnaround Time																													
Zip Code : 08812				Standard : 10 business days OR				Data Package Type : Regulatory																									
Country :				Rush (Specify): Days				EDD Type : Haz/Excel w/conversion																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																
141-1A2	11/4/25 11/5/25	8:11	8:11	-30	-2	72	72	-30	-5.1	10236	10060	6 L	4.16	VL042942.D	X	X																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Temperature (Fahrenheit)</th> </tr> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>										Temperature (Fahrenheit)					Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]							
Temperature (Fahrenheit)																																	
	Ambient	Maximum	Minimum																														
Start																																	
Stop																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Pressure (Inches of Hg)</th> </tr> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>										Pressure (Inches of Hg)					Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
Pressure (Inches of Hg)																																	
	Ambient	Maximum	Minimum																														
Start																																	
Stop																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High Medium Low PID Readings:																																	
Sampling site (State):																																	
Quick Connector required : No																																	
Canisters Shipped by: Sam				Date/Time: 11/03/25				Canisters Received by: CV				Date/Time: 11/3/25 8:00																					
Samples Relinquished by: CV				Date/Time: 11-5-25 1:50				Received by: ST				Date/Time: 11-5-25 1:50																					
Relinquished by:				Date/Time:				Received by:				Date/Time:																					

Client Contact Information				Bottle Order ID : B2510050				Courier :				4 of 5 COCs																																							
Client ID : RTPE01				Project ID : 141 Juniper Drive				Sampler Name(s) :				Analysis																																							
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; height: 100%; border-collapse: collapse;"> <tr> <td colspan="2" rowspan="2">Matrix</td> <td colspan="2">Indoor/Ambient Air</td> <td colspan="2">Soil Gas</td> </tr> <tr> <td colspan="2"></td> <td colspan="2"></td> </tr> </table>				Matrix		Indoor/Ambient Air		Soil Gas																															
				Matrix		Indoor/Ambient Air												Soil Gas																																	
				Phone Number : 732-968-9600																																															
Fax Number :																																																			
Site Details:				Analysis Turnaround Time				Data Package Type :				EDD Type :																																							
Standard : 10 business days OR				Rush (Specify): Days																																															
Sample Identification				Sample Date(s)		Time Start (24 hr Clock)		Time Stop (24 hr Clock)		Can Vacuum in Field ("Hg) (Start)		Can Vacuum in Field ("Hg) (Stop)**		Interior Temp. (F) (Start)		Interior Temp. (F) (Stop)		Out going Can Pressure ("Hg)(Lab)		In coming Can Pressure ("Hg)(Lab)		Flow Reg. ID		Can ID		Flow Controller Readout (ml/min)		Can Cert ID		TO-15																					
141-56-1		11/5/25		1046		146		-18		-2		70		70		-30		-8.4		10543		10674		1.4 L		25		VL042989.D		X																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Temperature (Fahrenheit)</th> </tr> <tr> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> <th></th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>				Temperature (Fahrenheit)				Ambient	Maximum	Minimum		Start				Stop				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="4">Pressure (Inches of Hg)</th> </tr> <tr> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> <th></th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>				Pressure (Inches of Hg)				Ambient	Maximum	Minimum		Start				Stop				GC/MS Analyst Signature (TO-15) 											
				Temperature (Fahrenheit)																																															
				Ambient	Maximum	Minimum																																													
				Start																																															
Stop																																																			
Pressure (Inches of Hg)																																																			
Ambient	Maximum	Minimum																																																	
Start																																																			
Stop																																																			
** Submittal of this COC indicates approval of the analysis based on existing conditions.																																																			
Please follow the instructions on the back of this COC.																																																			
Special Instructions/QC Requirements & Comments :																																																			
Suspected Contamination: High Medium Low PID Readings:																																																			
Sampling site (State):																																																			
Quick Connector required : Yes																																																			
Canisters Shipped by: Sam				Date/Time: 11/5/25				Canisters Received by: 11.5.25 1500				Date/Time: 25				B2510050 - 11																																			
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																																							
Relinquished by:				Date/Time:				Received by:				Date/Time:																																							

Client Contact Information				Bottle Order ID : B2510050				Courier :				5 of 5 COCs																	
Client ID : RTPE01				Project ID : Air 141 Juniper Drive				Sampler Name(s) :				Analysis		Matrix															
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 732-968-9600																									
				Fax Number :																									
				Site Details:																									
				Analysis Turnaround Time																									
				Standard : 10 business days OR				Data Package Type :																					
				Rush (Specify): Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
141-562	11/5/25	1047	1147	-30	-4	70	70	-30	+9.6	10484	10428	1.4 L	25	VL042989.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Sut							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : Yes																													
Canisters Shipped by: Sam				Date/Time: 11/03/25				Canisters Received by: ST				Date/Time: 11.5.25 1500				B2510050 - 8													
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A2 55971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
10/28/25	Q3320-07	10311	12.6	-4.3				✓
	Q3320-08	10588	12.0	-5.5				✓
	Q3320-09	10601	12.2	-5.1				✓
	Q3320-10	10604	12.2	5.1				✓
	Q3320-11	10607	12.2	5.1				✓
	Q3320-12	10333	12.2	-5.1				✓
	Q3320-13	10609	12.6	-4.3				✓
10/10/25	Q3320-02	10113	1.0		20		20x	✓
11/05/25	Q3555-01	10153	11.8	-5.9				✓
	Q3555-02	10492	13.6	-2.2				✓
	Q3555-03	10653	9.4	-10.8				✓
	Q3555-04	10423	9.4	-10.8				✓
	Q3556-01	10266	8.6	-12.4				✓
	Q3556-02	10283	12.0	-5.5				✓
	Q3556-03	10737	9.6	-10.4				✓
	Q3556-04	10752	9.6	-10.4				✓
	Q3557-01	10296	12.4	-4.7				✓
	Q3557-02	10300	12.6	-4.3				✓
	Q3557-03	10060	12.2	-5.1				✓
	Q3557-04	10674	10.6	-8.4				✓
	Q3557-05	10428	10.6	-9.6				✓

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 141-1A1

Client Name: RJP

Project Name: 141 Juniper Drive

Date: 11/4-11/5/28 Time: 8:10 ~~2002~~

Analysis: 10-15

Comments:

CHEMTECH'S SAMPLE

Date Received:

Storage Location: Air Lab
Sample: Q3557-02
Cust #: 141-1A-1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 141-1A-1

Client Name: RJP

Project Name: 141 Juniper Drive

Date: 11/4 to 11/5/28 Time: 8:13

Analysis: 10-15

Comments:

CHEMTECH'S SAMPLE

Date Received:

Storage Location: Air Lab
Sample: Q3557-01
Cust #: 141-AA-1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 141-1A2

Client Name: RJP

Project Name: 141 Juniper Drive

Date: 11/4/25-11/5/28 Time: 8:10-8:11

Analysis: 10-15

Comments:

CHEMTECH'S SAMPLE

Date Received:

Storage Location: Air Lab
Sample: Q3557-03
Cust #: 141-1A2

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 141-SG-1

Client Name: RFP

Project Name: Chadwick

Date: 11/5/25

Analysis: 1046 1146

Comments: _____

CHEMTECH'S SAMPLE ID

Date Received: _____ Ex: _____

Storage Location: Air Lab

Sample: Q3557-04

Cust #: 141-SG-1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 141-SG-2

Client Name: RFP

Project Name: Chadwick

Date: 11/5/25

Analysis: 1047 1147

Comments: _____

CHEMTECH'S SAMPLE ID

Date Received: _____

Storage Location: Air Lab

Sample: Q3557-05

Cust #: 141-SG-2