

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: LKB ENGINEERING, PLLC
ADDRESS: 1 AERIAL WAY
CITY: SYOSSET STATE: NY ZIP: 11791
ATTENTION: JOHN GERLACH
PHONE: 516-375-1167 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME:
PROJECT NO.: LOCATION:
PROJECT MANAGER:
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									← Specify Preservatives		
			COMP	GRAB	DATE	TIME		E	E/D	E/B	E/C	E/A					A-HCl	D-NaOH	
								1	2	3	4	5	6	7	8	9	B-HNO3	E-ICE	
1. SY-10D	SY-10 D	GW		X	11/5/25	9:15	14	5	1	2	4	2						C-H2SO4	F-OTHER
2. SY-10S	SY-10 S					10:00	↓	↓	↓	↓	↓								
3. SY-10I	SY-10 I					12:00	↓	↓	↓	↓	↓								
4. SY-12I	SY-12 I					2:15	↓	↓	↓	↓	↓								
5. SY-12D	SY-12 D					4:00	✓	✓	✓	✓	✓	✓							
6.																			
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>Cate Blachly</u>	DATE/TIME: <u>11/5/25</u>	RECEIVED BY: <u>[Signature]</u> <u>1000</u> <u>11-6-25</u>	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP <u>38</u> °C
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.	Comments:
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>11-6-25</u>	RECEIVED BY: 3. <u>13:28</u>	

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO