

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3560</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>Lockwood, Kessler & Bartlett, Inc.</u>	Datafile :	<u>VN088218.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN1106WBSD01	Vinyl chloride	20	17.9	ug/L	90	1		65	117	19
	Chloroethane	20	16.7	ug/L	84	6		56	128	20
	Trichlorofluoromethane	20	17.4	ug/L	87	1		73	115	16
	1,1-Dichloroethene	20	16.5	ug/L	83	2		74	110	20
	Acrylonitrile	100	110	ug/L	110	14		73	113	29
	Acetone	100	95.9	ug/L	96	11		60	125	20
	Carbon disulfide	20	17.0	ug/L	85	5		64	112	20
	Methylene Chloride	20	19.2	ug/L	96	12		72	114	20
	Vinyl Acetate	100	100	ug/L	100	3		76	115	26
	2-Butanone	100	110	ug/L	110	15		65	122	26
	Carbon Tetrachloride	20	19.2	ug/L	96	3		77	113	15
	cis-1,2-Dichloroethene	20	19.1	ug/L	96	6		77	110	20
	Bromochloromethane	20	21.1	ug/L	106	2		70	124	20
	Chloroform	20	20.0	ug/L	100	5		79	113	20
	1,1,1-Trichloroethane	20	19.4	ug/L	97	2		80	108	20
	Benzene	20	19.1	ug/L	96	1		82	109	15
	1,2-Dichloropropane	20	19.5	ug/L	98	2		83	111	16
	Dibromomethane	20	20.1	ug/L	101	1		82	110	20
	Bromodichloromethane	20	20.1	ug/L	101	0		83	110	16
	4-Methyl-2-Pentanone	100	110	ug/L	110	10		74	118	25
	Toluene	20	18.9	ug/L	95	0		82	110	16
	t-1,3-Dichloropropene	20	19.6	ug/L	98	4		79	110	20
	cis-1,3-Dichloropropene	20	19.7	ug/L	99	1		82	110	16
	2-Hexanone	100	100	ug/L	100	0		73	117	25
	Dibromochloromethane	20	19.2	ug/L	96	3		82	110	20
	1,2-Dibromoethane	20	19.4	ug/L	97	0		81	110	20
	Tetrachloroethene	20	18.9	ug/L	95	1		67	123	15
	Chlorobenzene	20	19.3	ug/L	97	0		82	109	15
	1,1,1,2-Tetrachloroethane	20	20.0	ug/L	100	1		84	111	20
	Ethyl Benzene	20	19.0	ug/L	95	3		83	109	16
	m/p-Xylenes	40	37.9	ug/L	95	3		82	110	15
	o-Xylene	20	19.5	ug/L	98	2		83	109	20
	Styrene	20	19.8	ug/L	99	3		80	111	17
	Bromoform	20	19.9	ug/L	100	3		79	109	20
	1,1,2,2-Tetrachloroethane	20	21.1	ug/L	106	7		76	118	20
	1,2,3-Trichloropropane	20	18.5	ug/L	93	15		75	112	20
	1,4-Dichlorobenzene	20	18.7	ug/L	94	0		82	107	15
	1,2-Dichlorobenzene	20	19.6	ug/L	98	0		82	109	20
	1,2-Dibromo-3-Chloropropane	20	19.9	ug/L	100	1		68	112	20
	Methyl iodide	20	18.7	ug/L	94	3		70	130	20
	trans-1,4-Dichloro-2-butene	20	18.8	ug/L	94	2		79	102	20