

DATA PACKAGE

GENERAL CHEMISTRY
METALS

PROJECT NAME : ROTOR CLIP NJ WTD - 2025

VERINA CONSULTING GROUP, LLC

1011 US Highway 22, Suite 302

Bridgewater, NJ - 08807

Phone No: 908-864-4400

ORDER ID : Q3566

ATTENTION : Michael Valenzi



Laboratory Certification ID # 20012



Table Of Contents for Q3566

1) Signature Page	3
2) Case Narrative	5
3) Qualifier Page	7
4) QA Checklist	8
5) Metals-AES Data	9
6) Genchem Data	52
7) Shipping Document	78
7.1) CHAIN OF CUSTODY	79
7.2) Lab Certificate	80

1
2
3
4
5
6
7

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : Alliance Technical Group LLC Client : VERINA CONSULTING GROUP, LLC
 Project Location : NJ Project Number : 5183.0001
 Laboratory Sample ID(s) : Q3566 Sampling Date(s) : 11/06/2025

List DKQP Methods Used (e.g., 8260,8270, et Cetra) **6010D,SM4500 CI G,SM4500-NH3,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	☒ Yes ☐ No
1A	Were the method specified handling, preservation, and holding time requirements met?	☐ Yes ☒ No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	☐ Yes ☐ No ☒ N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	☒ Yes ☐ No
3	Were samples received at an appropriate temperature (4±2° C)?	☒ Yes ☐ No ☐ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☐ Yes ☒ No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	☒ Yes ☐ No ☒ Yes ☐ No ☐ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	☒ Yes ☐ No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	☐ Yes ☒ No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q3566

Project ID : Rotor Clip NJ WTD - 2025

Client : VERINA CONSULTING GROUP, LLC

Lab Sample Number

Q3566-01

Client Sample Number

WATER-TREATMENT DISCHARGE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/13/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

VERINA CONSULTING GROUP, LLC

Project Name: Rotor Clip NJ WTD - 2025

Project # N/A

Order ID # Q3566

Test Name: Metals Group4,Ammonia,Residual Chlorine

A. Number of Samples and Date of Receipt:

1 Water sample was received on 11/06/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Metals Group4,Ammonia,Residual Chlorine. This data package contains results for Metals Group4(6010D),Ammonia(SM4500-NH3),Residual Chlorine(SM4500 Cl G).

C. Analytical Techniques:

Metals Group4 : The analysis of Metals Group4 was based on method 6010D and digestion based on method 3010 (waters).

Wetchem : The analysis of Residual Chlorine was based on method SM4500 Cl G and The analysis of Ammonia was based on method SM4500-NH3.

D. QA/ QC Samples:

The Holding Times were met for all analysis except following Wetchem : WATER-TREATMENT DISCHARGE of Residual Chlorine as sample was receive out of holding time.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds except following

Metals Group4 : The Matrix Spike Duplicate (WATER-TREATMENT DISCHARGE MSD) analysis met criteria for all compounds except for Chromium due to Chemical Interference during Digestion Process.

The RPD recoveries met criteria.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Duplicate analysis met criteria for all compound.

The Serial Dilution met the acceptable requirements.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3566

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/13/2025



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q3566 **Order ID:** Q3566
Client: VERINA CONSULTING GROUP, LLC **Project ID:** Rotor Clip NJ WTD - 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : WATER-TREATMENT DISCHARGE								
Q3566-01	WATER-TREATMENT DISCHA	Water	Chromium	160		1.06	5.00	ug/L
Q3566-01	WATER-TREATMENT DISCHA	Water	Copper	6.36	J	2.30	10.0	ug/L
Q3566-01	WATER-TREATMENT DISCHA	Water	Nickel	6.37	J	1.53	20.0	ug/L
Q3566-01	WATER-TREATMENT DISCHA	Water	Zinc	49.7		8.33	20.0	ug/L



SAMPLE DATA

Report of Analysis

Client: VERINA CONSULTING GROUP, LLC
Project: Rotor Clip NJ WTD - 2025
Client Sample ID: WATER-TREATMENT DISCHARGE
Lab Sample ID: Q3566-01
Level (low/med): low

Date Collected: 11/06/25
Date Received: 11/06/25
SDG No.: Q3566
Matrix: Water
% Solid: 0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-47-3	Chromium	160	N	1	1.06	5.00	ug/L	11/07/25 11:20	11/10/25 16:22	6010D	M3010A
7440-50-8	Copper	6.36	J	1	2.30	10.0	ug/L	11/07/25 11:20	11/10/25 16:22	6010D	M3010A
7440-02-0	Nickel	6.37	J	1	1.53	20.0	ug/L	11/07/25 11:20	11/10/25 16:22	6010D	M3010A
7440-66-6	Zinc	49.7		1	8.33	20.0	ug/L	11/07/25 11:20	11/10/25 16:22	6010D	M3010A

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	12:11	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	12:11	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	12:11	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	12:11	LB137841

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	12:42	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	12:42	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	12:42	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	12:42	LB137841
CCB02	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	13:54	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	13:54	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	13:54	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	13:54	LB137841
CCB03	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	14:50	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	14:50	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	14:50	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	14:50	LB137841
CCB04	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	15:47	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	15:47	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	15:47	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	15:47	LB137841
CCB05	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	16:38	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	16:38	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	16:38	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	16:38	LB137841
CCB06	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	17:31	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	17:31	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	17:31	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	17:31	LB137841
CCB07	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	19:18	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	19:18	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	19:18	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	19:18	LB137841
CCB08	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	20:26	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	20:26	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	20:26	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	20:26	LB137841
CCB09	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	21:41	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	21:41	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	21:41	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	21:41	LB137841
CCB10	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	22:47	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	22:47	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	22:47	LB137841

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB10	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	22:47	LB137841
CCB11	Chromium	2.12	+/-5	U	10.0	P	11/10/2025	23:34	LB137841
	Copper	4.60	+/-10	U	20.0	P	11/10/2025	23:34	LB137841
	Nickel	3.06	+/-20	U	40.0	P	11/10/2025	23:34	LB137841
	Zinc	16.7	+/-20	U	40.0	P	11/10/2025	23:34	LB137841

A

B

C

D

E

F

G

H

I

J

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Instrument: P4

Sample ID	Analyte	Result (ug/L)	Acceptance Limit	Conc Qual	CRQL ug/L	M	Analysis Date	Analysis Time	Run
PB170434BL	WATER			Batch Number:	PB170434		Prep Date:	11/07/2025	
	Chromium	1.06	<2.5	U	5.00	P	11/10/2025	15:22	LB137841
	Copper	2.30	<5	U	10.0	P	11/10/2025	15:22	LB137841
	Nickel	1.53	<10	U	20.0	P	11/10/2025	15:22	LB137841
	Zinc	8.33	<10	U	20.0	P	11/10/2025	15:22	LB137841

A

B

C

D

E

F

G

H

I

J



METAL CALIBRATION DATA

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: VERINA CONSULTING GROUP, LLC

Contract: VERI01

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3566

Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV01	Chromium	829	800	104	90 - 110	P	11/10/2025	11:45	LB137841
	Copper	1040	1000	104	90 - 110	P	11/10/2025	11:45	LB137841
	Nickel	2010	2000	100	90 - 110	P	11/10/2025	11:45	LB137841
	Zinc	2020	2000	101	90 - 110	P	11/10/2025	11:45	LB137841

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: VERINA CONSULTING GROUP, LLC
Contract: VERI01
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3566
Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
LLICV01	Chromium	10.1	10.0	101	80 - 120	P	11/10/2025	11:57	LB137841
	Copper	20.3	20.0	101	80 - 120	P	11/10/2025	11:57	LB137841
	Nickel	38.3	40.0	96	80 - 120	P	11/10/2025	11:57	LB137841
	Zinc	40.9	40.0	102	80 - 120	P	11/10/2025	11:57	LB137841

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: VERINA CONSULTING GROUP, LLC

Contract: VERI01

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

SDG No.: Q3566

Lab Code: ACE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV01	Chromium	1000	1000	100	90 - 110	P	11/10/2025	12:38	LB137841
	Copper	1240	1250	99	90 - 110	P	11/10/2025	12:38	LB137841
	Nickel	2460	2500	98	90 - 110	P	11/10/2025	12:38	LB137841
	Zinc	2490	2500	99	90 - 110	P	11/10/2025	12:38	LB137841
CCV02	Chromium	1020	1000	102	90 - 110	P	11/10/2025	13:28	LB137841
	Copper	1250	1250	100	90 - 110	P	11/10/2025	13:28	LB137841
	Nickel	2470	2500	99	90 - 110	P	11/10/2025	13:28	LB137841
	Zinc	2500	2500	100	90 - 110	P	11/10/2025	13:28	LB137841
CCV03	Chromium	1010	1000	101	90 - 110	P	11/10/2025	14:46	LB137841
	Copper	1240	1250	99	90 - 110	P	11/10/2025	14:46	LB137841
	Nickel	2440	2500	98	90 - 110	P	11/10/2025	14:46	LB137841
	Zinc	2490	2500	100	90 - 110	P	11/10/2025	14:46	LB137841
CCV04	Chromium	1020	1000	102	90 - 110	P	11/10/2025	15:44	LB137841
	Copper	1260	1250	101	90 - 110	P	11/10/2025	15:44	LB137841
	Nickel	2470	2500	99	90 - 110	P	11/10/2025	15:44	LB137841
	Zinc	2530	2500	101	90 - 110	P	11/10/2025	15:44	LB137841
CCV05	Chromium	1000	1000	100	90 - 110	P	11/10/2025	16:35	LB137841
	Copper	1250	1250	100	90 - 110	P	11/10/2025	16:35	LB137841
	Nickel	2420	2500	97	90 - 110	P	11/10/2025	16:35	LB137841
	Zinc	2500	2500	100	90 - 110	P	11/10/2025	16:35	LB137841
CCV06	Chromium	1030	1000	103	90 - 110	P	11/10/2025	17:27	LB137841
	Copper	1270	1250	102	90 - 110	P	11/10/2025	17:27	LB137841
	Nickel	2460	2500	99	90 - 110	P	11/10/2025	17:27	LB137841
	Zinc	2590	2500	103	90 - 110	P	11/10/2025	17:27	LB137841
CCV07	Chromium	1080	1000	108	90 - 110	P	11/10/2025	19:14	LB137841
	Copper	1320	1250	105	90 - 110	P	11/10/2025	19:14	LB137841
	Nickel	2570	2500	103	90 - 110	P	11/10/2025	19:14	LB137841
	Zinc	2680	2500	107	90 - 110	P	11/10/2025	19:14	LB137841
CCV08	Chromium	1080	1000	108	90 - 110	P	11/10/2025	20:11	LB137841
	Copper	1320	1250	106	90 - 110	P	11/10/2025	20:11	LB137841
	Nickel	2580	2500	103	90 - 110	P	11/10/2025	20:11	LB137841
	Zinc	2680	2500	107	90 - 110	P	11/10/2025	20:11	LB137841
CCV09	Chromium	1030	1000	103	90 - 110	P	11/10/2025	21:31	LB137841
	Copper	1280	1250	103	90 - 110	P	11/10/2025	21:31	LB137841

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV09	Nickel	2480	2500	99	90 - 110	P	11/10/2025	21:31	LB137841
	Zinc	2630	2500	105	90 - 110	P	11/10/2025	21:31	LB137841
CCV10	Chromium	1030	1000	103	90 - 110	P	11/10/2025	22:29	LB137841
	Copper	1260	1250	101	90 - 110	P	11/10/2025	22:29	LB137841
	Nickel	2440	2500	98	90 - 110	P	11/10/2025	22:29	LB137841
	Zinc	2580	2500	103	90 - 110	P	11/10/2025	22:29	LB137841
CCV11	Chromium	1040	1000	104	90 - 110	P	11/10/2025	23:30	LB137841
	Copper	1270	1250	102	90 - 110	P	11/10/2025	23:30	LB137841
	Nickel	2470	2500	99	90 - 110	P	11/10/2025	23:30	LB137841
	Zinc	2590	2500	103	90 - 110	P	11/10/2025	23:30	LB137841



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Initial Calibration Source: _____

Continuing Calibration Source: _____

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRI01	Chromium	9.05	10.0	90	65 - 135	P	11/10/2025	12:16	LB137841
	Copper	21.9	20.0	110	65 - 135	P	11/10/2025	12:16	LB137841
	Nickel	39.7	40.0	99	65 - 135	P	11/10/2025	12:16	LB137841
	Zinc	43.2	40.0	108	65 - 135	P	11/10/2025	12:16	LB137841

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: <u>VERINA CONSULTING GROUP, LLC</u>	SDG No.: <u>Q3566</u>
Contract: <u>VERI01</u>	Lab Code: <u>ACE</u>
ICS Source: <u>EPA</u>	Instrument ID: <u>P4</u>

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSA01	Chromium	49.5	52.0	95	42	62	11/10/2025	12:21	LB137841
	Copper	18.7	2.0	935	-18	22	11/10/2025	12:21	LB137841
	Nickel	6.36	2.0	318	-38	42	11/10/2025	12:21	LB137841
	Zinc	3.40			-40	40	11/10/2025	12:21	LB137841
ICSAB01	Chromium	584	542	108	460	624	11/10/2025	12:26	LB137841
	Copper	501	511	98	434	588	11/10/2025	12:26	LB137841
	Nickel	1020	954	107	810	1100	11/10/2025	12:26	LB137841
	Zinc	1030	952	108	809	1095	11/10/2025	12:26	LB137841



METAL QC DATA

metals
- 5a -
MATRIX SPIKE SUMMARY

client: <u>VERINA CONSULTING GROUP, LLC</u>	level: <u>low</u>	sdg no.: <u>Q3566</u>
contract: <u>VERI01</u>		lab code: <u>ACE</u>
matrix: <u>Water</u>	sample id: <u>Q3566-01</u>	client id: <u>WATER-TREATMENT DISCHARGEMS</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>Q3566-01MS</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Chromium	ug/L	75 - 125	377		160		200	109		P
Copper	ug/L	75 - 125	159		6.36	J	150	101		P
Nickel	ug/L	75 - 125	277		6.37	J	250	108		P
Zinc	ug/L	75 - 125	160		49.7		100	111		P

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: <u>VERINA CONSULTING GROUP, LLC</u>	level: <u>low</u>	sdg no.: <u>Q3566</u>
contract: <u>VERI01</u>		lab code: <u>ACE</u>
matrix: <u>Water</u>	sample id: <u>Q3566-01</u>	client id: <u>WATER-TREATMENT DISCHARGEMSD</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>Q3566-01MSD</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Chromium	ug/L	75 - 125	422		160		200	131	N	P
Copper	ug/L	75 - 125	154		6.36	J	150	99		P
Nickel	ug/L	75 - 125	273		6.37	J	250	107		P
Zinc	ug/L	75 - 125	155		49.7		100	105		P

Metals
- 5b -
POST DIGEST SPIKE SUMMARY

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Matrix: Water

Level: LOW

Client ID: WATER-TREATMENT DISCHARGE A

Sample ID: Q3566-01

Spiked ID: Q3566-01A

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Chromium	ug/L	75 - 125	360		160		200	100		P

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: VERINA CONSULTING GROUP, LLC **Level:** LOW **SDG No.:** Q3566
Contract: VERI01 **Lab Code:** ACE
Matrix: Water **Sample ID:** Q3566-01 **Client ID:** WATER-TREATMENT DISCHARGEDU
Percent Solids for Sample: NA **Duplicate ID** Q3566-01DUP **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Chromium	ug/L	20	160		156		3		P
Copper	ug/L	20	6.36	J	5.81	J	9		P
Nickel	ug/L	20	6.37	J	5.95	J	7		P
Zinc	ug/L	20	49.7		48.8		2		P

“A control limit of $\pm 20\%$ RPD for each matrix applies for sample values greater than 10 times Detection Limit”

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: VERINA CONSULTING GROUP, LLC **Level:** LOW **SDG No.:** Q3566
Contract: VERI01 **Lab Code:** ACE
Matrix: Water **Sample ID:** Q3566-01MS **Client ID:** WATER-TREATMENT DISCHARGEMS
Percent Solids for Sample: NA **Duplicate ID** Q3566-01MSD **Percent Solids for Spike Sample:** NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Chromium	ug/L	20	377		422		11		P
Copper	ug/L	20	159		154		3		P
Nickel	ug/L	20	277		273		1		P
Zinc	ug/L	20	160		155		3		P

“A control limit of $\pm 20\%$ RPD for each matrix applies for sample values greater than 10 times Detection Limit”

Metals

- 7 -

LABORATORY CONTROL SAMPLE SUMMARY

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB170434BS							
Chromium	ug/L	200	210		105	80 - 120	P
Copper	ug/L	150	159		106	80 - 120	P
Nickel	ug/L	250	253		101	80 - 120	P
Zinc	ug/L	100	107		107	80 - 120	P

Metals
-9 -
ICP SERIAL DILUTIONS

SAMPLE NO.

WATER-TREATMENT DISCHARGEL

Lab Name: Alliance **Contract:** VERI01
Lab Code: ACE **Lb No.:** lb137841 **Lab Sample ID :** Q3566-01L **SDG No.:** Q3566
Matrix (soil/water): Water **Level (low/med):** LOW
Concentration Units: ug/L

Analyte	Initial Sample Result (I)		Serial Dilution Result (S)		% Differ- ence		Q	M
Chromium	160		155		3			P
Copper	6.36	J	50.0	U	100.0			P
Nickel	6.37	J	100	U	100.0			P
Zinc	49.7		49.7	J	0			P

metals
- 14 -
ANALYSIS RUN LOG

Client: VERINA CONSULTING GROUP, LLC

Contract: VERI01

Lab code: ACE

Sdg no.: Q3566

Instrument id number:

Method:

Run number: LB137841

Start date: 11/10/2025

End date: 11/10/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1120	Cr,Cu,Ni,Zn
S1	S1	1	1124	Cr,Cu,Ni,Zn
S2	S2	1	1128	Cr,Cu,Ni,Zn
S3	S3	1	1132	Cr,Cu,Ni,Zn
S4	S4	1	1137	Cr,Cu,Ni,Zn
S5	S5	1	1141	Cr,Cu,Ni,Zn
ICV01	ICV01	1	1145	Cr,Cu,Ni,Zn
LLICV01	LLICV01	1	1157	Cr,Cu,Ni,Zn
ICB01	ICB01	1	1211	Cr,Cu,Ni,Zn
CRI01	CRI01	1	1216	Cr,Cu,Ni,Zn
ICSA01	ICSA01	1	1221	Cr,Cu,Ni,Zn
ICSAB01	ICSAB01	1	1226	Cr,Cu,Ni,Zn
CCV01	CCV01	1	1238	Cr,Cu,Ni,Zn
CCB01	CCB01	1	1242	Cr,Cu,Ni,Zn
CCV02	CCV02	1	1328	Cr,Cu,Ni,Zn
CCB02	CCB02	1	1354	Cr,Cu,Ni,Zn
CCV03	CCV03	1	1446	Cr,Cu,Ni,Zn
CCB03	CCB03	1	1450	Cr,Cu,Ni,Zn
PB170434BL	PB170434BL	1	1522	Cr,Cu,Ni,Zn
PB170434BS	PB170434BS	1	1527	Cr,Cu,Ni,Zn
CCV04	CCV04	1	1544	Cr,Cu,Ni,Zn
CCB04	CCB04	1	1547	Cr,Cu,Ni,Zn
Q3566-01	WATER-TREATMENT DISCH#	1	1622	Cr,Cu,Ni,Zn
Q3566-01DUP	WATER-TREATMENT DISCH#	1	1626	Cr,Cu,Ni,Zn
Q3566-01L	WATER-TREATMENT DISCH#	5	1630	Cr,Cu,Ni,Zn
CCV05	CCV05	1	1635	Cr,Cu,Ni,Zn
CCB05	CCB05	1	1638	Cr,Cu,Ni,Zn
Q3566-01MS	WATER-TREATMENT DISCH#	1	1643	Cr,Cu,Ni,Zn
Q3566-01MSD	WATER-TREATMENT DISCH#	1	1647	Cr,Cu,Ni,Zn
Q3566-01A	WATER-TREATMENT DISCH#	1	1651	Cr
CCV06	CCV06	1	1727	Cr,Cu,Ni,Zn
CCB06	CCB06	1	1731	Cr,Cu,Ni,Zn
CCV07	CCV07	1	1914	Cr,Cu,Ni,Zn
CCB07	CCB07	1	1918	Cr,Cu,Ni,Zn
CCV08	CCV08	1	2011	Cr,Cu,Ni,Zn
CCB08	CCB08	1	2026	Cr,Cu,Ni,Zn
CCV09	CCV09	1	2131	Cr,Cu,Ni,Zn
CCB09	CCB09	1	2141	Cr,Cu,Ni,Zn
CCV10	CCV10	1	2229	Cr,Cu,Ni,Zn
CCB10	CCB10	1	2247	Cr,Cu,Ni,Zn
CCV11	CCV11	1	2330	Cr,Cu,Ni,Zn

metals
- 14 -
ANALYSIS RUN LOG

Client: VERINA CONSULTING GROUP, LLC

Contract: VERI01

Lab code: ACE

Sdg no.: Q3566

Instrument id number: Method:

Run number: LB137841

Start date: 11/10/2025 **End date:** 11/10/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
CCB11	CCB11	1	2334	Cr,Cu,Ni,Zn

A

B

C

D

E

F

G

H

I

J



METAL PREPARATION & INSTRUMENT DATA

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Instrument ID:

Date:

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Al	Ca	Fe	Mg	Ag
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0007850	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0001050	0.0000000	0.0000000

A

B

C

D

E

F

G

H

I

J

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Instrument ID: _____

Date: _____

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		As	Ba	Be	Cd	Co
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0000000	0.0000000	0.0009530
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

A

B

C

D

E

F

G

H

I

J

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Instrument ID:

Date:

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Cr	Cu	K	Mn	Mo
Chromium	267.716	0.0000000	0.0000000	0.0000070	0.0002200	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0000000	0.0006510	0.0020500
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0009010	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Instrument ID:

Date:

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Na	Ni	Pb	Sb	Se
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	-0.0047000	0.0036100	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0067600	0.0000000	0.0000000	0.0000000

A

B

C

D

E

F

G

H

I

J

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Contract: VERI01

Lab Code: ACE

Instrument ID:

Date:

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Sn	Ti	Tl	V	Zn
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0001110	0.0000000
Copper	224.700	0.0000000	0.0003840	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

A

B

C

D

E

F

G

H

I

J

LAB CHRONICLE

OrderID:	Q3566	OrderDate:	11/6/2025 1:42:00 PM
Client:	VERINA CONSULTING GROUP, LLC	Project:	Rotor Clip NJ WTD - 2025
Contact:	Michael Valenzi	Location:	J23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3566-01	WATER-TREATMENT DISCHARGE	Water	Metals Group4	6010D	11/06/25	11/07/25	11/10/25	11/06/25



METAL PREPARATION & ANALYICAL SUMMARY

Metals
- 13 -

SAMPLE PREPARATION SUMMARY

Client: VERINA CONSULTING GROUP, LLC **SDG No.:** Q3566
Contract: VERI01 **Lab Code:** ACE **Method:** _____

Sample ID	Client ID	Sample Type	Matrix	Prep Date	Initial Sample Size(mL)	Final Sample Volume (mL)	Percent Solids
Batch Number: PB170434							
PB170434BL	PB170434BL	MB	WATER	11/07/2025	50.0	25.0	
PB170434BS	PB170434BS	LCS	WATER	11/07/2025	50.0	25.0	
Q3566-01	WATER-TREATMENT DISCHARGE	SAM	WATER	11/07/2025	50.0	25.0	
Q3566-01DUP	WATER-TREATMENT DISCHARGEDUP	DUP	WATER	11/07/2025	50.0	25.0	
Q3566-01MS	WATER-TREATMENT DISCHARGEMS	MS	WATER	11/07/2025	50.0	25.0	
Q3566-01MSD	WATER-TREATMENT DISCHARGEMSD	MSD	WATER	11/07/2025	50.0	25.0	

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	11/10/25 11:20		Jaswal	OK
2	S1	S1	CAL2	11/10/25 11:24		Jaswal	OK
3	S2	S2	CAL3	11/10/25 11:28		Jaswal	OK
4	S3	S3	CAL4	11/10/25 11:32		Jaswal	OK
5	S4	S4	CAL5	11/10/25 11:37		Jaswal	OK
6	S5	S5	CAL6	11/10/25 11:41		Jaswal	OK
7	ICV01	ICV01	ICV	11/10/25 11:45		Jaswal	OK
8	LLICV01	LLICV01	LLICV	11/10/25 11:57		Jaswal	OK
9	ICB01	ICB01	ICB	11/10/25 12:11		Jaswal	OK
10	CRI01	CRI01	CRDL	11/10/25 12:16		Jaswal	OK
11	ICSA01	ICSA01	ICSA	11/10/25 12:21		Jaswal	OK
12	ICSAB01	ICSAB01	ICSAB	11/10/25 12:26		Jaswal	OK
13	ICSADL	ICSADL	ICSA	11/10/25 12:30		Jaswal	OK
14	ICSABDL	ICSABDL	ICSAB	11/10/25 12:34		Jaswal	OK
15	CCV01	CCV01	CCV	11/10/25 12:38		Jaswal	OK
16	CCB01	CCB01	CCB	11/10/25 12:42		Jaswal	OK
17	Q3504-01	72-11986	SAM	11/10/25 12:47		Jaswal	OK
18	Q3562-01	EO-03-110625	SAM	11/10/25 12:51	MS/MSD fail for more than 50% parameters	Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

19	Q3564-01	OR-03-11062025	SAM	11/10/25 12:55		Jaswal	OK
20	Q3577-01	WC-1A	SAM	11/10/25 13:00		Jaswal	OK
21	Q3580-01	346	SAM	11/10/25 13:04		Jaswal	OK
22	Q3562-01DUP	EO-03-110625DUP	DUP	11/10/25 13:08	MS/MSD fail for more than 50% parameters	Jaswal	OK
23	Q3562-01L	EO-03-110625L	SD	11/10/25 13:12	MS/MSD fail for more than 50% parameters	Jaswal	OK
24	Q3562-01MS	EO-03-110625MS	MS	11/10/25 13:16	MS/MSD fail for more than 50% parameters	Jaswal	OK
25	Q3562-01MSD	EO-03-110625MSD	MSD	11/10/25 13:20	MS/MSD fail for more than 50% parameters	Jaswal	OK
26	Q3562-01A	EO-03-110625A	PS	11/10/25 13:24	MS/MSD fail for more than 50% parameters	Jaswal	OK
27	CCV02	CCV02	CCV	11/10/25 13:28		Jaswal	OK
28	CCB02	CCB02	CCB	11/10/25 13:54		Jaswal	OK
29	PB170412BL	PB170412BL	MB	11/10/25 13:58		Jaswal	OK
30	PB170412BS	PB170412BS	LCS	11/10/25 14:03		Jaswal	OK
31	Q3547-02	Comp	SAM	11/10/25 14:07		Jaswal	OK
32	Q3547-02DUP	CompDUP	DUP	11/10/25 14:17		Jaswal	OK
33	Q3547-02L	CompL	SD	11/10/25 14:21		Jaswal	OK
34	Q3547-02MS	CompMS	MS	11/10/25 14:26		Jaswal	OK
35	Q3547-02MSD	CompMSD	MSD	11/10/25 14:30		Jaswal	OK
36	Q3547-02A	CompA	PS	11/10/25 14:34	0.1ml m6008,m6017-10ml sample	Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

37	Q3551-01	MANHOLE	SAM	11/10/25 14:38		Jaswal	OK
38	Q3552-04DL	MW-10DL	SAM	11/10/25 14:42	10x for Na	Jaswal	Confirms
39	CCV03	CCV03	CCV	11/10/25 14:46		Jaswal	OK
40	CCB03	CCB03	CCB	11/10/25 14:50		Jaswal	OK
41	Q3552-04DUPDL	MW-10DUPDL	DUP	11/10/25 14:55	10x for Na	Jaswal	Confirms
42	Q3552-04LDL	MW-10LDL	SD	11/10/25 14:59	NOT REQUIRED	Jaswal	Not Ok
43	Q3552-04MSDL	MW-10MSDL	MS	11/10/25 15:03	10x for Na	Jaswal	Confirms
44	Q3552-04MSDDL	MW-10MSDDL	MSD	11/10/25 15:08	10x for Na	Jaswal	Confirms
45	Q3552-04ADL	MW-10ADL	PS	11/10/25 15:12	NOT REQUIRED	Jaswal	Not Ok
46	PB170434BL	PB170434BL	MB	11/10/25 15:22		Jaswal	OK
47	PB170434BS	PB170434BS	LCS	11/10/25 15:27		Jaswal	OK
48	Q3560-01	SY-10D	SAM	11/10/25 15:31		Jaswal	OK
49	Q3560-02	SY-10D	SAM	11/10/25 15:35		Jaswal	OK
50	Q3560-03	SY-10S	SAM	11/10/25 15:39		Jaswal	OK
51	CCV04	CCV04	CCV	11/10/25 15:44		Jaswal	OK
52	CCB04	CCB04	CCB	11/10/25 15:47		Jaswal	OK
53	Q3560-04	SY-10S	SAM	11/10/25 15:52		Jaswal	OK
54	Q3560-05	SY-10I	SAM	11/10/25 15:56		Jaswal	OK
55	Q3560-06	SY-10I	SAM	11/10/25 16:00		Jaswal	OK
56	Q3560-07	SY-12I	SAM	11/10/25 16:05		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

57	Q3560-08	SY-12I	SAM	11/10/25 16:09		Jaswal	OK
58	Q3560-09	SY-12D	SAM	11/10/25 16:13		Jaswal	OK
59	Q3560-10	SY-12D	SAM	11/10/25 16:17		Jaswal	OK
60	Q3566-01	WATER-TREATMENT	SAM	11/10/25 16:22		Jaswal	OK
61	Q3566-01DUP	WATER-TREATMENT	DUP	11/10/25 16:26		Jaswal	OK
62	Q3566-01L	WATER-TREATMENT	SD	11/10/25 16:30		Jaswal	OK
63	CCV05	CCV05	CCV	11/10/25 16:35		Jaswal	OK
64	CCB05	CCB05	CCB	11/10/25 16:38		Jaswal	OK
65	Q3566-01MS	WATER-TREATMENT	MS	11/10/25 16:43		Jaswal	OK
66	Q3566-01MSD	WATER-TREATMENT	MSD	11/10/25 16:47		Jaswal	OK
67	Q3566-01A	WATER-TREATMENT	PS	11/10/25 16:51	0.1ml m6008,m6017-10ml sample	Jaswal	OK
68	Q3569-01	MW-2	SAM	11/10/25 16:55		Jaswal	OK
69	Q3569-02	MW-12	SAM	11/10/25 16:59		Jaswal	OK
70	PB170461BL	PB170461BL	MB	11/10/25 17:04		Jaswal	OK
71	PB170461BS	PB170461BS	LCS	11/10/25 17:08		Jaswal	OK
72	Q3575-02	002 35th Ave (Nov)	SAM	11/10/25 17:14		Jaswal	OK
73	Q3575-02DUP	002 35th Ave (Nov)DU	DUP	11/10/25 17:18		Jaswal	OK
74	Q3575-02L	002 35th Ave (Nov)L	SD	11/10/25 17:23		Jaswal	OK
75	CCV06	CCV06	CCV	11/10/25 17:27		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

76	CCB06	CCB06	CCB	11/10/25 17:31		Jaswal	OK
77	LR-1	LR-1	HIGH STD	11/10/25 18:18		Jaswal	OK
78	LR-2	LR-2	HIGH STD	11/10/25 18:22		Jaswal	OK
79	Q3575-02MS	002 35th Ave (Nov)MS	MS	11/10/25 18:31		Jaswal	OK
80	Q3575-02MSD	002 35th Ave (Nov)MSD	MSD	11/10/25 18:35		Jaswal	OK
81	Q3575-02A	002 35th Ave (Nov)A	PS	11/10/25 18:39	0.1ml m6008,m6017-10ml sample	Jaswal	OK
82	LR-3	LR-3	HIGH STD	11/10/25 18:53		Jaswal	OK
83	Q3575-01	001 Willets Pt Blvd (N	SAM	11/10/25 18:57		Jaswal	OK
84	Q3531-01	FALL-2025	SAM	11/10/25 19:02		Jaswal	OK
85	Q3586-01	SED-1	SAM	11/10/25 19:06		Jaswal	OK
86	Q3586-02	SED-2	SAM	11/10/25 19:10		Jaswal	OK
87	CCV07	CCV07	CCV	11/10/25 19:14		Jaswal	OK
88	CCB07	CCB07	CCB	11/10/25 19:18		Jaswal	OK
89	Q3586-03	SED-3	SAM	11/10/25 19:22		Jaswal	OK
90	Q3587-01	NB-08-110725	SAM	11/10/25 19:26		Jaswal	OK
91	Q3588-01	TR-06-11072025	SAM	11/10/25 19:30		Jaswal	OK
92	Q3588-03	TR-01-11072025	SAM	11/10/25 19:34		Jaswal	OK
93	Q3581-01	VNJ-238	SAM	11/10/25 19:38		Jaswal	OK
94	Q3581-01DUP	VNJ-238DUP	DUP	11/10/25 19:42		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

95	Q3581-01L	VNJ-238L	SD	11/10/25 19:46		Jaswal	OK
96	Q3581-01MS	VNJ-238MS	MS	11/10/25 19:50		Jaswal	OK
97	Q3581-01MSD	VNJ-238MSD	MSD	11/10/25 19:54		Jaswal	OK
98	Q3581-01A	VNJ-238A	PS	11/10/25 19:58	0.1ml m6008,m6017-10ml sample	Jaswal	OK
99	CCV08	CCV08	CCV	11/10/25 20:11		Jaswal	OK
100	CCB08	CCB08	CCB	11/10/25 20:26		Jaswal	OK
101	Q3581-03	VNJ-245	SAM	11/10/25 20:30	Mn high	Jaswal	Dilution
102	Q3581-05	VNJ-240	SAM	11/10/25 20:34		Jaswal	OK
103	Q3581-07	RBR200059	SAM	11/10/25 20:38		Jaswal	OK
104	Q3582-04	RT4912	SAM	11/10/25 20:42		Jaswal	OK
105	Q3583-04	CHRT27080	SAM	11/10/25 20:46		Jaswal	OK
106	Q3581-03DL	VNJ-245DL	SAM	11/10/25 20:50	10x for Mn	Jaswal	Confirms
107	Q3584-01	SW-1	SAM	11/10/25 21:15		Jaswal	OK
108	Q3584-02	SW-2	SAM	11/10/25 21:20	Na high	Jaswal	Dilution
109	CCV09	CCV09	CCV	11/10/25 21:31		Jaswal	OK
110	CCB09	CCB09	CCB	11/10/25 21:41		Jaswal	OK
111	Q3584-03	SW-3	SAM	11/10/25 21:46	Na high	Jaswal	Dilution
112	Q3584-03DUP	SW-3DUP	DUP	11/10/25 21:50	Na high	Jaswal	Dilution
113	Q3584-03L	SW-3L	SD	11/10/25 21:55		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

114	Q3584-03MS	SW-3MS	MS	11/10/25 21:59	Na high	Jaswal	Dilution
115	Q3584-03MSD	SW-3MSD	MSD	11/10/25 22:03	Na high	Jaswal	Dilution
116	Q3584-03A	SW-3A	PS	11/10/25 22:08	0.1ml m6008,m6017-10ml sample	Jaswal	OK
117	Q3584-04	EB-2	SAM	11/10/25 22:12		Jaswal	OK
118	Q3584-05	FB-2	SAM	11/10/25 22:16		Jaswal	OK
119	Q3584-07DL	SEEP-1DL	SAM	11/10/25 22:20	Straight 10x Dilution	Jaswal	OK
120	Q3574-01	304641-01 Liquid	SAM	11/10/25 22:24		Jaswal	OK
121	CCV10	CCV10	CCV	11/10/25 22:29		Jaswal	OK
122	CCB10	CCB10	CCB	11/10/25 22:47		Jaswal	OK
123	Q3584-02DL	SW-2DL	SAM	11/10/25 22:51	10x for Na	Jaswal	Confirms
124	Q3584-03DL	SW-3DL	SAM	11/10/25 22:55	10x for Na	Jaswal	Confirms
125	Q3584-03DUPDL	SW-3DUPDL	DUP	11/10/25 23:00	10x for Na	Jaswal	Confirms
126	Q3584-03LDL	SW-3LDL	SD	11/10/25 23:04	NOT REQUIRED	Jaswal	Not Ok
127	Q3584-03MSDL	SW-3MSDL	MS	11/10/25 23:08	10x for Na	Jaswal	Confirms
128	Q3584-03MSDDL	SW-3MSDDL	MSD	11/10/25 23:13	10x for Na	Jaswal	Confirms
129	Q3584-03ADL	SW-3ADL	PS	11/10/25 23:17	NOT REQUIRED	Jaswal	Not Ok
130	Q3574-01DL	304641-01 LiquidDL	SAM	11/10/25 23:21	NOT REQUIRED	Jaswal	Not Ok
131	Q3584-07DL2	SEEP-1DL2	SAM	11/10/25 23:26	NOT REQUIRED	Jaswal	Not Ok
132	CCV11	CCV11	CCV	11/10/25 23:30		Jaswal	OK

Instrument ID: P4

Daily Analysis Runlog For Sequence/QC Batch ID # LB137841

Review By	mohan	Review On	11/11/2025 11:36:43 AM
Supervise By	Jaswal	Supervise On	11/11/2025 15:30:49 PM
STD. NAME	STD REF.#		
ICAL Standard	MP87637,MP87643,MP87641,MP87640,MP87639,MP87638		
ICV Standard	MP87644,MP87643		
CCV Standard	MP87647		
ICSA Standard	MP87645,MP87646		
CRI Standard	MP87643		
LCS Standard			
Chk Standard	MP87668,MP87648,MP87651,MP87649,MP87650		

133	CCB11	CCB11	CCB	11/10/25 23:34		Jaswal	OK
-----	-------	-------	-----	----------------	--	--------	----

SOP ID : M3010A-Digestion-17

SDG No : N/A

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 11/07/2025 Time : 11:20 Temp : 96 °C

End Digest Date: 11/07/2025 Time : 14:25 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: S/A

Supervisor Signature: [Signature]

Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6209
LFS-2	0.25	M6201
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M6187
1:1 HCL	5.00	MP87148
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK#1 CELL#50 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/07/25 15:15	SK met dig	[Signature] met dig
15:15	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB170434BL	PBW434	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	1
PB170434BS	LCS434	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	2
Q3560-01	SY-10D	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3
Q3560-02	SY-10D	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	4
Q3560-03	SY-10S	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	5
Q3560-04	SY-10S	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	6
Q3560-05	SY-10I	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	7
Q3560-06	SY-10I	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	8
Q3560-07	SY-12I	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	9
Q3560-08	SY-12I	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	10
Q3560-09	SY-12D	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	11
Q3560-10	SY-12D	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	12
Q3566-01	WATER-TREATMENT DISCHARGE	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	14
Q3566-01MS	WATER-TREATMENT DISCHARGE MS	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	16
Q3566-01MSD	WATER-TREATMENT DISCHARGE MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6209,M6201	17
Q3566-01DUP	WATER-TREATMENT DISCHARGE DUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	15
Q3569-01	MW-2	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	18
Q3569-02	MW-12	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	19



SAMPLE DATA

Report of Analysis

Client: VERINA CONSULTING GROUP, LLC
Project: Rotor Clip NJ WTD - 2025
Client Sample ID: WATER-TREATMENT DISCHARGE
Lab Sample ID: Q3566-01

Date Collected: 11/06/25 09:32
Date Received: 11/06/25
SDG No.: Q3566
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	1.00		1	0.030	0.10	mg/L	11/10/25 11:40	11/11/25 12:07	SM 4500-NH3 B plus G-21
Residual Chlorine	0.046	HJ	1	0.023	0.10	mg/L		11/07/25 11:03	SM 4500-Cl G-11

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Project: Rotor Clip NJ WTD - 2025

RunNo.: LB137823

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV Residual Chlorine	mg/L	0.382	0.4	96	90-110	11/07/2025
Sample ID: CCV1 Residual Chlorine	mg/L	0.413	0.4	103	90-110	11/07/2025
Sample ID: CCV2 Residual Chlorine	mg/L	0.403	0.4	101	90-110	11/07/2025

Initial and Continuing Calibration Verification

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Project: Rotor Clip NJ WTD - 2025

RunNo.: LB137852

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Ammonia as N	mg/L	0.97	1	97	90-110	11/11/2025
Sample ID: CCV1 Ammonia as N	mg/L	0.95	1	95	90-110	11/11/2025
Sample ID: CCV2 Ammonia as N	mg/L	0.96	1	96	90-110	11/11/2025
Sample ID: CCV3 Ammonia as N	mg/L	0.97	1	97	90-110	11/11/2025
Sample ID: CCV4 Ammonia as N	mg/L	0.96	1	96	90-110	11/11/2025
Sample ID: CCV5 Ammonia as N	mg/L	0.99	1	99	90-110	11/11/2025
Sample ID: CCV6 Ammonia as N	mg/L	0.94	1	94	90-110	11/11/2025

Initial and Continuing Calibration Blank Summary

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Project: Rotor Clip NJ WTD - 2025

RunNo.: LB137823

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB Residual Chlorine	mg/L	< 0.0500	0.0500	U	0.023	0.1	11/07/2025
Sample ID: CCB1 Residual Chlorine	mg/L	< 0.0500	0.0500	U	0.023	0.1	11/07/2025
Sample ID: CCB2 Residual Chlorine	mg/L	< 0.0500	0.0500	U	0.023	0.1	11/07/2025

Initial and Continuing Calibration Blank Summary

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Project: Rotor Clip NJ WTD - 2025

RunNo.: LB137852

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025
Sample ID: CCB1 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025
Sample ID: CCB2 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025
Sample ID: CCB3 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025
Sample ID: CCB4 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025
Sample ID: CCB5 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025
Sample ID: CCB6 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	11/11/2025

Preparation Blank Summary

Client: VERINA CONSULTING GROUP, LLC

SDG No.: Q3566

Project: Rotor Clip NJ WTD - 2025

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB137823BL							
Residual Chlorine	mg/L	< 0.0500	0.0500	U	0.023	0.1	11/07/2025
Sample ID: PB170466BL							
Ammonia as N	mg/L	< 0.0500	0.0500	U	0.03	0.1	11/11/2025

A

B

C

D

E

F

Matrix Spike Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3560-01
Client ID:	SY-10DMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Ammonia as N	mg/L	75-125	9.10	OR	8.10	OR	1	1	100		11/11/2025

Matrix Spike Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3560-01
Client ID:	SY-10DMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Ammonia as N	mg/L	75-125	9.10	OR	8.10	OR	1	1	100		11/11/2025

Matrix Spike Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3566-01
Client ID:	WATER-TREATMENT DISCHARGEMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Residual Chlorine	mg/L	71-148	0.41		0.046	J	0.4	1	92		11/07/2025

Matrix Spike Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3566-01
Client ID:	WATER-TREATMENT DISCHARGEMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Residual Chlorine	mg/L	71-148	0.42		0.046	J	0.4	1	94		11/07/2025

Duplicate Sample Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3560-01
Client ID:	SY-10DDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	8.10	OR	8.10	OR	1	0		11/11/2025
Ammonia as N	mg/L	+/-20	7.40	D	7.40	D	10	0		11/11/2025

Duplicate Sample Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3560-01
Client ID:	SY-10DMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	9.10	OR	9.10	OR	1	0		11/11/2025

Duplicate Sample Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3566-01
Client ID:	WATER-TREATMENT DISCHARGEDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Residual Chlorine	mg/L	+/-20	0.046	J	0.046	J	1	0		11/07/2025

Duplicate Sample Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Sample ID:	Q3566-01
Client ID:	WATER-TREATMENT DISCHARGEMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Residual Chlorine	mg/L	+/-20	0.41		0.42		1	2.39		11/07/2025

Laboratory Control Sample Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Run No.:	LB137823

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB137823BS							
Residual Chlorine	mg/L	0.4	0.39		98	1	90-110	11/07/2025

Laboratory Control Sample Summary

Client:	VERINA CONSULTING GROUP, LLC	SDG No.:	Q3566
Project:	Rotor Clip NJ WTD - 2025	Run No.:	LB137852

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB170466BS							
Ammonia as N	mg/L	1	0.97		97	1	90-110	11/11/2025

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB137823

Review By	Iwona	Review On	11/10/2025 11:19:12 AM
Supervise By	jignesh	Supervise On	11/10/2025 4:45:26 PM
SubDirectory	LB137823	Test	Residual Chlorine
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP115542,WP115541,WP115538,WP115539,WP115555,WP115537,WP115556,WP115543,WP115540,W3147		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	11/07/25 10:20		Iwona	OK
2	CAL2	CAL2	CAL	11/07/25 10:23		Iwona	OK
3	CAL3	CAL3	CAL	11/07/25 10:26		Iwona	OK
4	CAL4	CAL4	CAL	11/07/25 10:29		Iwona	OK
5	CAL5	CAL5	CAL	11/07/25 10:32		Iwona	OK
6	CAL6	CAL6	CAL	11/07/25 10:35		Iwona	OK
7	ICV	ICV	ICV	11/07/25 10:38		Iwona	OK
8	ICB	ICB	ICB	11/07/25 10:41		Iwona	OK
9	CCV1	CCV1	CCV	11/07/25 10:44		Iwona	OK
10	CCB1	CCB1	CCB	11/07/25 10:47		Iwona	OK
11	LB137823BL	LB137823BL	MB	11/07/25 10:50		Iwona	OK
12	LB137823BS	LB137823BS	LCS	11/07/25 10:53		Iwona	OK
13	Q3530-07	LOD-MDL-WATER-01	SAM	11/07/25 10:57		Iwona	OK
14	Q3530-08	LOQ-WATER-02-QT4	SAM	11/07/25 11:00		Iwona	OK
15	Q3566-01	WATER-TREATMENT	SAM	11/07/25 11:03		Iwona	OK
16	Q3566-01DUP	WATER-TREATMENT	DUP	11/07/25 11:06		Iwona	OK
17	Q3566-01MS	WATER-TREATMENT	MS	11/07/25 11:09		Iwona	OK
18	Q3566-01MSD	WATER-TREATMENT	MSD	11/07/25 11:12		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB137823

Review By	Iwona	Review On	11/10/2025 11:19:12 AM
Supervise By	jignesh	Supervise On	11/10/2025 4:45:26 PM
SubDirectory	LB137823	Test	Residual Chlorine
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP115542,WP115541,WP115538,WP115539,WP115555,WP115537,WP115556,WP115543,WP115540,W3147		

19	CCV2	CCV2	CCV	11/07/25 11:15		Iwona	OK
20	CCB2	CCB2	CCB	11/07/25 11:18		Iwona	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB137852

Review By	rubina	Review On	11/12/2025 1:03:52 PM
Supervise By	Iwona	Supervise On	11/12/2025 1:04:18 PM
SubDirectory	LB137852	Test	Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP115598		
ICV Standard	WP115600		
CCV Standard	WP115599		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP115589		
Chk Standard	WP115290,WP114133,WP113929,WP114132,WP115590		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPM	0.0PPM	CAL1	11/11/25 10:21		rubina	OK
2	0.1PPM	0.1PPM	CAL2	11/11/25 10:21		rubina	OK
3	0.2PPM	0.2PPM	CAL3	11/11/25 10:21		rubina	OK
4	0.4PPM	0.4PPM	CAL4	11/11/25 10:21		rubina	OK
5	1.0PPM	1.0PPM	CAL5	11/11/25 10:21		rubina	OK
6	1.3PPM	1.3PPM	CAL6	11/11/25 10:21		rubina	OK
7	2.0PPM	2.0PPM	CAL7	11/11/25 10:21		rubina	OK
8	ICV1	ICV1	ICV	11/11/25 11:35		rubina	OK
9	ICB1	ICB1	ICB	11/11/25 11:35		rubina	OK
10	CCV1	CCV1	CCV	11/11/25 11:35		rubina	OK
11	CCB1	CCB1	CCB	11/11/25 11:35		rubina	OK
12	RL	RL	LOQ	11/11/25 11:35		rubina	OK
13	PB170466BL	PB170466BL	MB	11/11/25 11:45		rubina	OK
14	PB170466BS	PB170466BS	LCS	11/11/25 11:46		rubina	OK
15	Q3530-08	LOQ-WATER-02-QT4	LOQ	11/11/25 11:46		rubina	OK
16	Q3554-01	EFFLUENT	SAM	11/11/25 11:46	NH3 is high, need dilution	rubina	Dilution
17	Q3560-01	SY-10D	SAM	11/11/25 11:46	NH3 is high, need dilution	rubina	Dilution
18	Q3560-01DUP	SY-10DDUP	DUP	11/11/25 11:56	NH3 is high, need dilution	rubina	Dilution

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB137852

Review By	rubina	Review On	11/12/2025 1:03:52 PM
Supervise By	Iwona	Supervise On	11/12/2025 1:04:18 PM
SubDirectory	LB137852	Test	Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP115598		
ICV Standard	WP115600		
CCV Standard	WP115599		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP115589		
Chk Standard	WP115290,WP114133,WP113929,WP114132,WP115590		

19	Q3560-01MS	SY-10DMS	MS	11/11/25 11:56		rubina	OK
20	Q3560-01MSD	SY-10DMSD	MSD	11/11/25 11:56		rubina	OK
21	CCV2	CCV2	CCV	11/11/25 11:56		rubina	OK
22	CCB2	CCB2	CCB	11/11/25 11:56		rubina	OK
23	Q3560-03	SY-10S	SAM	11/11/25 11:56		rubina	OK
24	Q3560-05	SY-10I	SAM	11/11/25 11:56		rubina	OK
25	Q3560-07	SY-12I	SAM	11/11/25 12:07	NH3 is high, need dilution	rubina	Dilution
26	Q3560-09	SY-12D	SAM	11/11/25 12:07		rubina	OK
27	Q3566-01	WATER-TREATMENT	SAM	11/11/25 12:07		rubina	OK
28	Q3575-01	001 Willets Pt Blvd (N	SAM	11/11/25 12:07	NH3 is high, need dilution	rubina	Dilution
29	Q3575-02	002 35th Ave (Nov)	SAM	11/11/25 12:07	NH3 is high, need dilution	rubina	Dilution
30	PB170467BL	PB170467BL	MB	11/11/25 12:07		rubina	OK
31	PB170467BS	PB170467BS	LCS	11/11/25 12:07		rubina	OK
32	CCV3	CCV3	CCV	11/11/25 12:18		rubina	OK
33	CCB3	CCB3	CCB	11/11/25 12:18		rubina	OK
34	Q3530-02	LOQ-SOIL-02-QT4-20	LOQ	11/11/25 12:18		rubina	OK
35	Q3483-07	HW1025-PT-NUT-SO	SAM	11/11/25 12:18	NH3 is high, need dilution	rubina	Dilution
36	CCV4	CCV4	CCV	11/11/25 12:28		rubina	OK
37	CCB4	CCB4	CCB	11/11/25 12:28		rubina	OK
38	Q3554-01DL	EFFLUENTDL	SAM	11/11/25 13:06	10X For NH3	rubina	Confirms

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB137852

Review By	rubina	Review On	11/12/2025 1:03:52 PM
Supervise By	Iwona	Supervise On	11/12/2025 1:04:18 PM
SubDirectory	LB137852	Test	Ammonia

STD. NAME	STD REF.#
ICAL Standard	WP115598
ICV Standard	WP115600
CCV Standard	WP115599
ICSA Standard	N/A
CRI Standard	N/A
LCS Standard	WP115589
Chk Standard	WP115290,WP114133,WP113929,WP114132,WP115590

39	Q3560-01DL	SY-10DDL	SAM	11/11/25 13:06	10X For NH3	rubina	Confirms
40	Q3560-01DUPDL	SY-10DDUPDL	DUP	11/11/25 13:06	10X For NH3	rubina	Confirms
41	Q3560-07DL	SY-12IDL	SAM	11/11/25 13:06	20x For NH3 Still high	rubina	Dilution
42	Q3575-01DL	001 Willets Pt Blvd (N	SAM	11/11/25 13:16	5X For NH3	rubina	Confirms
43	Q3575-02DL	002 35th Ave (Nov)DL	SAM	11/11/25 13:16	5X For NH3	rubina	Confirms
44	Q3483-07DL	HW1025-PT-NUT-SO	SAM	11/11/25 13:16	20x For NH3	rubina	Confirms
45	CCV5	CCV5	CCV	11/11/25 13:22		rubina	OK
46	CCB5	CCB5	CCB	11/11/25 13:22		rubina	OK
47	Q3530-07	LOD-MDL-WATER-01	SAM	11/11/25 13:46		rubina	OK
48	Q3530-01	LOD-MDL-SOIL-01-Q	SAM	11/11/25 13:46		rubina	OK
49	Q3560-07DL2	SY-12IDL2	SAM	11/11/25 13:46	40X For NH3	rubina	Confirms
50	CCV6	CCV6	CCV	11/11/25 13:46		rubina	OK
51	CCB6	CCB6	CCB	11/11/25 13:46		rubina	OK

LAB CHRONICLE

OrderID:	Q3566	OrderDate:	11/6/2025 1:42:00 PM
Client:	VERINA CONSULTING GROUP, LLC	Project:	Rotor Clip NJ WTD - 2025
Contact:	Michael Valenzi	Location:	J23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3566-01	WATER-TREATMENT DISCHARGE	WATER			11/06/25 09:32			11/06/25
			Ammonia	SM4500-NH3		11/10/25	11/11/25 12:07	
			Residual Chlorine	SM4500 Cl G			11/07/25 11:03	

SOP ID : MSM4500-NH3 B,G-Ammonia-18

SDG No : N/A

Matrix : WATER

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : N/A

Start Digest Date: 11/10/2025 Time : 11:40 Temp : 150 °C

End Digest Date: 11/10/2025 Time : 12:40 Temp : 160 °C

11 batch
11/10/2025 13:15 1507R
11/10/2025 14:15 1607R

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Filter paper ID : N/A

Prep Technician Signature: *PM*

pH Meter ID : N/A

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP115589
MS/MSD SPIKE SOL.	1.0ML	WP115588
PBW	50.0ML	W3112
LOD	0.8ML	WP115585
LOQ	1.0ML	WP115585

Chemical Used	ML/SAMPLE USED	Lot Number
BORATE BUFFER	2.5ML	WP113886
NAOH 6N	0.5-2.0ML	WP113887
H2SO4 0.04N	5.0ML	WP115336
pH strip-Ammonia	N/A	W3133
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

ALL GLASSWEAR ARE STEAMED OUT AND THERE WERE NO TRACE OF AMMONIA USING NESLER REAGENT WP114104. Due to bad matrix and client history 1ML was taken as an initial volume for Q3554-01

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/10/2025 14:30	<i>RM (wc)</i>	<i>RM (wc)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170466BL	PBW466	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
PB170466BS	LCS466	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3530-07	LOD-MDL-WATER-01-QT4-20 25	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3530-08	LOQ-WATER-02-QT4-2025	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3554-01	EFFLUENT	1	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-01	SY-10D	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-01DUP	SY-10DDUP	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-01MS	SY-10DMS	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-01MSD	SY-10DMSD	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-03	SY-10S	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-05	SY-10I	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-07	SY-12I	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3560-09	SY-12D	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3566-01	WATER-TREATMENT DISCHARGE	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3575-01	001 WILLETS PT BLVD (NOV)	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q3575-02	002 35TH AVE (NOV)	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A



SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: Verina Consulting Group
ADDRESS: 101 US Highway 22, Suite 302
CITY: Bridgewater STATE: NJ ZIP: 08807
ATTENTION: Mia Michael Valenzi
PHONE: 908-864-4400 FAX: 908-864-4401

PROJECT NAME: RotorClip
PROJECT NO.: 5183.0001 LOCATION: NJ
PROJECT MANAGER: Michael Valenzi
e-mail: mvalenzi@vcg-llc.com
PHONE: 908-864-4400 FAX: 908-864-4401

BILL TO: see left PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

Cr, Cu, Ni, Zn
Chlorine Dioxide
Ammonia

1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

ALLIANCE
SAMPLE
ID

PROJECT
SAMPLE IDENTIFICATION

SAMPLE
MATRIX

SAMPLE
TYPE

SAMPLE
COLLECTION

COMP GRAB

DATE TIME

OF BOTTLES

B W C

1 2 3 4 5 6 7 8 9

← Specify Preservatives
A-HCl D-NaOH
B-HNO3 E-ICE
C-H2SO4 F-OTHER

1. Water Treatment Discharge
2.
3.
4.
5.
6.
7.
8.
9.
10.

WW

X

11/6/25 09:32

3

X X X

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

1. [Signature]

11/6/25 09:45

1. [Signature]

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

2. [Signature]

DATE/TIME:

RECEIVED BY:

RELINQUISHED BY SAMPLER:

DATE/TIME:

RECEIVED BY:

3. [Signature]

11-6-25

3. [Signature]

Conditions of bottles or coolers at receipt: ☒ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 3.1 °C

Comments: Flow Rate = 47

pH = 9.40

Temperature = 68.2

Cr, Cu, Ni, Zn = Metals Group 4

Page 1 of 1

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete

☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312