

Analytical Sequence

Client: Remington & Vernick Engineers	SDG No.: Q3569
Project: Edison Landfill	Instrument ID: ECD_D
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 10/17/2025 10/17/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	10/17/2025	10:53	PD090647.D	9.07	3.55
PEM	PEM	10/17/2025	11:07	PD090648.D	9.07	3.54
RESCHK	RESCHK	10/17/2025	11:20	PD090649.D	9.07	3.54
PSTDICC100	PSTDICC100	10/17/2025	11:34	PD090650.D	9.07	3.54
PSTDICC075	PSTDICC075	10/17/2025	11:48	PD090651.D	9.07	3.55
PSTDICC050	PSTDICC050	10/17/2025	12:01	PD090652.D	9.06	3.55
PSTDICC025	PSTDICC025	10/17/2025	12:15	PD090653.D	9.07	3.54
PSTDICC005	PSTDICC005	10/17/2025	12:28	PD090654.D	9.07	3.54
PCHLORICC500	PCHLORICC500	10/17/2025	13:09	PD090657.D	9.07	3.55
PTOXICC500	PTOXICC500	10/17/2025	14:17	PD090662.D	9.07	3.55
IBLK	IBLK	11/12/2025	09:01	PD091081.D	9.07	3.54
PEM	PEM	11/12/2025	09:15	PD091082.D	9.07	3.54
PSTDCCC050	PSTDCCC050	11/12/2025	09:28	PD091083.D	9.07	3.54
PB170485BL	PB170485BL	11/12/2025	10:11	PD091086.D	9.07	3.54
PB170485BS	PB170485BS	11/12/2025	10:25	PD091087.D	9.07	3.54
PB170485BSD	PB170485BSD	11/12/2025	11:47	PD091093.D	9.06	3.54
MW-2	Q3569-01	11/12/2025	12:00	PD091094.D	9.07	3.54
MW-12	Q3569-02	11/12/2025	12:14	PD091095.D	9.07	3.54
IBLK	IBLK	11/12/2025	14:17	PD091104.D	9.07	3.54
PSTDCCC050	PSTDCCC050	11/12/2025	14:44	PD091106.D	9.07	3.54

Analytical Sequence

Client: Remington & Vernick Engineers	SDG No.: Q3569
Project: Edison Landfill	Instrument ID: ECD_D
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 10/17/2025 10/17/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	10/17/2025	10:53	PD090647.D	8.06	2.88
PEM	PEM	10/17/2025	11:07	PD090648.D	8.06	2.88
RESCHK	RESCHK	10/17/2025	11:20	PD090649.D	8.06	2.87
PSTDICCC100	PSTDICCC100	10/17/2025	11:34	PD090650.D	8.06	2.87
PSTDICCC075	PSTDICCC075	10/17/2025	11:48	PD090651.D	8.06	2.88
PSTDICCC050	PSTDICCC050	10/17/2025	12:01	PD090652.D	8.06	2.88
PSTDICCC025	PSTDICCC025	10/17/2025	12:15	PD090653.D	8.06	2.87
PSTDICCC005	PSTDICCC005	10/17/2025	12:28	PD090654.D	8.06	2.87
PCHLORICC500	PCHLORICC500	10/17/2025	13:09	PD090657.D	8.06	2.87
PTOXICC500	PTOXICC500	10/17/2025	14:17	PD090662.D	8.06	2.88
IBLK	IBLK	11/12/2025	09:01	PD091081.D	8.06	2.87
PEM	PEM	11/12/2025	09:15	PD091082.D	8.06	2.87
PSTDCCC050	PSTDCCC050	11/12/2025	09:28	PD091083.D	8.06	2.87
PB170485BL	PB170485BL	11/12/2025	10:11	PD091086.D	8.06	2.87
PB170485BS	PB170485BS	11/12/2025	10:25	PD091087.D	8.06	2.87
PB170485BSD	PB170485BSD	11/12/2025	11:47	PD091093.D	8.06	2.87
MW-2	Q3569-01	11/12/2025	12:00	PD091094.D	8.06	2.87
MW-12	Q3569-02	11/12/2025	12:14	PD091095.D	8.07	2.87
IBLK	IBLK	11/12/2025	14:17	PD091104.D	8.06	2.87
PSTDCCC050	PSTDCCC050	11/12/2025	14:44	PD091106.D	8.06	2.87