

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111325\
 Data File : BF144246.D
 Acq On : 13 Nov 2025 16:24
 Operator : RC/JU
 Sample : PB170473BSD
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB170473BSD

Quant Time: Nov 13 16:47:10 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 05 18:37:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	58832	20.000	ng	-0.01
21) Naphthalene-d8	8.151	136	241570	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	135120	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	232588	20.000	ng	0.00
76) Chrysene-d12	14.045	240	118249	20.000	ng	0.00
86) Perylene-d12	15.521	264	155276	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	455253	121.093	ng	0.00
7) Phenol-d6	6.498	99	518984	121.831	ng	0.00
23) Nitrobenzene-d5	7.434	82	342926	81.987	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	210542	124.170	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	718260	78.510	ng	0.00
79) Terphenyl-d14	12.986	244	700771	94.133	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.699	88	61363	39.479	ng	99
3) Pyridine	3.463	79	173054	39.908	ng	99
4) n-Nitrosodimethylamine	3.410	42	110714	48.879	ng	94
6) Aniline	6.534	93	200047	32.961	ng	99
8) 2-Chlorophenol	6.651	128	165957	45.012	ng	98
9) Benzaldehyde	6.422	77	98326	40.876	ng	99
10) Phenol	6.516	94	224574	43.149	ng	90
11) bis(2-Chloroethyl)ether	6.604	93	170416	44.936	ng	97
12) 1,3-Dichlorobenzene	6.810	146	199178	43.780	ng	99
13) 1,4-Dichlorobenzene	6.887	146	204670	44.904	ng	99
14) 1,2-Dichlorobenzene	7.034	146	199288	45.617	ng	98
15) Benzyl Alcohol	7.010	79	160046	47.448	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.139	45	317923	45.523	ng	98
17) 2-Methylphenol	7.122	107	133795	45.616	ng	98
18) Hexachloroethane	7.375	117	66267	43.761	ng	100
19) n-Nitroso-di-n-propyla...	7.281	70	128277	45.743	ng	96
20) 3+4-Methylphenols	7.275	107	153078	44.273	ng	94
22) Acetophenone	7.275	105	218214	42.108	ng	# 92
24) Nitrobenzene	7.451	77	191943	42.265	ng	99
25) Isophorone	7.686	82	345984	43.731	ng	99
26) 2-Nitrophenol	7.763	139	99002	44.039	ng	95
27) 2,4-Dimethylphenol	7.804	122	155231	46.070	ng	94
28) bis(2-Chloroethoxy)met...	7.898	93	210138	42.534	ng	97
29) 2,4-Dichlorophenol	8.010	162	160319	41.281	ng	99
30) 1,2,4-Trichlorobenzene	8.086	180	170085	42.651	ng	97
31) Naphthalene	8.169	128	471894	41.066	ng	100
32) Benzoic acid	7.934	122	103430	41.876	ng	95
33) 4-Chloroaniline	8.222	127	70111	16.729	ng	99
34) Hexachlorobutadiene	8.286	225	121293	40.358	ng	97
35) Caprolactam	8.633	113	19591	18.413	ng	98
36) 4-Chloro-3-methylphenol	8.704	107	151236	43.453	ng	99
37) 2-Methylnaphthalene	8.863	142	297986	38.785	ng	99
38) 1-Methylnaphthalene	8.963	142	299912	40.456	ng	98
40) 1,2,4,5-Tetrachloroben...	9.028	216	181158	40.909	ng	# 98
41) Hexachlorocyclopentadiene	9.016	237	190222	100.084	ng	95
43) 2,4,6-Trichlorophenol	9.145	196	123600	41.009	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111325\
 Data File : BF144246.D
 Acq On : 13 Nov 2025 16:24
 Operator : RC/JU
 Sample : PB170473BSD
 Misc :
 ALS Vial : 5 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 PB170473BSD


Quant Time: Nov 13 16:47:10 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 05 18:37:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.186	196	134698	41.466	ng	99
46) 1,1'-Biphenyl	9.328	154	397971	42.195	ng	98
47) 2-Chloronaphthalene	9.351	162	338120	42.026	ng	98
48) 2-Nitroaniline	9.451	65	108204	46.612	ng	99
49) Acenaphthylene	9.769	152	515625	47.030	ng	100
50) Dimethylphthalate	9.628	163	398788	44.550	ng	100
51) 2,6-Dinitrotoluene	9.692	165	85929	47.421	ng	99
52) Acenaphthene	9.939	154	279860	38.172	ng	99
53) 3-Nitroaniline	9.863	138	49936	25.209	ng	99
54) 2,4-Dinitrophenol	9.975	184	97089	88.729	ng	96
55) Dibenzofuran	10.116	168	428345	41.716	ng	99
56) 4-Nitrophenol	10.033	139	115883	80.874	ng	97
57) 2,4-Dinitrotoluene	10.098	165	113163	46.650	ng	94
58) Fluorene	10.457	166	332939	42.646	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.233	232	106276	46.242	ng	97
60) Diethylphthalate	10.327	149	364140	44.128	ng	99
61) 4-Chlorophenyl-phenyle...	10.445	204	184953	41.590	ng	95
62) 4-Nitroaniline	10.480	138	83170	44.089	ng	97
63) Azobenzene	10.610	77	356045	46.361	ng	99
65) 4,6-Dinitro-2-methylph...	10.510	198	70115	44.375	ng	96
66) n-Nitrosodiphenylamine	10.569	169	330545	44.187	ng	99
67) 4-Bromophenyl-phenylether	10.939	248	124320	41.876	ng	96
68) Hexachlorobenzene	11.004	284	154570	44.203	ng	99
69) Atrazine	11.092	200	107065	45.004	ng	99
70) Pentachlorophenol	11.204	266	141293	81.143	ng	97
71) Phenanthrene	11.422	178	499513	43.135	ng	100
72) Anthracene	11.474	178	511664	43.453	ng	100
73) Carbazole	11.627	167	430878	43.033	ng	99
74) Di-n-butylphthalate	11.957	149	496536	41.021	ng	100
75) Fluoranthene	12.616	202	487529	40.755	ng	100
77) Benzidine	12.733	184	145434	41.580	ng	98
78) Pyrene	12.845	202	471436	49.446	ng	100
80) Butylbenzylphthalate	13.457	149	145023	43.887	ng	99
81) Benzo(a)anthracene	14.033	228	364470	44.472	ng	99
82) 3,3'-Dichlorobenzidine	13.992	252	63171	22.487	ng	96
83) Chrysene	14.068	228	345638	45.686	ng	99
84) Bis(2-ethylhexyl)phtha...	14.015	149	174072	38.481	ng	99
85) Di-n-octyl phthalate	14.627	149	319844	40.981	ng	100
87) Indeno(1,2,3-cd)pyrene	17.027	276	509733	45.731	ng	100
88) Benzo(b)fluoranthene	15.092	252	375877	42.579	ng	99
89) Benzo(k)fluoranthene	15.121	252	371832	45.001	ng	99
90) Benzo(a)pyrene	15.462	252	383834	47.131	ng	98
91) Dibenzo(a,h)anthracene	17.039	278	410772	45.888	ng	99
92) Benzo(g,h,i)perylene	17.480	276	411997	46.606	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Nov 13 16:47:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 05 18:37:33 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 79
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:152 Resp: 58832
Ion Ratio Lower Upper
152 100
150 163.4 127.4 191.0
115 63.2 49.5 74.3



#2
1,4-Dioxane
Concen: 39.479 ng
RT: 2.699 min Scan# 86
Delta R.T. 0.082 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 88 Resp: 61363
Ion Ratio Lower Upper
88 100
58 91.6 73.1 109.7
43 40.6 31.0 46.6









#3
Pyridine
Concen: 39.908 ng
RT: 3.463 min Scan# 216
Delta R.T. 0.053 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion: 79 Resp: 173054
Ion Ratio Lower Upper
79 100
52 81.9 64.5 96.7
51 39.3 31.7 47.5



#4
n-Nitrosodimethylamine
Concen: 48.879 ng
RT: 3.410 min Scan# 207
Delta R.T. 0.065 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 42 Resp: 110714
Ion Ratio Lower Upper
42 100
74 104.1 88.2 132.4
44 6.8 5.7 8.5









#5
2-Fluorophenol
Concen: 121.093 ng
RT: 5.498 min Scan# 50
Delta R.T. 0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:112 Resp: 455253
Ion Ratio Lower Upper
112 100
64 61.9 47.2 70.8
63 32.1 24.4 36.6



#6
Aniline
Concen: 32.961 ng
RT: 6.534 min Scan# 738
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 93 Resp: 200047
Ion Ratio Lower Upper
93 100
66 43.8 34.3 51.5
65 21.0 16.9 25.3









#7
Phenol-d6
Concen: 121.831 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion: 99 Resp: 518984
Ion Ratio Lower Upper
99 100
42 28.9 20.9 31.3
71 41.0 31.4 47.2



#8
2-Chlorophenol
Concen: 45.012 ng
RT: 6.651 min Scan# 758
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:128 Resp: 165957
Ion Ratio Lower Upper
128 100
130 31.2 10.5 50.5
64 55.0 33.2 73.2









#9
Benzaldehyde
Concen: 40.876 ng
RT: 6.422 min Scan# 719
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD

Tgt Ion: 77 Resp: 98326




Ion	Ratio	Lower	Upper
77	100		
105	95.7	77.2	117.2
106	92.7	72.2	112.2




#10
Phenol
Concen: 43.149 ng
RT: 6.516 min Scan# 735
Delta R.T. 0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 94 Resp: 224574

Ion	Ratio	Lower	Upper
94	100		
65	34.5	10.8	50.8
66	52.6	24.3	64.3









#11
bis(2-Chloroethyl)ether
Concen: 44.936 ng
RT: 6.604 min Scan# 750
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion: 93 Resp: 170416
Ion Ratio Lower Upper
93 100
63 78.0 55.2 95.2
95 31.9 11.2 51.2



#12
1,3-Dichlorobenzene
Concen: 43.780 ng
RT: 6.810 min Scan# 785
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:146 Resp: 199178
Ion Ratio Lower Upper
146 100
148 64.2 51.8 77.8
75 31.2 25.0 37.4









#13
1,4-Dichlorobenzene
Concen: 44.904 ng
RT: 6.887 min Scan# 799
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:146 Resp: 204670
Ion Ratio Lower Upper
146 100
148 62.5 50.2 75.2
111 40.1 32.6 48.8



#14
1,2-Dichlorobenzene
Concen: 45.617 ng
RT: 7.034 min Scan# 823
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:146 Resp: 199288
Ion Ratio Lower Upper
146 100
148 61.1 50.7 76.1
111 42.2 34.2 51.4









#15
Benzyl Alcohol
Concen: 47.448 ng
RT: 7.010 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion: 79 Resp: 160046
Ion Ratio Lower Upper
79 100
108 70.0 58.2 87.4
77 62.1 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 45.523 ng
RT: 7.139 min Scan# 841
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 45 Resp: 317923
Ion Ratio Lower Upper
45 100
77 12.6 0.0 31.8
79 10.1 0.0 29.1









#17
2-Methylphenol
Concen: 45.616 ng
RT: 7.122 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD

Tgt Ion:107 Resp: 133795




Ion	Ratio	Lower	Upper
107	100		
108	113.3	91.0	136.4
77	56.9	42.7	64.1
79	54.9	41.4	62.2




#18
Hexachloroethane
Concen: 43.761 ng
RT: 7.375 min Scan# 881
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:117 Resp: 66267

Ion	Ratio	Lower	Upper
117	100		
119	94.6	75.8	113.8
201	123.7	98.9	148.3









#19
n-Nitroso-di-n-propylamine
Concen: 45.743 ng
RT: 7.281 min Scan# 80
Delta R.T. 0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD

Tgt Ion: 70 Resp: 128277




Ion	Ratio	Lower	Upper
70	100		
42	76.6	58.3	87.5
101	8.5	7.0	10.6
130	16.9	14.4	21.6




#20
3+4-Methylphenols
Concen: 44.273 ng
RT: 7.275 min Scan# 864
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 107 Resp: 153078

Ion	Ratio	Lower	Upper
107	100		
108	91.4	70.2	110.2
77	157.0	123.9	163.9
79	35.1	14.2	54.2









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD

Tgt Ion:136 Resp: 241570




Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.6	13.0
54	7.7	7.0	10.6
68	4.9	4.3	6.5




#22
Acetophenone
Concen: 42.108 ng
RT: 7.275 min Scan# 864
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:105 Resp: 218214

Ion	Ratio	Lower	Upper
105	100		
71	9.0	7.2	10.8
51	51.2	34.0	51.0
120	22.5	17.8	26.6









#23
Nitrobenzene-d5
Concen: 81.987 ng
RT: 7.434 min Scan# 891
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion: 82 Resp: 342926
Ion Ratio Lower Upper
82 100
128 42.9 34.7 52.1
54 63.7 49.5 74.3



#24
Nitrobenzene
Concen: 42.265 ng
RT: 7.451 min Scan# 894
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 77 Resp: 191943
Ion Ratio Lower Upper
77 100
123 45.3 35.8 53.8
65 14.6 12.2 18.2









#25
Isophorone
Concen: 43.731 ng
RT: 7.686 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion: 82 Resp: 345984
Ion Ratio Lower Upper
82 100
95 7.3 5.5 8.3
138 17.5 13.7 20.5



#26
2-Nitrophenol
Concen: 44.039 ng
RT: 7.763 min Scan# 947
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:139 Resp: 99002
Ion Ratio Lower Upper
139 100
109 26.5 22.2 33.2
65 55.0 40.7 61.1









#27
2,4-Dimethylphenol
Concen: 46.070 ng
RT: 7.804 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:122 Resp: 155231
Ion Ratio Lower Upper
122 100
107 114.8 86.2 129.4
121 58.8 44.6 66.8



#28
bis(2-Chloroethoxy)methane
Concen: 42.534 ng
RT: 7.898 min Scan# 970
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 93 Resp: 210138
Ion Ratio Lower Upper
93 100
95 32.5 24.2 36.4
123 11.8 9.0 13.4









#29
2,4-Dichlorophenol
Concen: 41.281 ng
RT: 8.010 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:162 Resp: 160319
Ion Ratio Lower Upper
162 100
164 63.8 42.9 82.9
98 33.3 13.3 53.3



#30
1,2,4-Trichlorobenzene
Concen: 42.651 ng
RT: 8.086 min Scan# 1002
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:180 Resp: 170085
Ion Ratio Lower Upper
180 100
182 105.9 87.7 131.5
145 31.8 25.4 38.0









#31
Naphthalene
Concen: 41.066 ng
RT: 8.169 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:128 Resp: 471894
Ion Ratio Lower Upper
128 100
129 11.1 8.9 13.3
127 12.8 10.3 15.5



#32
Benzoic acid
Concen: 41.876 ng
RT: 7.934 min Scan# 976
Delta R.T. -0.018 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:122 Resp: 103430
Ion Ratio Lower Upper
122 100
105 115.0 99.9 139.9
77 92.8 77.5 117.5





#33

4-Chloroaniline

Concen: 16.729 ng

RT: 8.222 min Scan# 1025

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24

Instrument :

BNA_F

ClientSampleId :

PB170473BSD

Tgt Ion:127 Resp: 70111





Ion Ratio Lower Upper

127 100

129 30.7 25.3 37.9

65 34.6 27.6 41.4

92 24.2 18.4 27.6



#34

Hexachlorobutadiene

Concen: 40.358 ng

RT: 8.286 min Scan# 1036

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24




Tgt Ion:225 Resp: 121293


Ion Ratio Lower Upper

225 100

223 64.9 50.2 75.4

227 64.5 50.1 75.1









#35
Caprolactam
Concen: 18.413 ng
RT: 8.633 min Scan# 1095
Delta R.T. 0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:113 Resp: 19591
Ion Ratio Lower Upper
113 100
55 186.7 166.8 206.8
56 150.6 125.9 165.9



#36
4-Chloro-3-methylphenol
Concen: 43.453 ng
RT: 8.704 min Scan# 1107
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:107 Resp: 151236
Ion Ratio Lower Upper
107 100
144 27.5 23.3 34.9
142 79.0 63.8 95.6









#37
2-Methylnaphthalene
Concen: 38.785 ng
RT: 8.863 min Scan# 1134
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:142 Resp: 297986
Ion Ratio Lower Upper
142 100
141 87.9 69.9 104.9



#38
1-Methylnaphthalene
Concen: 40.456 ng
RT: 8.963 min Scan# 1151
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:142 Resp: 299912
Ion Ratio Lower Upper
142 100
141 88.1 72.1 108.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24

Instrument :

BNA_F

ClientSampleId :

PB170473BSD





Tgt Ion:164 Resp: 135120

Ion Ratio Lower Upper

164 100

162 101.6 81.1 121.7

160 44.8 34.5 51.7



#40

1,2,4,5-Tetrachlorobenzene

Concen: 40.909 ng

RT: 9.028 min Scan# 1162

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24

Tgt Ion:216 Resp: 181158




Ion Ratio Lower Upper


216 100

214 78.5 63.4 95.2

179 19.3 15.0 22.4


108 16.5 10.5 15.7#








#41
Hexachlorocyclopentadiene
Concen: 100.084 ng
RT: 9.016 min Scan# 1160
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Instrument :
BNA_F
ClientSampleId :
PB170473BSD





Tgt Ion:237 Resp: 190222
Ion Ratio Lower Upper
237 100
235 61.0 45.5 85.5
272 14.2 0.0 33.5




#42
2,4,6-Tribromophenol
Concen: 124.170 ng
RT: 10.704 min Scan# 1447
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24



Tgt Ion:330 Resp: 210542
Ion Ratio Lower Upper
330 100
332 94.6 76.7 115.1
141 21.8 17.8 26.8









#43
2,4,6-Trichlorophenol
Concen: 41.009 ng
RT: 9.145 min Scan# 1182
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:196 Resp: 123600
Ion Ratio Lower Upper
196 100
198 96.4 75.3 112.9
200 31.1 23.4 35.2



#44
2,4,5-Trichlorophenol
Concen: 41.466 ng
RT: 9.186 min Scan# 1189
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:196 Resp: 134698
Ion Ratio Lower Upper
196 100
198 95.3 76.1 114.1
97 42.5 31.9 47.9
132 24.5 19.4 29.2





#45

2-Fluorobiphenyl

Concen: 78.510 ng

RT: 9.228 min Scan# 1196

Delta R.T. -0.000 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24

Instrument :

BNA_F

ClientSampleId :

PB170473BSD





Tgt Ion:172 Resp: 718260

Ion Ratio Lower Upper

172 100

171 34.5 28.1 42.1

170 23.8 18.6 28.0



#46

1,1'-Biphenyl

Concen: 42.195 ng

RT: 9.328 min Scan# 1213

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24




Tgt Ion:154 Resp: 397971


Ion Ratio Lower Upper

154 100

153 40.3 19.2 59.2

76 11.4 0.0 31.8





#47

2-Chloronaphthalene

Concen: 42.026 ng

RT: 9.351 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24

Instrument :

BNA_F

ClientSampleId :

PB170473BSD





Tgt Ion:162 Resp: 338120

Ion Ratio Lower Upper

162 100

127 37.3 28.8 43.2

164 31.8 25.8 38.8



#48

2-Nitroaniline

Concen: 46.612 ng

RT: 9.451 min Scan# 1234

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24




Tgt Ion: 65 Resp: 108204


Ion Ratio Lower Upper

65 100

92 66.5 53.0 79.6

138 104.3 81.6 122.4





#49

Acenaphthylene

Concen: 47.030 ng

RT: 9.769 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24

Instrument :

BNA_F

ClientSampleId :

PB170473BSD





Tgt Ion:152 Resp: 515625

Ion Ratio Lower Upper

152 100

151 19.7 15.9 23.9

153 13.2 10.5 15.7



#50

Dimethylphthalate

Concen: 44.550 ng

RT: 9.628 min Scan# 1264

Delta R.T. -0.000 min

Lab File: BF144246.D

Acq: 13 Nov 2025 16:24




Tgt Ion:163 Resp: 398788


Ion Ratio Lower Upper

163 100

194 4.1 3.3 4.9

164 10.0 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 47.421 ng
RT: 9.692 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:165 Resp: 85929
Ion Ratio Lower Upper
165 100
63 54.4 43.8 65.8
89 47.5 37.5 56.3



#52
Acenaphthene
Concen: 38.172 ng
RT: 9.939 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:154 Resp: 279860
Ion Ratio Lower Upper
154 100
153 111.8 89.0 133.4
152 54.4 42.2 63.4









#53
3-Nitroaniline
Concen: 25.209 ng
RT: 9.863 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:138 Resp: 49936
Ion Ratio Lower Upper
138 100
108 9.9 7.5 11.3
92 113.7 91.8 137.6



#54
2,4-Dinitrophenol
Concen: 88.729 ng
RT: 9.975 min Scan# 1323
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:184 Resp: 97089
Ion Ratio Lower Upper
184 100
63 59.1 44.0 66.0
154 54.1 42.4 63.6









#55
Dibenzenofuran
Concen: 41.716 ng
RT: 10.116 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:168 Resp: 428345
Ion Ratio Lower Upper
168 100
139 38.2 30.2 45.2
169 15.2 12.2 18.4



#56
4-Nitrophenol
Concen: 80.874 ng
RT: 10.033 min Scan# 1333
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Tgt Ion:139 Resp: 115883
Ion Ratio Lower Upper
139 100
109 66.2 39.9 79.9
65 100.0 79.5 119.5








#57
2,4-Dinitrotoluene
Concen: 46.650 ng
RT: 10.098 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Instrument :
BNA_F
ClientSampleId :
PB170473BSD





Tgt Ion:165 Resp: 113163
Ion Ratio Lower Upper
165 100
63 48.0 35.5 53.3
89 64.7 47.4 71.2
182 2.4 1.9 2.9




#58
Fluorene
Concen: 42.646 ng
RT: 10.457 min Scan# 1405
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24



Tgt Ion:166 Resp: 332939
Ion Ratio Lower Upper
166 100
165 99.5 78.6 118.0
167 14.0 10.4 15.6









#59
2,3,4,6-Tetrachlorophenol
Concen: 46.242 ng
RT: 10.233 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:232 Resp: 106276
Ion Ratio Lower Upper
232 100
131 40.6 30.3 45.5
130 1.6 1.2 1.8
166 26.4 21.5 32.3



#60
Diethylphthalate
Concen: 44.128 ng
RT: 10.327 min Scan# 1383
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:149 Resp: 364140
Ion Ratio Lower Upper
149 100
177 22.6 18.3 27.5
150 12.1 9.8 14.6









#61
4-Chlorophenyl-phenylether
Concen: 41.590 ng
RT: 10.445 min Scan# 1405
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:204 Resp: 184953
Ion Ratio Lower Upper
204 100
206 32.7 27.4 41.2
141 54.4 40.0 60.0



#62
4-Nitroaniline
Concen: 44.089 ng
RT: 10.480 min Scan# 1409
Delta R.T. 0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:138 Resp: 83170
Ion Ratio Lower Upper
138 100
92 51.9 29.4 69.4
108 68.1 46.4 86.4









#63
Azobenzene
Concen: 46.361 ng
RT: 10.610 min Scan# 1432
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD

Tgt Ion: 77 Resp: 356045




Ion	Ratio	Lower	Upper
77	100		
182	29.0	8.1	48.1
105	22.1	2.0	42.0
51	34.1	13.9	53.9




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 1565
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion: 188 Resp: 232588

Ion	Ratio	Lower	Upper
188	100		
94	7.9	6.2	9.2
80	7.8	6.9	10.3









#65
4,6-Dinitro-2-methylphenol
Concen: 44.375 ng
RT: 10.510 min Scan# 1415
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:198 Resp: 70115
Ion Ratio Lower Upper
198 100
51 48.6 25.6 65.6
105 36.3 14.6 54.6



#66
n-Nitrosodiphenylamine
Concen: 44.187 ng
RT: 10.569 min Scan# 1424
Delta R.T. -0.000 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:169 Resp: 330545
Ion Ratio Lower Upper
169 100
168 58.3 46.2 69.2
167 32.8 25.7 38.5









#67
4-Bromophenyl-phenylether
Concen: 41.876 ng
RT: 10.939 min Scan# 1487
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:248 Resp: 124320
Ion Ratio Lower Upper
248 100
250 95.8 78.4 117.6
141 61.6 45.1 67.7



#68
Hexachlorobenzene
Concen: 44.203 ng
RT: 11.004 min Scan# 1498
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:284 Resp: 154570
Ion Ratio Lower Upper
284 100
142 24.7 19.2 28.8
249 29.1 23.8 35.8









#69
Atrazine
Concen: 45.004 ng
RT: 11.092 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:200 Resp: 107065
Ion Ratio Lower Upper
200 100
173 26.4 5.0 45.0
215 48.7 28.7 68.7



#70
Pentachlorophenol
Concen: 81.143 ng
RT: 11.204 min Scan# 1532
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:266 Resp: 141293
Ion Ratio Lower Upper
266 100
268 63.7 49.5 74.3
264 64.1 49.4 74.2









#71
Phenanthrene
Concen: 43.135 ng
RT: 11.422 min Scan# 1571
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:178 Resp: 499513
Ion Ratio Lower Upper
178 100
176 19.6 15.5 23.3
179 15.3 12.2 18.4



#72
Anthracene
Concen: 43.453 ng
RT: 11.474 min Scan# 1578
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:178 Resp: 511664
Ion Ratio Lower Upper
178 100
176 19.1 15.3 22.9
179 15.4 12.0 18.0









#73
Carbazole
Concen: 43.033 ng
RT: 11.627 min Scan# 1604
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:167 Resp: 430878
Ion Ratio Lower Upper
167 100
166 20.8 17.2 25.8
139 12.5 9.9 14.9



#74
Di-n-butylphthalate
Concen: 41.021 ng
RT: 11.957 min Scan# 1660
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Tgt Ion:149 Resp: 496536
Ion Ratio Lower Upper
149 100
150 9.3 7.4 11.0
104 4.2 3.4 5.2








#75
Fluoranthene
Concen: 40.755 ng
RT: 12.616 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD







Tgt Ion:202 Resp: 487529
Ion Ratio Lower Upper
202 100
101 8.1 0.0 27.9
203 17.5 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Tgt Ion:240 Resp: 118249
Ion Ratio Lower Upper
240 100
120 7.5 6.6 10.0
236 25.0 21.4 32.2








#77
Benzidine
Concen: 41.580 ng
RT: 12.733 min Scan# 11
Delta R.T. -0.018 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD







Tgt Ion:184 Resp: 145434
Ion Ratio Lower Upper
184 100
185 14.1 11.7 17.5
183 11.2 8.3 12.5



#78
Pyrene
Concen: 49.446 ng
RT: 12.845 min Scan# 1811
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Tgt Ion:202 Resp: 471436
Ion Ratio Lower Upper
202 100
200 21.7 17.2 25.8
203 17.2 13.7 20.5








#79
Terphenyl-d14
Concen: 94.133 ng
RT: 12.986 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD







Tgt Ion:244 Resp: 700771
Ion Ratio Lower Upper
244 100
212 6.2 5.3 7.9
122 6.5 5.6 8.4



#80
Butylbenzylphthalate
Concen: 43.887 ng
RT: 13.457 min Scan# 1915
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:149 Resp: 145023
Ion Ratio Lower Upper
149 100
91 69.7 56.1 84.1
206 22.0 18.8 28.2









#81
Benzo(a)anthracene
Concen: 44.472 ng
RT: 14.033 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:228 Resp: 364470
Ion Ratio Lower Upper
228 100
226 26.4 21.8 32.8
229 19.2 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 22.487 ng
RT: 13.992 min Scan# 2006
Delta R.T. -0.018 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:252 Resp: 63171
Ion Ratio Lower Upper
252 100
254 63.6 53.5 80.3
126 8.2 6.4 9.6









#83
Chrysene
Concen: 45.686 ng
RT: 14.068 min Scan# 2010
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:228 Resp: 345638
Ion Ratio Lower Upper
228 100
226 29.1 22.9 34.3
229 19.2 15.0 22.6



#84
Bis(2-ethylhexyl)phthalate
Concen: 38.481 ng
RT: 14.015 min Scan# 2010
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:149 Resp: 174072
Ion Ratio Lower Upper
149 100
167 27.1 21.8 32.8
279 4.2 3.7 5.5









#85
Di-n-octyl phthalate
Concen: 40.981 ng
RT: 14.627 min Scan# 2114
Delta R.T. -0.018 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:149 Resp: 319844
Ion Ratio Lower Upper
149 100
167 1.5 1.2 1.8
43 11.2 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.521 min Scan# 2266
Delta R.T. -0.018 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:264 Resp: 155276
Ion Ratio Lower Upper
264 100
260 21.6 17.1 25.7
265 21.4 17.4 26.0









#87
Indeno(1,2,3-cd)pyrene
Concen: 45.731 ng
RT: 17.027 min Scan# 2193
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:276 Resp: 509733
Ion Ratio Lower Upper
276 100
138 17.3 13.9 20.9
277 24.9 19.8 29.6



#88
Benzo(b)fluoranthene
Concen: 42.579 ng
RT: 15.092 min Scan# 2193
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:252 Resp: 375877
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.2
125 6.4 5.3 7.9









#89
Benzo(k)fluoranthene
Concen: 45.001 ng
RT: 15.121 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24




Instrument :
BNA_F
ClientSampleId :
PB170473BSD


Tgt Ion:252 Resp: 371832
Ion Ratio Lower Upper
252 100
253 21.8 18.0 27.0
125 6.6 5.4 8.2



#90
Benzo(a)pyrene
Concen: 47.131 ng
RT: 15.462 min Scan# 2256
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24


Tgt Ion:252 Resp: 383834
Ion Ratio Lower Upper
252 100
253 21.9 16.7 25.1
125 7.1 5.7 8.5








#91
Dibenzo(a,h)anthracene
Concen: 45.888 ng
RT: 17.039 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Instrument :
BNA_F
ClientSampleId :
PB170473BSD



Tgt Ion:278 Resp: 410772
Ion Ratio Lower Upper
278 100
139 10.9 9.1 13.7
279 23.0 18.2 27.4



#92
Benzo(g,h,i)perylene
Concen: 46.606 ng
RT: 17.480 min Scan# 2599
Delta R.T. -0.012 min
Lab File: BF144246.D
Acq: 13 Nov 2025 16:24

Tgt Ion:276 Resp: 411997
Ion Ratio Lower Upper
276 100
277 23.7 19.0 28.4
138 15.8 12.9 19.3

