

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3573</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>Chemtech Consulting Group</u>	Datafile :	<u>VX048531.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX1110WBSD01	Dichlorodifluoromethane	20	14.1	ug/L	71	24	*	69	116	19
	Chloromethane	20	15.8	ug/L	79	16		65	116	21
	Vinyl chloride	20	16.8	ug/L	84	14		65	117	19
	Ethyl Acetate	20	17.8	ug/L	89	5		75	115	27
	Bromomethane	20	21.5	ug/L	108	18		58	125	30
	Chloroethane	20	18.3	ug/L	92	18		56	128	20
	Trichlorofluoromethane	20	17.6	ug/L	88	20	*	73	115	16
	1,1,2-Trichlorotrifluoroethane	20	18.3	ug/L	92	7		80	112	20
	Tert butyl alcohol	100	95.8	ug/L	96	4		48	142	30
	1,1-Dichloroethene	20	18.1	ug/L	91	9		74	110	20
	Acrolein	100	87.2	ug/L	87	23		18	155	30
	Acrylonitrile	100	94.6	ug/L	95	5		73	113	29
	Acetone	100	91.0	ug/L	91	27		60	125	27
	Carbon disulfide	20	17.3	ug/L	86	3		64	112	17
	Methyl tert-butyl Ether	20	18.9	ug/L	95	9		78	114	20
	Methyl Acetate	20	18.3	ug/L	92	7		57	150	20
	Methylene Chloride	20	18.4	ug/L	92	2		72	114	20
	trans-1,2-Dichloroethene	20	17.7	ug/L	89	9		75	108	16
	Vinyl Acetate	100	92.8	ug/L	93	17		76	115	26
	1,1-Dichloroethane	20	18.4	ug/L	92	7		78	112	20
	Cyclohexane	20	18.4	ug/L	92	2		75	110	20
	2-Butanone	100	98.1	ug/L	98	12		65	122	26
	Carbon Tetrachloride	20	16.9	ug/L	85	5		77	113	15
	2,2-Dichloropropane	20	16.7	ug/L	84	13		77	109	20
	cis-1,2-Dichloroethene	20	18.1	ug/L	91	3		77	110	20
	Bromochloromethane	20	17.2	ug/L	86	14		70	124	20
	Chloroform	20	18.3	ug/L	92	9		79	113	20
	1,1,1-Trichloroethane	20	17.8	ug/L	89	10		80	108	20
	Methylcyclohexane	20	17.8	ug/L	89	5		72	115	20
	1,1-Dichloropropene	20	16.4	ug/L	82	5		79	110	16
	Benzene	20	17.4	ug/L	87	2		82	109	15
	1,2-Dichloroethane	20	18.1	ug/L	91	12		80	115	20
	Trichloroethene	20	18.5	ug/L	93	0		77	113	15
	1,2-Dichloropropane	20	19.1	ug/L	96	4		83	111	21
	Dibromomethane	20	20.3	ug/L	102	1		82	110	20
	Bromodichloromethane	20	19.8	ug/L	99	6		83	110	21
	4-Methyl-2-Pentanone	100	110	ug/L	110	0		74	118	25
	Toluene	20	20.5	ug/L	103	1		82	110	16
	t-1,3-Dichloropropene	20	19.0	ug/L	95	9		79	110	20
	cis-1,3-Dichloropropene	20	20.0	ug/L	100	5		82	110	16
	1,1,2-Trichloroethane	20	21.0	ug/L	105	6		83	112	20
	1,3-Dichloropropane	20	20.6	ug/L	103	3		83	111	20
	2-Chloroethyl vinyl ether	100	100	ug/L	100	10		75	124	20
	2-Hexanone	100	100	ug/L	100	10		73	117	25
	Dibromochloromethane	20	20.0	ug/L	100	6		82	110	20
	1,2-Dibromoethane	20	20.9	ug/L	104	4		81	110	20
	Tetrachloroethene	20	18.4	ug/L	92	6		67	123	15
	Chlorobenzene	20	18.4	ug/L	92	1		82	109	15

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3573</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>Chemtech Consulting Group</u>	Datafile :	<u>VX048531.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX1110WBSD01	1,1,1,2-Tetrachloroethane	20	19.5	ug/L	98	1		84	111	20
	Hexachloroethane	20	17.6	ug/L	88	1		80	113	20
	Ethyl Benzene	20	18.2	ug/L	91	1		83	109	16
	m/p-Xylenes	40	38.0	ug/L	95	2		82	110	20
	o-Xylene	20	18.7	ug/L	94	4		83	109	20
	Styrene	20	19.1	ug/L	96	3		80	111	17
	Bromoform	20	18.3	ug/L	92	0		79	109	20
	Isopropylbenzene	20	18.7	ug/L	94	3		83	112	22
	1,1,2,2-Tetrachloroethane	20	18.3	ug/L	92	2		76	118	20
	1,2,3-Trichloropropane	20	18.2	ug/L	91	0		75	112	20
	Bromobenzene	20	18.5	ug/L	93	3		77	116	20
	N-propylbenzene	20	18.0	ug/L	90	0		83	112	20
	2-Chlorotoluene	20	18.3	ug/L	92	0		83	110	20
	1,3,5-Trimethylbenzene	20	18.3	ug/L	92	1		85	112	20
	4-Chlorotoluene	20	18.1	ug/L	91	0		82	110	20
	tert-Butylbenzene	20	18.4	ug/L	92	3		83	112	20
	1,2,4-Trimethylbenzene	20	18.6	ug/L	93	2		85	111	20
	Sec-butylbenzene	20	18.2	ug/L	91	4		81	114	20
	p-Isopropyltoluene	20	18.4	ug/L	92	4		78	116	20
	1,3-Dichlorobenzene	20	18.0	ug/L	90	0		82	108	20
	1,4-Dichlorobenzene	20	17.9	ug/L	90	1		82	107	20
	n-Butylbenzene	20	17.7	ug/L	89	2		75	115	20
	1,2-Dichlorobenzene	20	18.1	ug/L	91	0		82	109	20
	1,2-Dibromo-3-Chloropropane	20	18.8	ug/L	94	7		68	112	26
	1,2,4-Trichlorobenzene	20	17.8	ug/L	89	19		75	113	21
	Hexachlorobutadiene	20	18.0	ug/L	90	2		81	121	20
	Naphthalene	20	19.2	ug/L	96	10		78	119	20
	1,2,3-Trichlorobenzene	20	18.9	ug/L	95	8		76	114	22