

DATA PACKAGE

GENERAL CHEMISTRY
METALS
VOLATILE ORGANICS

PROJECT NAME : TRANSFER STATION-SPDES

TULLY ENVIRONMENTAL, INC

57 Seaview Blvd

Port Washington, NY - 11050

Phone No: 718-446-7000

ORDER ID : Q3575

ATTENTION : Dean Devoe



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	8
5) VOC-BTEX Data	9
6) Metals-AES Data	14
7) Genchem Data	19
8) Shipping Document	25
8.1) CHAIN OF CUSTODY	26
8.2) ROC	27
8.3) Lab Certificate	28
8.4) Internal COC	29

1

2

3

4

5

6

7

8

Cover Page

Order ID : Q3575

Project ID : Transfer Station-SPDES

Client : Tully Environmental, Inc

Lab Sample Number

Q3575-01
Q3575-02

Client Sample Number

001 Willets Pt Blvd (Nov)
002 35th Ave (Nov)

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:36 am, Nov 19, 2025

Date: 11/18/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Tully Environmental, Inc

Project Name: Transfer Station-SPDES

Project # N/A

Order ID # Q3575

Test Name: VOC-BTEX, Metals Group 10, Ammonia, BOD5, Oil and Grease, TSS

A. Number of Samples and Date of Receipt:

2 Water samples were received on 11/07/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOC-BTEX, Metals Group 10, Ammonia, BOD5, Oil and Grease, TSS. This data package contains results for VOC-BTEX(624.1), Metals Group 10(200.7), Ammonia(SM4500-NH3), BOD5(SM5210 B), Oil and Grease(1664A), TSS(SM2540 D).

C. Analytical Techniques:

VOC-BTEX : The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-BTEX was based on method 624.1.

Metals Group 10 : The analysis and digestion of Metals Group 10 was based on method 200.7.

Wetchem : The analysis of Ammonia, BOD5, Oil and Grease, TSS was based on method 1664A, SM2540 D, SM4500-NH3, SM5210 B and extraction was done based on method 8015B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD recoveries met criteria.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

Wetchem : Sample 001 Willets Pt Blvd (Nov) was diluted due to high concentrations for Ammonia as N & Sample 002 35th Ave (Nov) was diluted due to high concentrations for Ammonia as N.

The Duplicate analysis met criteria for all samples.
The Serial Dilution met the acceptable requirements.

E. Additional Comments:

The temperature of the samples at the time of receipt was 10.2°C. Lab notified this issue to the client. See the communication in shipping Document section

Ammonia,BOD5,Oil and Grease,TSS :

As per method 1664A, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD for Q3575 therefore Lab reported MS-MSD from Q3578.

VOC-BTEX : As per method, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead. Trip Blank was not provided with this set of samples.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:37 am, Nov 19, 2025

Signature _____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3575

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 11/18/2025

Hit Summary Sheet
SW-846

SDG No.: Q3575

Client: Tully Environmental, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID:

0

Total Voc :

Total Concentration:

A

B

C

D



SAMPLE DATA

Report of Analysis

Client: Tully Environmental, Inc
Project: Transfer Station-SPDES
Client Sample ID: 001 Willets Pt Blvd (Nov)
Lab Sample ID: Q3575-01
Analytical Method: E624.1
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/06/25
Date Received: 11/07/25
SDG No.: Q3575
Matrix: Water
% Solid: 0
Test: VOC-BTEX

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
71-43-2	Benzene	0.45	U	1	0.45	5.00	ug/L	11/14/25 11:12	VN111425
108-88-3	Toluene	0.46	U	1	0.46	5.00	ug/L	11/14/25 11:12	VN111425
100-41-4	Ethyl Benzene	0.56	U	1	0.56	5.00	ug/L	11/14/25 11:12	VN111425
179601-23-1	m/p-Xylenes	1.30	U	1	1.30	10.0	ug/L	11/14/25 11:12	VN111425
95-47-6	o-Xylene	0.67	U	1	0.67	5.00	ug/L	11/14/25 11:12	VN111425
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	30.6			91 - 110	102%	SPK: 30		
2037-26-5	Toluene-d8	29.0			91 - 112	97%	SPK: 30		
460-00-4	4-Bromofluorobenzene	26.3			63 - 112	88%	SPK: 30		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	54300							
540-36-3	1,4-Difluorobenzene	301000							
3114-55-4	Chlorobenzene-d5	266000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client: Tully Environmental, Inc
Project: Transfer Station-SPDES
Client Sample ID: 002 35th Ave (Nov)
Lab Sample ID: Q3575-02
Analytical Method: E624.1
Sample Wt/Vol: 5 mL

Level: LOW
Final Vol: 5000 uL

Date Collected: 11/06/25
Date Received: 11/07/25
SDG No.: Q3575
Matrix: Water
% Solid: 0
Test: VOC-BTEX

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
71-43-2	Benzene	0.45	U	1	0.45	5.00	ug/L	11/14/25 11:33	VN111425
108-88-3	Toluene	0.46	U	1	0.46	5.00	ug/L	11/14/25 11:33	VN111425
100-41-4	Ethyl Benzene	0.56	U	1	0.56	5.00	ug/L	11/14/25 11:33	VN111425
179601-23-1	m/p-Xylenes	1.30	U	1	1.30	10.0	ug/L	11/14/25 11:33	VN111425
95-47-6	o-Xylene	0.67	U	1	0.67	5.00	ug/L	11/14/25 11:33	VN111425
SURROGATES									
17060-07-0	1,2-Dichloroethane-d4	30.1			91 - 110	100%	SPK: 30		
2037-26-5	Toluene-d8	29.3			91 - 112	98%	SPK: 30		
460-00-4	4-Bromofluorobenzene	26.0			63 - 112	87%	SPK: 30		
INTERNAL STANDARDS									
		Area Count							
74-97-5	Bromochloromethane	55600							
540-36-3	1,4-Difluorobenzene	290000							
3114-55-4	Chlorobenzene-d5	257000							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3575	OrderDate:	11/7/2025 11:40:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	J11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3575-01	001 Willets Pt Blvd (Nov)	Water			11/06/25			11/07/25
			VOC-BTEX	624.1			11/14/25	
Q3575-02	002 35th Ave (Nov)	Water			11/06/25			11/07/25
			VOC-BTEX	624.1			11/14/25	

Hit Summary Sheet
SW-846

SDG No.: Q3575 **Order ID:** Q3575
Client: Tully Environmental, Inc **Project ID:** Transfer Station-SPDES

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 001 Willets Pt Blvd (Nov)								
Q3575-01	001 Willets Pt Blvd (Nov)	Water	Copper	8.43	J	1.89	10.0	ug/L
Q3575-01	001 Willets Pt Blvd (Nov)	Water	Iron	1370		18.0	50.0	ug/L
Q3575-01	001 Willets Pt Blvd (Nov)	Water	Lead	23.0		1.21	6.00	ug/L
Client ID : 002 35th Ave (Nov)								
Q3575-02	002 35th Ave (Nov)	Water	Copper	2.48	J	1.89	10.0	ug/L
Q3575-02	002 35th Ave (Nov)	Water	Iron	1180		18.0	50.0	ug/L
Q3575-02	002 35th Ave (Nov)	Water	Lead	2.44	J	1.21	6.00	ug/L



SAMPLE DATA

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/06/25
Project:	Transfer Station-SPDES	Date Received:	11/07/25
Client Sample ID:	001 Willets Pt Blvd (Nov)	SDG No.:	Q3575
Lab Sample ID:	Q3575-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	8.43	J	1	1.89	10.0	ug/L	11/10/25 11:55	11/10/25 18:57	EPA 200.7	M200.7
7439-89-6	Iron	1370		1	18.0	50.0	ug/L	11/10/25 11:55	11/10/25 18:57	EPA 200.7	M200.7
7439-92-1	Lead	23.0		1	1.21	6.00	ug/L	11/10/25 11:55	11/10/25 18:57	EPA 200.7	M200.7

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/06/25
Project:	Transfer Station-SPDES	Date Received:	11/07/25
Client Sample ID:	002 35th Ave (Nov)	SDG No.:	Q3575
Lab Sample ID:	Q3575-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	2.48	J	1	1.89	10.0	ug/L	11/10/25 11:55	11/10/25 17:14	EPA 200.7	M200.7
7439-89-6	Iron	1180		1	18.0	50.0	ug/L	11/10/25 11:55	11/10/25 17:14	EPA 200.7	M200.7
7439-92-1	Lead	2.44	J	1	1.21	6.00	ug/L	11/10/25 11:55	11/10/25 17:14	EPA 200.7	M200.7

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3575	OrderDate:	11/7/2025 11:40:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	J11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3575-01	001 Willets Pt Blvd (Nov)	Water			11/06/25			11/07/25
			Metals Group 10	200.7		11/10/25	11/10/25	
Q3575-02	002 35th Ave (Nov)	Water			11/06/25			11/07/25
			Metals Group 10	200.7		11/10/25	11/10/25	



SAMPLE DATA

Report of Analysis

Client: Tully Environmental, Inc
Project: Transfer Station-SPDES
Client Sample ID: 001 Willets Pt Blvd (Nov)
Lab Sample ID: Q3575-01

Date Collected: 11/06/25 11:15
Date Received: 11/07/25
SDG No.: Q3575
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	3.60	OR	1	0.030	0.10	mg/L	11/10/25 11:40	11/11/25 12:07	SM 4500-NH3 B plus G-21
BOD5	10.4		1	0.20	2.00	mg/L		11/07/25 19:00	SM 5210 B-16
Oil and Grease	0.60	J	1	0.29	5.00	mg/L		11/13/25 10:00	1664A
TSS	17.2		1	1.00	4.00	mg/L		11/11/25 09:40	SM 2540 D-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/06/25 11:15
Project:	Transfer Station-SPDES	Date Received:	11/07/25
Client Sample ID:	001 Willets Pt Blvd (Nov)DL	SDG No.:	Q3575
Lab Sample ID:	Q3575-01DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	3.50	D	5	0.15	0.50	mg/L	11/10/25 11:40	11/11/25 13:16	SM 4500-NH3 B plus G-21

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client: Tully Environmental, Inc
Project: Transfer Station-SPDES
Client Sample ID: 002 35th Ave (Nov)
Lab Sample ID: Q3575-02

Date Collected: 11/06/25 11:15
Date Received: 11/07/25
SDG No.: Q3575
Matrix: WATER
% Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	3.70	OR	1	0.030	0.10	mg/L	11/10/25 11:40	11/11/25 12:07	SM 4500-NH3 B plus G-21
BOD5	11.3		1	0.20	2.00	mg/L		11/07/25 19:00	SM 5210 B-16
Oil and Grease	0.80	J	1	0.29	5.00	mg/L		11/13/25 10:00	1664A
TSS	17.4		1	1.00	4.00	mg/L		11/11/25 09:40	SM 2540 D-20

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	11/06/25 11:15
Project:	Transfer Station-SPDES	Date Received:	11/07/25
Client Sample ID:	002 35th Ave (Nov)DL	SDG No.:	Q3575
Lab Sample ID:	Q3575-02DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	3.50	D	5	0.15	0.50	mg/L	11/10/25 11:40	11/11/25 13:16	SM 4500-NH3 B plus G-21

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3575	OrderDate:	11/7/2025 11:40:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	J11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3575-01	001 Willets Pt Blvd (Nov)	WATER			11/06/25 11:15	11/10/25		11/07/25
			Ammonia	SM4500-NH3			11/11/25 12:07	
			BOD5	SM5210 B			11/07/25 19:00	
			Oil and Grease	1664A			11/13/25 10:00	
			TSS	SM2540 D			11/11/25 09:40	
Q3575-01DL	001 Willets Pt Blvd (Nov)DL	WATER			11/06/25 11:15	11/10/25		11/07/25
			Ammonia	SM4500-NH3			11/11/25 13:16	
Q3575-02	002 35th Ave (Nov)	WATER			11/06/25 11:15	11/10/25		11/07/25
			Ammonia	SM4500-NH3			11/11/25 12:07	
			BOD5	SM5210 B			11/07/25 19:00	
			Oil and Grease	1664A			11/13/25 10:00	
			TSS	SM2540 D			11/11/25 09:40	
Q3575-02DL	002 35th Ave (Nov)DL	WATER			11/06/25 11:15	11/10/25		11/07/25
			Ammonia	SM4500-NH3			11/11/25 13:16	



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 788-9222
www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q 3575, 76

COC Number:

CLIENT INFORMATION

COMPANY: Tully Environmental Inc.
ADDRESS: 57 Seaview Blvd
CITY: Pt Washington STATE: NY ZIP: 11050
ATTENTION: Dean Devoe
PHONE: 718 446 7000 FAX:

PROJECT INFORMATION

PROJECT NAME: Transfer Station SPDES
PROJECT #: 252113 LOCATION:
PROJECT MANAGER:
E-MAIL:
PHONE: FAX:

BILLING INFORMATION

BILL TO: Same PO#
ADDRESS:
CITY: STATE: ZIP:
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX: _____ DAYS*
HARD COPY: _____ DAYS*
EDD _____ DAYS*
* TO BE APPROVED BY ALLIANCE
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

* RESULTS ONLY ☐ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS

Ammonia	TSS/ O&G	Cu, Fe, PB	BTEX	Hg 1631LL	BOD5				
1	2	3	4	5	6	7	8	9	

PRESERVATIVES

COMMENTS

<- Specify Preservatives
A-HCl B-HNO3
C-H2SO4 D-NaOH
E-ICE F-Other

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles										
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	001 Willets Pt Blvd (Nov)	W		X	11/6/25	11:15		X	X	X	X	X	X				
2.	002 35th Ave (Nov)	W		X	11/6/25	11:15		X	X	X	X	X	X				
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER	DATE/TIME Nov 6, 2025	RECEIVED BY	1.	Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp 10.2° MeOH extraction requires an additional 4oz. Jar for percent solid <input type="checkbox"/> Ice in Cooler? NO
RELINQUISHED BY	DATE/TIME 11/7/25	RECEIVED BY	2. <i>Chen</i>	Comments:
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY	3.	

Page _____ of _____

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

From: Dean Devoe <DDevoe@tullyconstruction.com>
Sent: Friday, November 07, 2025 11:58 AM
Subject: RE: Melted Ice

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Yes please proceed.

From: Deepak Parmar <Deepak.Parmar@alliancetg.com>
Sent: Friday, November 7, 2025 11:53 AM
To: Dean Devoe <DDevoe@tullyconstruction.com>
Subject: Melted Ice

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

all sample received on 11/7/2025 with melted ice with tempter 10.2 degree, let us know to proceed with analysis ?

Thanks & Regards,



Deepak Parmar
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3154
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com



Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q3575	TULL01	Order Date : 11/7/2025 11:40:00 AM	Project Mgr : Deepak
Client Name : Tully Environmental, Inc		Project Name : Transfer Station-SPDES	Report Type : Results Only
Client Contact : Dean Devoe		Receive DateTime : 11/7/2025 11:14:00 AM	EDD Type : EXCEL NOCLEANUP
Invoice Name : Tully Environmental, Inc		Purchase Order :	Hard Copy Date :
Invoice Contact : Dean Devoe			Date Signoff : 11/7/2025 1:33:17 PM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q3575-01	001 Willets Pt Blvd (Nov)	Water	11/07/2025	11:15	VOC-BTEX		624.1	5 Bus. Days	
Q3575-02	002 35th Ave (Nov)	Water	11/07/2025	11:15	VOC-BTEX		624.1	5 Bus. Days	

Relinquished By :

Date / Time : 11/7/25 13:47

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room