

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:	
Project:	Edison Landfill		Date Received:	
Client Sample ID:	PB170496BSD		SDG No.:	Q3584
Lab Sample ID:	PB170496BSD		Matrix:	Water
Analytical Method:	NJEPH		% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol: 2000 uL	Test:	EPH
Prep Method :	SW3510	Prep Date : 11/12/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C9-C12	Aliphatic C9-C12	161		1	8.28	30.0	ug/l	FE056804.D	11/13/25 6:58	PB170496
Aliphatic C12-C16	Aliphatic C12-C16	132		1	13.5	20.0	ug/l	FE056804.D	11/13/25 6:58	PB170496
Aliphatic C16-C21	Aliphatic C16-C21	216		1	8.34	30.0	ug/l	FE056804.D	11/13/25 6:58	PB170496
Aliphatic C21-C28	Aliphatic C21-C28	270		1	12.5	40.0	ug/l	FE056804.D	11/13/25 6:58	PB170496
Aliphatic C28-C40	Aliphatic C28-C40	500		1	23.8	60.0	ug/l	FE056804.D	11/13/25 6:58	PB170496
Aromatic C10-C12	Aromatic C10-C12	145		1	2.07	20.0	ug/l	FF016735.D	11/18/25 15:46	PB170496
Aromatic C12-C16	Aromatic C12-C16	238		1	4.26	30.0	ug/l	FF016735.D	11/18/25 15:46	PB170496
Aromatic C16-C21	Aromatic C16-C21	456		1	8.27	50.0	ug/l	FF016735.D	11/18/25 15:46	PB170496
Aromatic C21-C36	Aromatic C21-C36	801		1	23.8	80.0	ug/l	FF016735.D	11/18/25 15:46	PB170496
Total AliphaticEPH	Total AliphaticEPH	1280			66.4	180	ug/l			
Total AromaticEPH	Total AromaticEPH	1640			38.4	180	ug/l			
Total EPH	Total EPH	2920			105	360	ug/l			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:	
Project:	Edison Landfill		Date Received:	
Client Sample ID:	PB170496BSD		SDG No.:	Q3584
Lab Sample ID:	PB170496BSD		Matrix:	Water
Analytical Method:	NJEPH		% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL	Test:
Prep Method :	SW3510	Prep Date	11/12/25	EPH

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C12	Aliphatic C9-C12	161	1		8.28	30.0	ug/l	11/13/25	PB170496
Aliphatic C12-C16	Aliphatic C12-C16	132	1		13.5	20.0	ug/l	11/13/25	PB170496
Aliphatic C16-C21	Aliphatic C16-C21	216	1		8.34	30.0	ug/l	11/13/25	PB170496
Aliphatic C21-C28	Aliphatic C21-C28	270	1		12.5	40.0	ug/l	11/13/25	PB170496
Aliphatic C28-C40	Aliphatic C28-C40	500	1		23.8	60.0	ug/l	11/13/25	PB170496
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	22.4			40 - 140	45%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	0.00			40 - 140	0%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB170496BSD	Acq On:	13 Nov 2025 06:58
Client Sample ID:	PB170496BSD	Operator:	YP\AJ
Data file:	FE056804.D	Misc:	
Instrument:	FID_E	ALS Vial:	47
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.218	6.840	13844674	80.886	300	ug/ml
Aliphatic C12-C16	6.841	10.285	11880552	66.463	200	ug/ml
Aliphatic C16-C21	10.286	13.658	20148830	108.033	300	ug/ml
Aliphatic C21-C28	13.659	17.327	26092970	135.361	400	ug/ml
Aliphatic C28-C40	17.328	22.264	39904849	250.478	600	ug/ml
Aliphatic EPH	3.218	22.264	111871875	641.222		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.389	13.389	3602185	22.36		ug/ml
Aliphatic C9-C28	3.218	17.327	71967026	390.743	1200	ug/ml