

Report of Analysis

Client:	Remington & Vernick Engineers	Date Collected:	11/07/25
Project:	Edison Landfill	Date Received:	11/07/25
Client Sample ID:	SW-3	SDG No.:	Q3584
Lab Sample ID:	Q3584-03	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Test:	EPH
Prep Method :	Final Vol: 2000 uL Prep Date : 11/12/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C9-C12	Aliphatic C9-C12	8.28	U	1	8.28	30.0	ug/l	FG016910.D	11/13/25 13:37	PB170496
Aliphatic C12-C16	Aliphatic C12-C16	13.5	U	1	13.5	20.0	ug/l	FG016910.D	11/13/25 13:37	PB170496
Aliphatic C16-C21	Aliphatic C16-C21	8.34	U	1	8.34	30.0	ug/l	FG016910.D	11/13/25 13:37	PB170496
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FG016910.D	11/13/25 13:37	PB170496
Aliphatic C28-C40	Aliphatic C28-C40	98.7		1	23.8	60.0	ug/l	FG016910.D	11/13/25 13:37	PB170496
Aromatic C10-C12	Aromatic C10-C12	4.33	J	1	2.07	20.0	ug/l	FF016662.D	11/12/25 17:54	PB170496
Aromatic C12-C16	Aromatic C12-C16	6.88	J	1	4.26	30.0	ug/l	FF016662.D	11/12/25 17:54	PB170496
Aromatic C16-C21	Aromatic C16-C21	130		1	8.27	50.0	ug/l	FF016662.D	11/12/25 17:54	PB170496
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FF016662.D	11/12/25 17:54	PB170496
Total AliphaticEPH	Total AliphaticEPH	98.7	J		66.4	180	ug/l			
Total AromaticEPH	Total AromaticEPH	141	J		38.4	180	ug/l			
Total EPH	Total EPH	240	J		105	360	ug/l			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Remington & Vernick Engineers	Date Collected:	11/07/25
Project:	Edison Landfill	Date Received:	11/07/25
Client Sample ID:	SW-3	SDG No.:	Q3584
Lab Sample ID:	Q3584-03	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Prep Method :		Test:	EPH
	Prep Date	11/12/25	

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C12	Aliphatic C9-C12	8.28	U	1	8.28	30.0	ug/l	11/13/25	PB170496
Aliphatic C12-C16	Aliphatic C12-C16	13.5	U	1	13.5	20.0	ug/l	11/13/25	PB170496
Aliphatic C16-C21	Aliphatic C16-C21	8.34	U	1	8.34	30.0	ug/l	11/13/25	PB170496
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	11/13/25	PB170496
Aliphatic C28-C40	Aliphatic C28-C40	98.7		1	23.8	60.0	ug/l	11/13/25	PB170496
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	38.2			40 - 140	76%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	0.00			40 - 140	0%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3584-03	Acq On:	13 Nov 2025 13:37
Client Sample ID:	SW-3	Operator:	YP\AJ
Data file:	FG016910.D	Misc:	
Instrument:	FID_G	ALS Vial:	23
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.260	6.903	297931	2.442	300	ug/ml
Aliphatic C12-C16	6.904	10.362	350768	2.855	200	ug/ml
Aliphatic C16-C21	10.363	13.751	441895	3.338	300	ug/ml
Aliphatic C21-C28	13.752	17.437	580752	4.177	400	ug/ml
Aliphatic C28-C40	17.438	22.462	5613610	49.331	600	ug/ml
Aliphatic EPH	3.260	22.462	7284956	62.143		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.485	13.485	4605298	38.24		ug/ml
Aliphatic C9-C28	3.260	17.437	1671346	12.812	1200	ug/ml