

Report of Analysis

Client:	Remington & Vernick Engineers		Date Collected:	
Project:	Edison Landfill		Date Received:	
Client Sample ID:	PB170483BL		SDG No.:	Q3584
Lab Sample ID:	PB170483BL		Matrix:	Water
Analytical Method:	SW8270ESIM	Level: LOW	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol: 1000 uL	Test:	SVOC-SIMGroup1
Prep Method :	3510C	Prep Date: 11/11/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
123-91-1	1,4-Dioxane	0.070	U	1	0.070	0.20	ug/L	11/12/25 10:07	PB170483
SURROGATES									
7297-45-2	2-Methylnaphthalene-d10	0.35			30 (47) - 150 (106)	87%	SPK: 0.4		
93951-69-0	Fluoranthene-d10	0.34			30 (54) - 150 (157)	86%	SPK: 0.4		
4165-60-0	Nitrobenzene-d5	0.37			30 (56) - 130 (116)	92%	SPK: 0.4		
321-60-8	2-Fluorobiphenyl	0.37			30 (50) - 130 (126)	92%	SPK: 0.4		
1718-51-0	Terphenyl-d14	0.46			30 (54) - 130 (175)	116%	SPK: 0.4		
INTERNAL STANDARDS									
		Area Count							
3855-82-1	1,4-Dichlorobenzene-d4	9480							
1146-65-2	Naphthalene-d8	27800							
15067-26-2	Acenaphthene-d10	15200							
1517-22-2	Phenanthrene-d10	28500							
1719-03-5	Chrysene-d12	19000							
1520-96-3	Perylene-d12	17400							

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products