

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111225\
 Data File : BN038188.D
 Acq On : 12 Nov 2025 12:32
 Operator : RC/JU
 Sample : Q3584-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SW-1

Quant Time: Nov 12 12:56:15 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN102825.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 29 13:09:46 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.768	152	8885	0.400	ng	0.00
7) Naphthalene-d8	10.573	136	28328	0.400	ng	0.00
13) Acenaphthene-d10	14.430	164	16595	0.400	ng	0.00
19) Phenanthrene-d10	17.186	188	28494	0.400	ng	0.00
29) Chrysene-d12	21.375	240	16713	0.400	ng	0.00
35) Perylene-d12	23.683	264	16215	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.341	112	3311	0.158	ng	0.00
5) Phenol-d6	6.937	99	2571	0.101	ng	0.00
8) Nitrobenzene-d5	8.918	82	6816	0.298	ng	-0.01
11) 2-Methylnaphthalene-d10	12.172	152	11208	0.277	ng	0.00
14) 2,4,6-Tribromophenol	15.932	330	2344	0.343	ng	0.00
15) 2-Fluorobiphenyl	13.051	172	19900	0.299	ng	0.00
27) Fluoranthene-d10	19.220	212	22989	0.320	ng	0.00
31) Terphenyl-d14	19.819	244	19399	0.534	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.295	149	7281	0.232	ng	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111225\
Data File : BN038188.D
Acq On : 12 Nov 2025 12:32
Operator : RC/JU
Sample : Q3584-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SW-1

Quant Time: Nov 12 12:56:15 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN102825.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 29 13:09:46 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.768 min Scan# 649
Delta R.T. -0.007 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32




Instrument :
BNA_N
ClientSampleId :
SW-1


Tgt Ion:152 Resp: 8885
Ion Ratio Lower Upper
152 100
150 157.2 122.3 183.5
115 62.4 47.4 71.0



#4
2-Fluorophenol
Concen: 0.158 ng
RT: 5.341 min Scan# 313
Delta R.T. -0.007 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32

Tgt Ion:112 Resp: 3311
Ion Ratio Lower Upper
112 100
64 56.6 45.4 68.0
63 29.3 23.2 34.8









#5
Phenol-d6
Concen: 0.101 ng
RT: 6.937 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32




Instrument :
BNA_N
ClientSampleId :
SW-1


Tgt Ion: 99 Resp: 2571
Ion Ratio Lower Upper
99 100
42 20.5 16.6 24.8
71 33.2 25.4 38.2



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.573 min Scan# 936
Delta R.T. -0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32

Tgt Ion: 136 Resp: 28328
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.4
54 7.6 5.2 7.8
68 6.0 4.1 6.1









#8
 Nitrobenzene-d5
 Concen: 0.298 ng
 RT: 8.918 min Scan# 781
 Delta R.T. -0.011 min
 Lab File: BN038188.D
 Acq: 12 Nov 2025 12:32




Instrument :
 BNA_N
 ClientSampleId :
 SW-1


Tgt Ion: 82 Resp: 6816
 Ion Ratio Lower Upper
 82 100
 128 40.7 34.1 51.1
 54 58.6 43.5 65.3



#11
 2-Methylnaphthalene-d10
 Concen: 0.277 ng
 RT: 12.172 min Scan# 1154
 Delta R.T. -0.005 min
 Lab File: BN038188.D
 Acq: 12 Nov 2025 12:32

Tgt Ion: 152 Resp: 11208
 Ion Ratio Lower Upper
 152 100
 151 20.4 16.8 25.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.430 min Scan# 14
Delta R.T. -0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32




Instrument :
BNA_N
ClientSampleId :
SW-1


Tgt Ion:164 Resp: 16595
Ion Ratio Lower Upper
164 100
162 104.2 83.0 124.4
160 50.5 40.7 61.1



#14
2,4,6-Tribromophenol
Concen: 0.343 ng
RT: 15.932 min Scan# 1587
Delta R.T. 0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32

Tgt Ion:330 Resp: 2344
Ion Ratio Lower Upper
330 100
332 97.5 76.6 114.8
141 42.5 34.1 51.1









#15
2-Fluorobiphenyl
Concen: 0.299 ng
RT: 13.051 min Scan# 1323
Delta R.T. 0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32




Instrument :
BNA_N
ClientSampleId :
SW-1


Tgt Ion:	172	Resp:	19900
Ion	Ratio	Lower	Upper
172	100		
171	35.0	27.8	41.6
170	23.6	18.1	27.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.186 min Scan# 1688
Delta R.T. -0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32


Tgt Ion:	188	Resp:	28494
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	10.0	8.6	13.0







#27
Fluoranthene-d10
Concen: 0.320 ng
RT: 19.220 min Scan# 1947
Delta R.T. -0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32

Instrument :
BNA_N
ClientSampleId :
SW-1







Tgt Ion:212 Resp: 22989
Ion Ratio Lower Upper
212 100
106 15.5 12.6 19.0
104 8.9 7.1 10.7



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.375 min Scan# 2269
Delta R.T. -0.000 min
Lab File: BN038188.D
Acq: 12 Nov 2025 12:32

Tgt Ion:240 Resp: 16713
Ion Ratio Lower Upper
240 100
120 15.7 10.7 16.1
236 29.5 23.1 34.7









#31
 Terphenyl-d14
 Concen: 0.534 ng
 RT: 19.819 min Scan# 2076
 Delta R.T. 0.000 min
 Lab File: BN038113.D
 Acq: 12 Nov 2025 12:32




Instrument :
 BNA_N
 ClientSampleId :
 SW-1


Tgt Ion:244 Resp: 19399
 Ion Ratio Lower Upper
 244 100
 212 9.3 7.8 11.6
 122 17.1 15.2 22.8



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.232 ng
 RT: 21.295 min Scan# 2260
 Delta R.T. 0.000 min
 Lab File: BN038188.D
 Acq: 12 Nov 2025 12:32

Tgt Ion:149 Resp: 7281
 Ion Ratio Lower Upper
 149 100
 167 24.2 21.1 31.7
 279 3.6 2.9 4.3





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.683 min Scan# 21
 Delta R.T. 0.003 min
 Lab File: BN038188.D
 Acq: 12 Nov 2025 12:32

Instrument :
 BNA_N
 ClientSampleId :
 SW-1

Tgt Ion:264 Resp: 16215

Ion	Ratio	Lower	Upper
264	100		
260	27.6	21.8	32.8
265	103.0	68.6	102.8

