

DATA PACKAGE

SUB - DATA

PROJECT NAME : EDISON LANDFILL

REMINGTON & VERNICK ENGINEERS

2059 Springdale Road

Cherry Hill, NJ - 08003

Phone No: 856-795-9595

ORDER ID : Q3585

ATTENTION : Kyle Carlson



Cover Page

Order ID : Q3585

Project ID : Edison Landfill

Client : Remington & Vernick Engineers

Lab Sample Number

Client Sample Number

Q3585-10
Q3585-11
Q3585-12

SED-1
SED-2
SED-3

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 11/20/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

November 19, 2025

Yazmeen Gomez
ATG - NEWARK LAB
284 Sheffield Street
Mountainside, NJ 07092
TEL:
FAX:
RE: Q3585

Dear Yazmeen Gomez:

Order No.: 25110871

Alliance Technical Group - Akron received 3 sample(s) on 11/12/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink, appearing to read "Jennifer Woolf", written in a cursive style.

Jennifer Woolf

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Case Narrative

WO#: 25110871
Date: 11/19/2025

CLIENT: ATG - NEWARK LAB

Project: Q3585

WorkOrder Narrative:

25110871: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

WorkOrder Comments:

Alliance Technical Group - Akron does not hold certification in the state of TT which may or may not provide accreditation for Percent Moisture

Analytical Sequence Sample Notes:

25110871-001A SVOC-EPA1633_S: CCV exhibited high recoveries for multiple analytes. Potential high bias in bracketed samples. These analytes were ND in the sample. E - Sample exhibited IAR outside quality control limits for PFOA. Confirmed via dilution analysis. Identification could not be confirmed and must be considered tentative. Results reported as estimated.

25110871-002A SVOC-EPA1633_S: CCV exhibited high recoveries for multiple analytes. Potential high bias in bracketed samples. These analytes were ND in the sample.

Original



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

Case Narrative

WO#: 25110871
Date: 11/19/2025

CLIENT: ATG - NEWARK LAB

Project: Q3585

25110871-003A SVOC-EPA1633_S: CCV exhibited high recoveries for multiple analytes. Potential high bias in bracketed samples. These analytes were ND in the sample.

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

U	The compound was analyzed for but was not detected above the MDL.
J	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
H	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
D	The result is reported from a dilution.
E	The result exceeded the linear range of the calibration or is estimated due to interference.
MC	The result is below the Minimum Compound Limit.
*	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
m	Manual integration was used to determine the area response.
d	Manual integration in which peak was deleted
N	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
P	The second column confirmation exceeded 25% difference.
C	The result has been confirmed by GC/MS.
X	The result was not confirmed when GC/MS Analysis was performed.
B	The analyte was detected in the Method Blank at a concentration greater than the RL.
MB+	The analyte was detected in the Method Blank at a concentration greater than the MDL.
G	The ICB or CCB contained reportable amounts of analyte.
QC-/+	The CCV recovery failed low (-) or high (+).
R/QDR	The RPD was outside of accepted recovery limits.
QL-/+	The LCS or LCSD recovery failed low (-) or high (+).
QLR	The LCS/LCSD RPD was outside of accepted recovery limits.
QM-/+	The MS or MSD recovery failed low (-) or high (+).
QMR	The MS/MSD RPD was outside of accepted recovery limits.
QV-/+	The ICV recovery failed low (-) or high (+).
S	The spike result was outside of accepted recovery limits.
W	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
Z	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

Acronyms

ND	Not Detected	RL	Reporting Limit
QC	Quality Control	MDL	Method Detection Limit
MB	Method Blank	LOD	Level of Detection
LCS	Laboratory Control Sample	LOQ	Level of Quantitation
LCSD	Laboratory Control Sample Duplicate	PQL	Practical Quantitation Limit
QCS	Quality Control Sample	CRQL	Contract Required Quantitation Limit
DUP	Duplicate	PL	Permit Limit
MS	Matrix Spike	RegLvl	Regulatory Limit
MSD	Matrix Spike Duplicate	MCL	Maximum Contamination Limit
RPD	Relative Percent Different	MinCL	Minimum Compound Limit
ICV	Initial Calibration Verification	RA	Reanalysis
ICB	Initial Calibration Blank	RE	Reextraction
CCV	Continuing Calibration Verification	TIC	Tentatively Identified Compound
CCB	Continuing Calibration Blank	RT	Retention Time
RLC	Reporting Limit Check	CF	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Workorder Sample Summary

WO#: 25110871
19-Nov-25

CLIENT: ATG - NEWARK LAB
Project: Q3585

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25110871-001	SED-1		11/6/2025 2:15:00 PM	11/12/2025 10:40:00 AM	Solid
25110871-002	SED-2		11/6/2025 12:40:00 PM	11/12/2025 10:40:00 AM	Solid
25110871-003	SED-3		11/6/2025 11:55:00 AM	11/12/2025 10:40:00 AM	Solid



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25110871-001A	SED-1	11/6/2025 2:15:00 PM	Solid	Percent Moisture by SM2540Mod			11/13/2025 6:40:00 PM
				PFAS in Solid Samples (EPA Method		11/12/2025 2:53:42 PM	11/17/2025 8:39:00 AM
				PFAS in Solid Samples (EPA Method		11/12/2025 2:53:42 PM	11/17/2025 8:24:00 AM
25110871-002A	SED-2	11/6/2025 12:40:00 PM		Percent Moisture by SM2540Mod			11/13/2025 6:40:00 PM
				PFAS in Solid Samples (EPA Method		11/12/2025 2:53:42 PM	11/17/2025 9:08:00 AM
				PFAS in Solid Samples (EPA Method		11/12/2025 2:53:42 PM	11/17/2025 8:53:00 AM
25110871-003A	SED-3	11/6/2025 11:55:00 AM		Percent Moisture by SM2540Mod			11/13/2025 6:40:00 PM
				PFAS in Solid Samples (EPA Method		11/12/2025 2:53:42 PM	11/17/2025 9:37:00 AM
				PFAS in Solid Samples (EPA Method		11/12/2025 2:53:42 PM	11/17/2025 9:23:00 AM

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-1	001	11/6/2025	11CI-PF3OUdS	ND	ng/g-dry	UQC+	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.794	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	3:3 FTCA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.897	4.91	11/17/2025	AEH
SED-1	001	11/6/2025	4:2 FTS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.46	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	5:3 FTCA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	2.51	24.5	11/17/2025	AEH
SED-1	001	11/6/2025	6:2 FTS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.17	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	7:3 FTCA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	5.52	24.5	11/17/2025	AEH
SED-1	001	11/6/2025	8:2 FTS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.44	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	9CL-PF3ONS	ND	ng/g-dry	UQC+	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.719	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	ADONA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.836	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	HFPO-DA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.10	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	NEtFOSA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.563	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	NEtFOSAA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.284	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	NEtFOSE	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	4.90	9.81	11/17/2025	AEH
SED-1	001	11/6/2025	NFDHA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.261	1.96	11/17/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-1	001	11/6/2025	NMeFOSA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.420	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	NMeFOSAA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.243	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	NMeFOSE	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	4.40	9.81	11/17/2025	AEH
SED-1	001	11/6/2025	PFBA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.366	3.92	11/17/2025	AEH
SED-1	001	11/6/2025	PFBS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.131	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFDA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.345	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFDaA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.193	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFDaS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.184	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFDS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.216	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFEESA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.298	1.96	11/17/2025	AEH
SED-1	001	11/6/2025	PFHpA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.322	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFHpS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.148	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFHxA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.200	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFHxS	0.677	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.253	0.981	11/17/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110871
 Date Reported: 11/19/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/12/2025
 Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-1	001	11/6/2025	PFMBA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.291	1.96	11/17/2025	AEH
SED-1	001	11/6/2025	PFMPA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.199	1.96	11/17/2025	AEH
SED-1	001	11/6/2025	PFNA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.266	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFNS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.207	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFOA	1.03 ng/g-dry	E	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.384	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFOS	0.334 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.185	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFOSA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.107	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFPeA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.224	1.96	11/17/2025	AEH
SED-1	001	11/6/2025	PFPeS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.112	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFTeDA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.140	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFTTrDA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.131	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	PFUnA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.201	0.981	11/17/2025	AEH
SED-1	001	11/6/2025	Surr: 13C2-PFDA	82.5 %Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-1	001	11/6/2025	Surr: 13C2-PFHxA	74.3 %Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-1	001	11/6/2025	Surr: 13C3-PFBA	61.2 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-1	001	11/6/2025	Surr: 13C4-PFOA	77.1 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-1	001	11/6/2025	Surr: 13C4-PFOS	88.3 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-1	001	11/6/2025	Surr: 13C5-PFNA	76.2 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-1	001	11/6/2025	Surr: 18O2-PFHxS	92.3 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-1	001	11/6/2025	Percent Moisture	79.7 %			Solid	SM 2540	1	0.00100	0.100	11/13/2025	DHF



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110871
 Date Reported: 11/19/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/12/2025
 Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-2	002	11/6/2025	11CI-PF3OUdS	0.537 ng/g-dry	JQC+	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.294	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	3:3 FTCA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.333	1.82	11/17/2025	AEH
SED-2	002	11/6/2025	4:2 FTS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.543	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	5:3 FTCA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.932	9.10	11/17/2025	AEH
SED-2	002	11/6/2025	6:2 FTS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.434	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	7:3 FTCA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	2.05	9.10	11/17/2025	AEH
SED-2	002	11/6/2025	8:2 FTS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.536	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	9CL-PF3ONS	ND ng/g-dry	UQC+	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.267	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	ADONA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.310	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	HFPO-DA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.407	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	NEtFOSA	0.322 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.209	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	NEtFOSAA	1.05 ng/g-dry		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.105	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	NEtFOSE	2.08 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.82	3.64	11/17/2025	AEH
SED-2	002	11/6/2025	NFDHA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0969	0.728	11/17/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-2	002	11/6/2025	NMeFOSA	0.300 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.156	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	NMeFOSAA	0.295 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0901	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	NMeFOSE	2.08 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.63	3.64	11/17/2025	AEH
SED-2	002	11/6/2025	PFBA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.136	1.46	11/17/2025	AEH
SED-2	002	11/6/2025	PFBS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0486	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFDA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.128	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFDaA	0.291 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0717	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFDoS	0.122 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0682	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFDS	0.388 ng/g-dry		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0801	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFEESA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.111	0.728	11/17/2025	AEH
SED-2	002	11/6/2025	PFHpA	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.120	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFHpS	ND ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0549	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFHxA	0.146 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0741	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFHxS	0.115 ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0940	0.364	11/17/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110871
 Date Reported: 11/19/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/12/2025
 Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-2	002	11/6/2025	PFMBA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.108	0.728	11/17/2025	AEH
SED-2	002	11/6/2025	PFMPA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0738	0.728	11/17/2025	AEH
SED-2	002	11/6/2025	PFNA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0987	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFNS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0767	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFOA	0.144	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.142	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFOS	0.704	ng/g-dry		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0687	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFOSA	0.348	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0398	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFPeA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0830	0.728	11/17/2025	AEH
SED-2	002	11/6/2025	PFPeS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0414	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFTeDA	0.200	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0518	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFTrDA	0.308	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0485	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	PFUnA	0.324	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0746	0.364	11/17/2025	AEH
SED-2	002	11/6/2025	Surr: 13C2-PFDA	95.6	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-2	002	11/6/2025	Surr: 13C2-PFHxA	88.6	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-2	002	11/6/2025	Surr: 13C3-PFBA	64.2	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-2	002	11/6/2025	Surr: 13C4-PFOA	91.9	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-2	002	11/6/2025	Surr: 13C4-PFOS	97.8	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-2	002	11/6/2025	Surr: 13C5-PFNA	90.3	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-2	002	11/6/2025	Surr: 18O2-PFHxS	81.5	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-2	002	11/6/2025	Percent Moisture	45.2	%		Solid	SM 2540	1	0.00100	0.100	11/13/2025	DHF



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-3	003	11/6/2025	11CI-PF3OUdS	ND	ng/g-dry	UQC+	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.316	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	3:3 FTCA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.357	1.95	11/17/2025	AEH
SED-3	003	11/6/2025	4:2 FTS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.583	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	5:3 FTCA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.00	9.77	11/17/2025	AEH
SED-3	003	11/6/2025	6:2 FTS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.465	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	7:3 FTCA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	2.20	9.77	11/17/2025	AEH
SED-3	003	11/6/2025	8:2 FTS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.575	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	9CL-PF3ONS	ND	ng/g-dry	UQC+	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.286	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	ADONA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.333	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	HFPO-DA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.437	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	NEtFOSA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.224	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	NEtFOSAA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.113	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	NEtFOSE	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.95	3.91	11/17/2025	AEH
SED-3	003	11/6/2025	NFDHA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.104	0.781	11/17/2025	AEH



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25110871
Date Reported: 11/19/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 11/12/2025
Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-3	003	11/6/2025	NMeFOSA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.167	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	NMeFOSAA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0967	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	NMeFOSE	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	1.75	3.91	11/17/2025	AEH
SED-3	003	11/6/2025	PFBA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.146	1.56	11/17/2025	AEH
SED-3	003	11/6/2025	PFBS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0522	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFDA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.137	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFDaA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0770	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFDoS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0732	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFDS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0860	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFEESA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.119	0.781	11/17/2025	AEH
SED-3	003	11/6/2025	PFHpA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.128	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFHpS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0589	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFHxA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0795	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFHxS	0.105	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.101	0.391	11/17/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110871
 Date Reported: 11/19/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/12/2025
 Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-3	003	11/6/2025	PFMBA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.116	0.781	11/17/2025	AEH
SED-3	003	11/6/2025	PFMPA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0792	0.781	11/17/2025	AEH
SED-3	003	11/6/2025	PFNA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.106	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFNS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0823	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFOA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.153	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFOS	0.184	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0738	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFOSA	0.0527	ng/g-dry	J	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0427	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFPeA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0891	0.781	11/17/2025	AEH
SED-3	003	11/6/2025	PFPeS	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0445	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFTeDA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0556	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFTrDA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0521	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	PFUnA	ND	ng/g-dry	U	Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1	0.0800	0.391	11/17/2025	AEH
SED-3	003	11/6/2025	Surr: 13C2-PFDA	88.6	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-3	003	11/6/2025	Surr: 13C2-PFHxA	81.3	%Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH



Alliance Technical Group - Akron
 3310 Win St.
 Cuyahoga Falls, Ohio 44223
 TEL: (330) 253-8211 FAX: (330) 253-4489
 Website: <http://www.settek.com>

WO#: 25110871
 Date Reported: 11/19/2025
 Company: ATG - NEWARK LAB
 Address: 284 Sheffield Street
 Mountainside NJ 07092
 Received: 11/12/2025
 Project#: Q3585

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
SED-3	003	11/6/2025	Surr: 13C3-PFBA	65.9 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-3	003	11/6/2025	Surr: 13C4-PFOA	76.5 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-3	003	11/6/2025	Surr: 13C4-PFOS	90.0 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-3	003	11/6/2025	Surr: 13C5-PFNA	83.2 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-3	003	11/6/2025	Surr: 18O2-PFHxS	85.6 %	Rec		Solid	EPA 1633 Draft - Rev. 4 EPA 1633	1			11/17/2025	AEH
SED-3	003	11/6/2025	Percent Moisture	49.7 %			Solid	SM 2540	1	0.00100	0.100	11/13/2025	DHF



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

BatchID: 89863

Sample ID: MB-89863	SampType: MBLK	TestCode: SVOC-EPA16		Units: ng/g	Prep Date: 11/12/2025				RunNo: 221119		
Client ID: BatchQC	Batch ID: 89863	TestNo: E1633		E1633	Analysis Date: 11/17/2025				SeqNo: 5896123		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
11CI-PF3OUdS	ND	0.797									U
3:3 FTCA	ND	0.996									U
4:2 FTS	ND	0.797									U
5:3 FTCA	ND	4.98									U
6:2 FTS	ND	0.797									U
7:3 FTCA	ND	4.98									U
8:2 FTS	ND	0.797									U
9CL-PF3ONS	ND	0.797									U
ADONA	ND	0.797									U
HFPO-DA	ND	0.797									U
NEtFOSA	ND	0.199									U
NEtFOSAA	ND	0.199									U
NEtFOSE	ND	1.99									U
NFDHA	ND	0.398									U
NMeFOSA	ND	0.199									U
NMeFOSAA	ND	0.199									U
NMeFOSE	ND	1.99									U
PFBA	ND	0.797									U
PFBS	ND	0.199									U
PFDA	ND	0.199									U
PFDaA	ND	0.199									U
PFDoS	ND	0.199									U
PFDS	ND	0.199									U

Qualifiers:

H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

BatchID: 89863

Sample ID: MB-89863	SampType: MBLK	TestCode: SVOC-EPA16	Units: ng/g	Prep Date: 11/12/2025	RunNo: 221119						
Client ID: BatchQC	Batch ID: 89863	TestNo: E1633	E1633	Analysis Date: 11/17/2025	SeqNo: 5896123						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
PFEESA	ND	0.398									U
PFHpA	ND	0.199									U
PFHpS	ND	0.199									U
PFHxA	ND	0.199									U
PFHxS	ND	0.199									U
PFMBA	ND	0.398									U
PFMPA	ND	0.398									U
PFNA	ND	0.199									U
PFNS	ND	0.199									U
PFOA	ND	0.199									U
PFOS	0.0498	0.199									J
PFOSA	ND	0.199									U
PFPeA	ND	0.398									U
PFPeS	ND	0.199									U
PFTeDA	ND	0.199									U
PFTTrDA	ND	0.199									U
PFUnA	ND	0.199									U
Surr: 13C2-PFDA	2.11		2.490		84.7	50	200				
Surr: 13C2-PFHxA	4.55		4.980		91.4	50	200				
Surr: 13C3-PFBA	7.47		9.960		75.0	50	200				
Surr: 13C4-PFOA	4.18		4.980		83.8	50	200				
Surr: 13C4-PFOS	4.25		4.771		89.0	50	200				
Surr: 13C5-PFNA	2.28		2.490		91.7	50	200				

Qualifiers:

H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

BatchID: 89863

Sample ID: MB-89863	SampType: MBLK	TestCode: SVOC-EPA16	Units: ng/g	Prep Date: 11/12/2025	RunNo: 221119						
Client ID: BatchQC	Batch ID: 89863	TestNo: E1633	E1633	Analysis Date: 11/17/2025	SeqNo: 5896123						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 18O2-PFHxS	3.81		4.721		80.7	50	200				

Sample ID: LCS-89863	SampType: LCS	TestCode: SVOC-EPA16	Units: ng/g	Prep Date: 11/12/2025	RunNo: 221119						
Client ID: BatchQC	Batch ID: 89863	TestNo: E1633	E1633	Analysis Date: 11/17/2025	SeqNo: 5896124						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
11Cl-PF3OUdS	32.9	0.795	37.50	0	87.8	45	160				
3:3 FTCA	40.2	0.994	49.70	0	80.8	45	130				
4:2 FTS	41.1	0.795	37.26	0	110	60	150				
5:3 FTCA	235	4.97	248.5	0	94.7	60	130				
6:2 FTS	36.3	0.795	37.81	0	96.0	55	200				
7:3 FTCA	247	4.97	248.5	0	99.3	60	150				
8:2 FTS	39.7	0.795	38.17	0	104	70	150				
9Cl-PF3ONS	30.6	0.795	37.10	0	82.6	70	150				
ADONA	38.4	0.795	37.57	0	102	70	160				
HFPO-DA	37.3	0.795	39.76	0	93.8	70	145				
NEtFOSA	10.9	0.199	9.940	0	110	70	140				
NEtFOSAA	9.67	0.199	9.940	0	97.2	65	165				
NEtFOSE	97.3	1.99	99.40	0	97.9	70	135				
NFDHA	19.8	0.398	19.88	0	99.4	60	155				
NMeFOSA	9.96	0.199	9.940	0	100	70	155				
NMeFOSAA	10.1	0.199	9.940	0	102	65	155				

Qualifiers:	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits	M	Manual Integration used to determine area response
	ND	Not Detected	PL	Permit Limit	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

BatchID: 89863

Sample ID: LCS-89863	SampType: LCS	TestCode: SVOC-EPA16 Units: ng/g				Prep Date: 11/12/2025			RunNo: 221119		
Client ID: BatchQC	Batch ID: 89863	TestNo: E1633		E1633		Analysis Date: 11/17/2025			SeqNo: 5896124		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
NMeFOSE	97.8	1.99	99.40	0	98.4	70	140				
PFBA	39.8	0.795	39.76	0	100	70	140				
PFBS	10.0	0.199	8.827	0	113	65	145				
PFDA	10.5	0.199	9.940	0	106	70	155				
PFDaA	9.38	0.199	9.940	0	94.4	70	150				
PFDoS	9.04	0.199	9.622	0	94.0	25	160				
PFDS	9.68	0.199	9.583	0	101	40	155				
PFEESA	18.8	0.398	17.73	0	106	70	140				
PFHpA	10.2	0.199	9.940	0	103	65	145				
PFHpS	11.2	0.199	9.463	0	118	65	155				
PFHxA	10.8	0.199	9.940	0	109	65	140				
PFHxS	9.30	0.199	9.070	0	103	60	150				
PFMBA	17.6	0.398	19.88	0	88.4	60	150				
PFMPA	16.0	0.398	19.88	0	80.7	30	140				
PFNA	10.0	0.199	9.940	0	101	70	155				
PFNS	10.6	0.199	9.543	0	111	55	140				
PFOA	11.0	0.199	9.940	0	110	70	150				
PFOS	9.12	0.199	9.225	0	98.9	65	160				
PFOSA	10.3	0.199	9.940	0	103	70	140				
PFPeA	19.9	0.398	19.88	0	100	60	150				
PFPeS	10.1	0.199	9.344	0	108	55	160				
PFTeDA	9.46	0.199	9.940	0	95.2	65	150				
PFTrDA	9.67	0.199	9.940	0	97.3	65	150				

Qualifiers:

H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

BatchID: 89863

Sample ID: LCS-89863	SampType: LCS	TestCode: SVOC-EPA16 Units: ng/g				Prep Date: 11/12/2025			RunNo: 221119		
Client ID: BatchQC	Batch ID: 89863	TestNo: E1633		E1633		Analysis Date: 11/17/2025			SeqNo: 5896124		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
PFUnA	10.6	0.199	9.940	0	107	70	155				
Surr: 13C2-PFDA	2.25		2.485		90.4	50	200				
Surr: 13C2-PFHxA	4.28		4.970		86.0	50	200				
Surr: 13C3-PFBA	7.71		9.940		77.6	50	200				
Surr: 13C4-PFOA	4.27		4.970		85.8	50	200				
Surr: 13C4-PFOS	4.36		4.761		91.6	50	200				
Surr: 13C5-PFNA	1.99		2.485		80.0	50	200				
Surr: 18O2-PFHxS	4.25		4.712		90.3	50	200				

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
S Spike Recovery outside accepted recovery limits

J Analyte detected below quantitation limits
PL Permit Limit
U Samples with CalcVal < MDL

M Manual Integration used to determine area response
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25110871

19-Nov-25

Client: ATG - NEWARK LAB

Project: Q3585

BatchID: R220824

Sample ID: MB-R220824	SampType: MBLK	TestCode: PctMoist_S(2 Units: %				Prep Date:				RunNo: 220824		
Client ID: BatchQC	Batch ID: R220824	TestNo: A2540B				Analysis Date: 11/13/2025				SeqNo: 5888586		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Percent Moisture	0.0418	0.100									J	

Sample ID: 25110930-018ADUP	SampType: DUP	TestCode: PctMoist_S(2 Units: %				Prep Date:				RunNo: 220824		
Client ID: BatchQC	Batch ID: R220824	TestNo: A2540B				Analysis Date: 11/13/2025				SeqNo: 5888603		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Percent Moisture	10.3	0.100						10.71	4.01	5		

Sample ID: 25110930-022ADUP	SampType: DUP	TestCode: PctMoist_S(2 Units: %				Prep Date:				RunNo: 220824		
Client ID: BatchQC	Batch ID: R220824	TestNo: A2540B				Analysis Date: 11/13/2025				SeqNo: 5888604		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Percent Moisture	16.1	0.100						16.49	2.45	5		

Qualifiers:	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits	M	Manual Integration used to determine area response
	ND	Not Detected	PL	Permit Limit	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified

Original

CLIENT INFORMATION				CLIENT PROJECT INFORMATION				CLIENT BILLING INFORMATION										
REPORT TO BE SENT TO: COMPANY: Remington + Vernice Engineers ADDRESS: 2059 Springdale Rd CITY: Cherry Hill NJ STATE: NJ ZIP: 08003 ATTENTION: Kyle Carlson @rve.com PHONE: 609-682-3049 FAX:				PROJECT NAME: Edison Landfill PROJECT NO.: 12057007 LOCATION: Edison, NJ PROJECT MANAGER: Leslie Hartzell e-mail: Leslie.Hartzell@rve.com PHONE: 610-663-4665 FAX:				BILL TO: APinvoices@rve.com PO#: 12057007 ADDRESS: 2059 Springdale Rd CITY: Cherry Hill STATE: NJ ZIP: 08003 ATTENTION: Leslie Hartzell PHONE: 610-663-4665										
DATA TURNAROUND INFORMATION FAX (RUSH) _____ DAYS* HARDCOPY (DATA PACKAGE): Standard DAYS* EDD: _____ DAYS* *TO BE APPROVED BY CHEMTECH STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS				DATA DELIVERABLE INFORMATION ☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data) ☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP ☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B + Raw Data ☐ Other _____ ☒ EDD FORMAT NJ Haz Site				ANALYSIS										
ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9		
1.	SED-1	SOIL	X		11/6/25	14:15	3	3										
2.	SED-2	SOIL	X		11/6/25	12:40	3	3										
3.	SED-3	SOIL	X		11/6/25	11:55	3	3										
4.	SW-1	SURF. WATER	X		11/6/25	14:15	3	3										
5.	SW-2	SURF. WATER	X		11/7/25	8:30	3	3										
6.	SW-3	SURF. WATER	X		11/7/25	8:15	3	3										
7.	EB-2	(aq) Blank			11/6/25	15:25	3	3										
8.	FB-2	(aq) Blank			11/7/25	8:55	3	3										
9.	SEEP-1	GW	X		11/7/25	10:40	3	3										
10.																		
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																		
RELINQUISHED BY SAMPLER:		DATE/TIME:		RECEIVED BY:		Conditions of bottles or coolers at receipt: ☒ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 3.5 ± 0 = 3.5 °C Comments:												
1. Anna Maier		11/7/25		1.														
RELINQUISHED BY SAMPLER:		DATE/TIME:		RECEIVED BY:														
2.		11-7-25		2. JT														
RELINQUISHED BY SAMPLER:		DATE/TIME:		RECEIVED BY:														
3. JT		11-7-25		3.														
Page 1 of 1						CLIENT: ☐ Hand Delivered ☐ Other						Shipment Complete ☐ YES ☐ NO						



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
WWW.CHEMTECH.NET

25110871

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Alliance Technical Group - Akron	ORDER ID : Q3585	BILL TO: CHEMTECH PO# : q3585
ADDRESS : 3310 Win Street	PROJECT ID:Edison Landfill	ADDRESS : 284, Sheffield Street
CITY:Cuyahoga Fal State :OH ZIP :44223	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail :jennifer.woolf@alliancetg.com	E-mail : YAZMEEN.GOMEZ@AllianceTG.com	ATTENTION :YAZMEE
PHONE :330-253-8211	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : Excel NJ	Report : NJ Reduced	Comment : Grabs. NJ.
----------------	---------------------	----------------------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
10	SED-1	Solid	PFAS	Cool 4 deg C	1633	11/06/2025	14:15:00	1	10
11	SED-2	Solid	PFAS	Cool 4 deg C	1633	11/06/2025	12:40:00	1	10
12	SED-3	Solid	PFAS	Cool 4 deg C	1633	11/06/2025	11:55:00	1	10

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY					
RELINQUISHED BY SAMPLER: 1. <i>Chae</i>	DATETIME: 11/10/25 1400	RECEIVED BY: 1. <i>[Signature]</i> 11/12/25 10:40 FedEx	Conditions of bottles or Coolers at receipt: ☐ Compliant ☐ Non Compliant	Cooler Temp _____ Ice or Cooler? _____	
RELINQUISHED BY: 2.	DATETIME:	RECEIVED BY: 2.	5.8+0.2=6.0		
RELINQUISHED BY: 3.	DATETIME:	RECEIVED BY: 3.	☐ OVERNIGHT ☐ OVERNIGHT	Shipment Complete: ☐ YES ☐ NO	

Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25110871**

RcptNo: **1**

Logged by: **Spencer M. Hartwell** **11/12/2025 10:40:00 AM**

Spencer M. Hartwell

Completed By: **Spencer M. Hartwell** **11/12/2025 3:49:26 PM**

Spencer M. Hartwell

Reviewed By: **Jennifer Woolf** **11/18/2025 9:57:51 PM**

Jennifer M. Woolf

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? UPS

Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
6. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	6	Good				