

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: PSEG

Project: PSEG Lawrenceville HQ Client Sample ID: A-LAW-25-0167-0175-COMP

Lab Sample ID: Q3593-04

Date Collected: 11/07/25 13:29

Date Received: 11/07/25 SDG No.: Q3593 Matrix: SOIL

% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	7.75	Н	1	0	0	рН		11/10/25 16:00	9045D
Ignitability	NO		1	0	0	oC		11/11/25 10:40	1030
Reactive Cyanide	0.011	J	1	0.0083	0.050	mg/Kg	11/10/25 14:30	11/10/25 17:13	9012B
Reactive Sulfide	4.78	J	1	0.20	10.0	mg/Kg	11/12/25 08:30	11/12/25 12:43	9034

Comments: pH result reported at temperature 21.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits