

Report of Analysis

Client: PSEG
Project: PSEG Livingston Substation
Client Sample ID: LIVINGSTON-SOIL
Lab Sample ID: Q3599-02

Date Collected: 11/10/25 09:27
Date Received: 11/10/25
SDG No.: Q3599
Matrix: SOIL
% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	10.7	H	1	0	0	pH		11/10/25 16:44	9045D
Ignitability	NO		1	0	0	oC		11/11/25 11:32	1030
Reactive Cyanide	0.050	U	1	0.0083	0.050	mg/Kg	11/12/25 11:00	11/12/25 16:15	9012B
Reactive Sulfide	3.15	J	1	0.20	10.0	mg/Kg	11/12/25 08:30	11/12/25 12:54	9034

Comments: pH result reported at temperature 23.5 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits