

Report of Analysis

Client:	PSEG	Date Collected:	11/10/25
Project:	Central ROW Foundation Repairs	Date Received:	11/10/25
Client Sample ID:	CENTRAL-ROW-CONCRETE	SDG No.:	Q3600
Lab Sample ID:	Q3600-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	85.4
Sample Wt/Vol:	50.09 g	Test:	SVOC-TCL BNA -20
Prep Method :	SW3541	Level:	LOW
		Final Vol:	1000 uL
		Prep Date:	11/12/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
100-52-7	Benzaldehyde	0.11	U	1	0.11	0.23	mg/Kg	11/13/25 18:23	PB170500
108-95-2	Phenol	0.016	U	1	0.016	0.12	mg/Kg	11/13/25 18:23	PB170500
111-44-4	bis(2-Chloroethyl)ether	0.017	U	1	0.017	0.12	mg/Kg	11/13/25 18:23	PB170500
95-57-8	2-Chlorophenol	0.017	U	1	0.017	0.12	mg/Kg	11/13/25 18:23	PB170500
95-48-7	2-Methylphenol	0.021	U	1	0.021	0.12	mg/Kg	11/13/25 18:23	PB170500
108-60-1	2,2-oxybis(1-Chloropropane)	0.026	U	1	0.026	0.12	mg/Kg	11/13/25 18:23	PB170500
98-86-2	Acetophenone	0.021	U	1	0.021	0.12	mg/Kg	11/13/25 18:23	PB170500
65794-96-9	3+4-Methylphenols	0.029	U	1	0.029	0.23	mg/Kg	11/13/25 18:23	PB170500
621-64-7	n-Nitroso-di-n-propylamine	0.033	U	1	0.033	0.056	mg/Kg	11/13/25 18:23	PB170500
67-72-1	Hexachloroethane	0.012	U	1	0.012	0.12	mg/Kg	11/13/25 18:23	PB170500
98-95-3	Nitrobenzene	0.013	U	1	0.013	0.12	mg/Kg	11/13/25 18:23	PB170500
78-59-1	Isophorone	0.023	U	1	0.023	0.12	mg/Kg	11/13/25 18:23	PB170500
88-75-5	2-Nitrophenol	0.041	U	1	0.041	0.12	mg/Kg	11/13/25 18:23	PB170500
105-67-9	2,4-Dimethylphenol	0.045	U	1	0.045	0.12	mg/Kg	11/13/25 18:23	PB170500
111-91-1	bis(2-Chloroethoxy)methane	0.022	U	1	0.022	0.12	mg/Kg	11/13/25 18:23	PB170500
120-83-2	2,4-Dichlorophenol	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
91-20-3	Naphthalene	0.016	U	1	0.016	0.12	mg/Kg	11/13/25 18:23	PB170500
106-47-8	4-Chloroaniline	0.025	U	1	0.025	0.12	mg/Kg	11/13/25 18:23	PB170500
87-68-3	Hexachlorobutadiene	0.018	U	1	0.018	0.12	mg/Kg	11/13/25 18:23	PB170500
105-60-2	Caprolactam	0.037	U	1	0.037	0.23	mg/Kg	11/13/25 18:23	PB170500
59-50-7	4-Chloro-3-methylphenol	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
91-57-6	2-Methylnaphthalene	0.018	U	1	0.018	0.12	mg/Kg	11/13/25 18:23	PB170500
77-47-4	Hexachlorocyclopentadiene	0.081	U	1	0.081	0.23	mg/Kg	11/13/25 18:23	PB170500
88-06-2	2,4,6-Trichlorophenol	0.014	U	1	0.014	0.12	mg/Kg	11/13/25 18:23	PB170500
95-95-4	2,4,5-Trichlorophenol	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
92-52-4	1,1-Biphenyl	0.015	U	1	0.015	0.12	mg/Kg	11/13/25 18:23	PB170500
91-58-7	2-Chloronaphthalene	0.016	U	1	0.016	0.12	mg/Kg	11/13/25 18:23	PB170500
88-74-4	2-Nitroaniline	0.034	U	1	0.034	0.12	mg/Kg	11/13/25 18:23	PB170500
131-11-3	Dimethylphthalate	0.019	U	1	0.019	0.12	mg/Kg	11/13/25 18:23	PB170500
208-96-8	Acenaphthylene	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
606-20-2	2,6-Dinitrotoluene	0.024	U	1	0.024	0.12	mg/Kg	11/13/25 18:23	PB170500
99-09-2	3-Nitroaniline	0.032	U	1	0.032	0.12	mg/Kg	11/13/25 18:23	PB170500
83-32-9	Acenaphthene	0.015	U	1	0.015	0.12	mg/Kg	11/13/25 18:23	PB170500
51-28-5	2,4-Dinitrophenol	0.16	U	1	0.16	0.23	mg/Kg	11/13/25 18:23	PB170500
100-02-7	4-Nitrophenol	0.075	U	1	0.075	0.23	mg/Kg	11/13/25 18:23	PB170500
132-64-9	Dibenzofuran	0.016	U	1	0.016	0.12	mg/Kg	11/13/25 18:23	PB170500
121-14-2	2,4-Dinitrotoluene	0.035	U	1	0.035	0.12	mg/Kg	11/13/25 18:23	PB170500
84-66-2	Diethylphthalate	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
7005-72-3	4-Chlorophenyl-phenylether	0.019	U	1	0.019	0.12	mg/Kg	11/13/25 18:23	PB170500
86-73-7	Fluorene	0.018	U	1	0.018	0.12	mg/Kg	11/13/25 18:23	PB170500
100-01-6	4-Nitroaniline	0.045	U	1	0.045	0.12	mg/Kg	11/13/25 18:23	PB170500
534-52-1	4,6-Dinitro-2-methylphenol	0.072	U	1	0.072	0.23	mg/Kg	11/13/25 18:23	PB170500

Report of Analysis

Client:	PSEG	Date Collected:	11/10/25
Project:	Central ROW Foundation Repairs	Date Received:	11/10/25
Client Sample ID:	CENTRAL-ROW-CONCRETE	SDG No.:	Q3600
Lab Sample ID:	Q3600-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	85.4
Sample Wt/Vol:	50.09 g	Test:	SVOC-TCL BNA -20
Prep Method :	SW3541	Level:	LOW
		Final Vol:	1000 uL
		Prep Date:	11/12/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
86-30-6	n-Nitrosodiphenylamine	0.023	U	1	0.023	0.12	mg/Kg	11/13/25 18:23	PB170500
101-55-3	4-Bromophenyl-phenylether	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
118-74-1	Hexachlorobenzene	0.018	U	1	0.018	0.12	mg/Kg	11/13/25 18:23	PB170500
1912-24-9	Atrazine	0.024	U	1	0.024	0.12	mg/Kg	11/13/25 18:23	PB170500
87-86-5	Pentachlorophenol	0.036	U	1	0.036	0.23	mg/Kg	11/13/25 18:23	PB170500
85-01-8	Phenanthrene	0.015	U	1	0.015	0.12	mg/Kg	11/13/25 18:23	PB170500
120-12-7	Anthracene	0.023	U	1	0.023	0.12	mg/Kg	11/13/25 18:23	PB170500
86-74-8	Carbazole	0.022	U	1	0.022	0.12	mg/Kg	11/13/25 18:23	PB170500
84-74-2	Di-n-butylphthalate	0.034	U	1	0.034	0.12	mg/Kg	11/13/25 18:23	PB170500
206-44-0	Fluoranthene	0.021	U	1	0.021	0.12	mg/Kg	11/13/25 18:23	PB170500
129-00-0	Pyrene	0.025	U	1	0.025	0.12	mg/Kg	11/13/25 18:23	PB170500
85-68-7	Butylbenzylphthalate	0.050	U	1	0.050	0.12	mg/Kg	11/13/25 18:23	PB170500
91-94-1	3,3-Dichlorobenzidine	0.026	U	1	0.026	0.23	mg/Kg	11/13/25 18:23	PB170500
56-55-3	Benzo(a)anthracene	0.016	U	1	0.016	0.12	mg/Kg	11/13/25 18:23	PB170500
218-01-9	Chrysene	0.014	U	1	0.014	0.12	mg/Kg	11/13/25 18:23	PB170500
117-81-7	Bis(2-ethylhexyl)phthalate	0.068	J	1	0.042	0.12	mg/Kg	11/13/25 18:23	PB170500
117-84-0	Di-n-octyl phthalate	0.061	U	1	0.061	0.23	mg/Kg	11/13/25 18:23	PB170500
205-99-2	Benzo(b)fluoranthene	0.013	U	1	0.013	0.12	mg/Kg	11/13/25 18:23	PB170500
207-08-9	Benzo(k)fluoranthene	0.016	U	1	0.016	0.12	mg/Kg	11/13/25 18:23	PB170500
50-32-8	Benzo(a)pyrene	0.021	U	1	0.021	0.12	mg/Kg	11/13/25 18:23	PB170500
193-39-5	Indeno(1,2,3-cd)pyrene	0.020	U	1	0.020	0.12	mg/Kg	11/13/25 18:23	PB170500
53-70-3	Dibenzo(a,h)anthracene	0.019	U	1	0.019	0.12	mg/Kg	11/13/25 18:23	PB170500
191-24-2	Benzo(g,h,i)perylene	0.018	U	1	0.018	0.12	mg/Kg	11/13/25 18:23	PB170500
95-94-3	1,2,4,5-Tetrachlorobenzene	0.018	U	1	0.018	0.12	mg/Kg	11/13/25 18:23	PB170500
123-91-1	1,4-Dioxane	0.032	U	1	0.032	0.12	mg/Kg	11/13/25 18:23	PB170500
58-90-2	2,3,4,6-Tetrachlorophenol	0.019	U	1	0.019	0.12	mg/Kg	11/13/25 18:23	PB170500

SURROGATES

367-12-4	2-Fluorophenol	41.4		10 - 105	28%	SPK: 150
13127-88-3	Phenol-d6	54.3		10 - 103	36%	SPK: 150
4165-60-0	Nitrobenzene-d5	42.7		10 - 108	43%	SPK: 100
321-60-8	2-Fluorobiphenyl	35.5		10 - 108	35%	SPK: 100
118-79-6	2,4,6-Tribromophenol	30.7		10 - 116	20%	SPK: 150
1718-51-0	Terphenyl-d14	36.7		10 - 109	37%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	321000
1146-65-2	Naphthalene-d8	1220000
15067-26-2	Acenaphthene-d10	738000
1517-22-2	Phenanthrene-d10	1440000
1719-03-5	Chrysene-d12	1480000
1520-96-3	Perylene-d12	1660000

TENTATIVE IDENTIFIED COMPOUNDS

000763-93-9	3-Hexen-2-one	130	J	4.25	ug/Kg
000119-61-9	Benzophenone	99.8	J	15.7	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	11/10/25
Project:	Central ROW Foundation Repairs	Date Received:	11/10/25
Client Sample ID:	CENTRAL-ROW-CONCRETE	SDG No.:	Q3600
Lab Sample ID:	Q3600-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	85.4
	Level: LOW	Test:	SVOC-TCL BNA -20
Sample Wt/Vol:	50.09 g		
	Final Vol: 1000 uL		
Prep Method :	SW3541		
	Prep Date: 11/12/25		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
000057-10-3	n-Hexadecanoic acid	68.0	J			18.1	ug/Kg		
018835-32-0	1-Tricosene	70.1	J			21.3	ug/Kg		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products