

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: PSEG

Project: PSEG American Way Meadowland

Client Sample ID: TP-3 Lab Sample ID: Q3601-09 Date Collected: 11/10/25 10:20

Date Received: 11/10/25 SDG No.: Q3601 Matrix: SOIL

% Solid: 87.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.44	U	1	0.078	0.44	mg/Kg	11/12/25 09:00	11/12/25 13:44	7196A
Ignitability	NO		1	0	0	oC		11/11/25 12:10	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		11/11/25 15:57	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits