

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : RM

Start Digest Date: 11/11/2025 Time : 16:05 Temp : N/A

End Digest Date: 11/11/2025 Time : 17:35 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: *RM*

pH Meter ID : N/A

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP114311
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

11/11/2025 RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170512BL	PBS512	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3577-04	WC-1A	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3581-02	VNJ-238	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3604-01DUP	S-1DUP	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3604-01	S-1	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3604-02	S-2	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A