

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 11/12/2025 Time : 11:00 Temp : N/A

Matrix : SOIL

End Digest Date: 11/12/2025 Time : 12:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
11/12/2025 12:45	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB170520BL	PBS520	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3598-02DUP	EO-CONCRETEDUP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3598-02	EO-CONCRETE	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3599-02	LIVINGSTON-SOIL	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3601-04	TP-1	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3601-08	TP-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3601-12	TP-3	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3601-16	TP-4	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3601-20	TP-5	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3604-01	S-1	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3604-02	S-2	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-03	AU-713-COMP-01	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-06	AU-713-COMP-02	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-09	AU-713-COMP-03	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-12	AU-713-COMP-04	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3609-15	AU-713-COMP-05	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A