

rteres

Instrument :

FID_E

ClientSampleId :

PB170504BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 11/14/2025
Supervised By :Sohil Jodhani 11/14/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE11132
Data File : FE056812.D
Signal(s) : FID1B.ch
Acq On : 13 Nov 2025 11:29
Sample : PB170504BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 103025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.324	3.292	3.420	BB	558165	5429780	39.34%	2.226%
2	4.571	4.541	4.590	M	612771	5759890	41.73%	2.361%
3	4.610	4.591	4.641	M	688253	6782768	49.14%	2.781%
4	6.282	6.227	6.445	BB	680100	7067298	51.20%	2.897%
5	6.739	6.697	6.820	BB	633371	6199772	44.92%	2.542%
6	7.380	7.344	7.510	BV	584731	6448144	46.72%	2.643%
7	8.573	8.535	8.639	BB	641028	6539074	47.38%	2.681%
8	8.686	8.654	8.819	BB	719920	7534894	54.59%	3.089%
9	8.986	8.956	9.139	VB	720588	7711111	55.87%	3.161%
10	9.779	9.739	9.950	BB	665480	7612598	55.16%	3.121%
11	10.183	10.145	10.257	BB	636908	6772548	49.07%	2.776%
12	11.191	11.124	11.240	BV	636866	7226228	52.36%	2.962%
13	11.268	11.240	11.412	VV	581859	7433157	53.86%	3.047%
14	11.630	11.595	11.705	BB	616702	6798665	49.26%	2.787%
15	11.953	11.900	12.040	BB	634760	7104401	51.47%	2.912%
16	12.944	12.900	12.987	BV	594147	6751304	48.92%	2.768%
17	13.019	12.987	13.150	VB	613647	7193224	52.12%	2.949%
18	13.319	13.280	13.360	BV	595306	7098669	51.43%	2.910%
19	13.390	13.360	13.482	VB	397728	4792946	34.73%	1.965%
20	13.557	13.519	13.607	BB	559440	6589075	47.74%	2.701%
21	14.145	14.105	14.229	BB	535655	6488644	47.01%	2.660%
22	15.207	15.162	15.226	BV	551156	6575327	47.64%	2.696%
23	15.250	15.226	15.420	VB	1064307	13801980	100.00%	5.658%
24	16.276	16.194	16.329	BB	468279	6177452	44.76%	2.532%
25	16.775	16.722	16.790	BV	524838	6719656	48.69%	2.755%
26	16.808	16.790	16.937	VB	580352	7381230	53.48%	3.026%
27	17.159	17.120	17.195	BV	496975	6636031	48.08%	2.720%
28	17.225	17.195	17.320	VB	459241	6375987	46.20%	2.614%
29	18.116	18.042	18.177	BB	438709	5961087	43.19%	2.444%
30	18.541	18.477	18.556	BV	497808	6896047	49.96%	2.827%
31	18.574	18.556	18.757	VV	481455	8001218	57.97%	3.280%
32	18.798	18.757	18.912	VV	494382	7491111	54.28%	3.071%
33	18.949	18.912	19.014	VB	432907	5884419	42.63%	2.412%
34	19.734	19.622	19.790	BB	364792	5068272	36.72%	2.078%
35	20.474	20.409	20.549	BBA	278265	3949009	28.61%	1.619%
36	21.223	21.079	21.294	BB	176918	3075118	22.28%	1.261%

37 22.158 22.075 22.284 BB 105317 2604018 18.87% 1.068%
rteres
Sum of corrected areas: 2439

Aliphatic EPH 103025.M Fri Nov 14 04:27:05 2025

Instrument :

FID_E

ClientSampleId :

PB170504BSD

Manual IntegrationsAPPROVED

Reviewed By :Rahul Chavli 11/14/2025

Supervised By :Sohil Jodhani 11/14/2025