

Report of Analysis

Client: Roman E&G Corp
Project: MCUA - New Brunswick
Client Sample ID: PB170497BS
Lab Sample ID: PB170497BS
Analytical Method: 8082A
Sample Wt/Vol: 30.03 g Final Vol: 10000 uL
Prep Method: SW3541B Prep Date: 11/12/25

Date Collected:
Date Received:
SDG No.: Q3604
Matrix: SOIL
% Solid: 100
Test: PCB

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
TARGETS									
12674-11-2	Aroclor-1016	145		1	3.90	17.0	ug/kg	11/12/25 12:16	PB170497
11104-28-2	Aroclor-1221	4.00	U	1	4.00	17.0	ug/kg	11/12/25 12:16	PB170497
11141-16-5	Aroclor-1232	3.70	U	1	3.70	17.0	ug/kg	11/12/25 12:16	PB170497
53469-21-9	Aroclor-1242	4.00	U	1	4.00	17.0	ug/kg	11/12/25 12:16	PB170497
12672-29-6	Aroclor-1248	5.90	U	1	5.90	17.0	ug/kg	11/12/25 12:16	PB170497
11097-69-1	Aroclor-1254	3.20	U	1	3.20	17.0	ug/kg	11/12/25 12:16	PB170497
37324-23-5	Aroclor-1262	5.00	U	1	5.00	17.0	ug/kg	11/12/25 12:16	PB170497
11100-14-4	Aroclor-1268	3.60	U	1	3.60	17.0	ug/kg	11/12/25 12:16	PB170497
11096-82-5	Aroclor-1260	137		1	3.20	17.0	ug/kg	11/12/25 12:16	PB170497
SURROGATES									
877-09-8	Tetrachloro-m-xylene	21.8			30 (21) - 150 (165)	109%	SPK: 20		
2051-24-3	Decachlorobiphenyl	22.6			30 (10) - 150 (170)	113%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit