

Report of Analysis

Client:	PSEG	Date Collected:	11/11/25
Project:	AU-713 Oaklyn Boro	Date Received:	11/12/25
Client Sample ID:	AU-713-06	SDG No.:	Q3611
Lab Sample ID:	Q3611-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83.7
Sample Wt/Vol:	30.01 g	Test:	EPH_NF
Prep Method :		Final Vol:	2000 uL
		Prep Date :	11/13/25

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Datafile	Date Ana.	Prep BatchID
TARGETS										
Aliphatic C28-C40	Aliphatic C28-C40	3.91		1	1.41	2.39	mg/kg	FE056826.D	11/13/25 19:32	PB170529
Aliphatic C9-C28	Aliphatic C9-C28	4.04	J	1	1.09	4.77	mg/kg	FE056826.D	11/13/25 19:32	PB170529
Total AliphaticEPH	Total AliphaticEPH	7.95			2.50	7.16	mg/kg			
Total EPH	Total EPH	7.95			2.50	7.16	mg/kg			

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	11/11/25
Project:	AU-713 Oaklyn Boro	Date Received:	11/12/25
Client Sample ID:	AU-713-06	SDG No.:	Q3611
Lab Sample ID:	Q3611-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	83.7
Sample Wt/Vol:	30.01 g	Final Vol:	2000 uL
Prep Method :		Prep Date	11/13/25
		Test:	EPH_NF

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	Prep BatchID
TARGETS									
Aliphatic C9-C28	Aliphatic C9-C28	4.04	J	1	1.09	4.77	mg/kg	11/13/25	PB170529
Aliphatic C28-C40	Aliphatic C28-C40	3.91		1	1.41	2.39	mg/kg	11/13/25	PB170529
SURROGATES									
3383-33-2	1-chlorooctadecane (SURR)	31.3			40 - 140	63%	SPK: 50		
84-15-1	ortho-Terphenyl (SURR)	36.5			40 - 140	73%	SPK: 50		

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3611-06	Acq On:	13 Nov 2025 19:32
Client Sample ID:	AU-713-06	Operator:	YP\AJ
Data file:	FE056826.D	Misc:	
Instrument:	FID_E	ALS Vial:	25
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.214	6.836	409714	2.394	300	ug/ml
Aliphatic C12-C16	6.837	10.282	705457	3.947	200	ug/ml
Aliphatic C16-C21	10.283	13.654	8257180	44.273	300	ug/ml
Aliphatic C21-C28	13.655	17.323	762145	3.954	400	ug/ml
Aliphatic C28-C40	17.324	22.256	7816982	49.066	600	ug/ml
Aliphatic EPH	3.214	22.256	17951478	103.633		ug/ml
ortho-Terphenyl (SURR)	11.951	11.951	7636652	36.55		ug/ml
1-chlorooctadecane (SURR)	13.388	13.388	5036553	31.26		ug/ml
Aliphatic C9-C28	3.214	17.323	10134496	54.568	1200	ug/ml