

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789

8900, Fax: 908 789 8922

#### **Prep Standard - Chemical Standard Summary**

Order ID: Q3614

Test: Ammonia, Anions Group1, Hexavalent Chromium, Percent Solids, Trivalent Chromium

**Prepbatch ID:** PB170537,PB170569,

Sequence ID/Qc Batch ID: LB137882,LB137886,LB137922,LB137944,

#### Standard ID:

WP113880,WP113881,WP113885,WP113886,WP113887,WP113929,WP114132,WP114133,WP114310,WP115085,WP115086,WP115290,WP115336,WP115338,WP115339,WP115340,WP115344,WP115410,WP115441,WP115442,WP115443,WP115444,WP115445,WP115446,WP115447,WP115448,WP115449,WP115450,WP115554,WP115589,WP115596,WP115618,WP115619,WP115625,WP115626,WP115693,WP115694,WP115695,WP115696,

#### Chemical ID:

AS PER

PB170582,E3982,M6151,M6162,M6186,M6187,W2202,W2647,W2651,W2652,W2663,W2666,W2979,W3112,W3113,W3132,W3133,W3152,W3163,W3168,W3180,W3195,W3196,W3197,W3201,W3206,W3222,





Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>                              | NO.             | Prep Date     | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>   | <u>PipetteID</u> | Supervised By Iwona Zarych |
|--------------|--|-----------------|---------------|--------------------|----------------|------------------|------------------|----------------------------|
| 1993         | HEXAVALENTCHROMIUM<br>STOCK STD 1, 50PPM | <u>WP113880</u> | 07/10/2025    | 01/10/2026         | Rubina Mughal  | CALE_5 (WC       |                  | 07/10/2025                 |
| FROM         | 0.14140gram of W2651 + 1000.0000         | 0ml of W31      | 12 = Final Qu | antity: 1000.00    | 00 ml          | <del>SC-5)</del> |                  |                            |

| M | 0.14140gram of W2651 | + 1000.00000ml of W3112 | = Final Quantity: 1000.000 ml |
|---|----------------------|-------------------------|-------------------------------|
|---|----------------------|-------------------------|-------------------------------|

| Recipe<br>ID | NAME_                                    | NO.      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipetteID</u> | Supervised By Iwona Zarych |
|--------------|--|----------|------------|--------------------|----------------|-------------------------|------------------|----------------------------|
| 1994         | HEXAVALENTCHROMIUM<br>STOCK STD 2. 50PPM | WP113881 | 07/10/2025 | 01/10/2026         | Rubina Mughal  | WETCHEM_S<br>CALE 5 (WC | None             | 07/40/0005                 |
|              | 310CK 31D 2, 30FFW                       |          |            |                    |                | SC-5)                   |                  | 07/10/2025                 |

0.14140 gram of W2652 + 1000.00000 ml of W3112 = Final Quantity: 1000.000 ml**FROM** 





Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>   | NO.      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u> | Supervised By Iwona Zarych |  |  |
|--------------|---|----------|------------|--------------------|----------------|----------------|------------------|----------------------------|--|--|
| 1796         | NaOH, 0.1N  | WP113885 | 07/10/2025 | 12/31/2025         | Rubina Mughal  | _              | None             | Ţ                          |  |  |
|              |   |          |            |                    |                | CALE_8 (WC     |                  | 07/10/2025                 |  |  |
| FROM         | FROM 4.00000gram of W3113 + 996.0000ml of W3112 = Final Quantity: 1000.000 ml |          |            |                    |                |                |                  |                            |  |  |

| <b>FROM</b> 4.00000gram of | V3113 + 996.00000ml of VV3112 | = Final Quantity: 1000.000 mi |
|----------------------------|-------------------------------|-------------------------------|
|----------------------------|-------------------------------|-------------------------------|

| Recipe    |               |            |            | <b>Expiration</b> | <u>Prepared</u> |                |                  | Supervised By |
|-----------|---------------|------------|------------|-------------------|-----------------|----------------|------------------|---------------|
| <u>ID</u> | <u>NAME</u>   | <u>NO.</u> | Prep Date  | <u>Date</u>       | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Iwona Zarych  |
| 1494      | BORATE BUFFER | WP113886   | 07/10/2025 | 12/31/2025        | Rubina Mughal   | WETCHEM_S      | None             |               |
|           |               |            |            |                   |                 | CALE_8 (WC     |                  | 07/10/2025    |

0.90250L of W3112 + 9.50000gram of W3201 + 88.00000ml of WP113885 = Final Quantity: 1.000 L **FROM** 



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME.             | NO.      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u> | Supervised By Iwona Zarych |  |  |
|--------------|-------------------|----------|------------|--------------------|----------------|----------------|------------------|----------------------------|--|--|
| 1471         | NaOH Solution, 6N | WP113887 | 07/10/2025 | 12/31/2025         | Rubina Mughal  | WETCHEM_S      | None             |                            |  |  |
|              |                   |          |            |                    |                | CALE_8 (WC     |                  | 07/10/2025                 |  |  |
| FDOM         | SC-7)             |          |            |                    |                |                |                  |                            |  |  |

| <u>FROM</u> | 240.00000gram of W3113 + | 760.00000ml of W3112 | = Final Quantity: 1000.000 ml |  |
|-------------|--------------------------|----------------------|-------------------------------|--|
|             |                          |                      |                               |  |

| Recipe    |                            |            |            | <b>Expiration</b> | <u>Prepared</u> |                |                  | Supervised By |
|-----------|----------------------------|------------|------------|-------------------|-----------------|----------------|------------------|---------------|
| <u>ID</u> | <u>NAME</u>                | <u>NO.</u> | Prep Date  | <u>Date</u>       | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Iwona Zarych  |
| 290       | Phenol reagent for Ammonia | WP113929   | 07/14/2025 | 12/31/2025        | Rubina Mughal   | WETCHEM_S      | None             |               |
|           |                            |            |            |                   |                 | CALE_8 (WC     |                  | 07/15/2025    |

FROM 3.20000gram of W3113 + 8.30000gram of W2663 + 88.80000ml of W3112 = Final Quantity: 100.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME_                   | NO.      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>      | <u>PipetteID</u> | Supervised By Iwona Zarych |
|--------------|-------------------------|----------|------------|--------------------|----------------|---------------------|------------------|----------------------------|
| 635          | EDTA BUFFER FOR AMMONIA | WP114132 | 07/31/2025 | 12/31/2025         | Rubina Mughal  | WETCHEM_S           | None             |                            |
|              |                         |          |            |                    |                | CALE_8 (WC<br>SC-7) |                  | 07/31/2025                 |

| FROM 5.50000gram of W3113 + 50.00000gram of W3132 + 950.00000ml of W3112 = Final Quantity: 1000.000 ml | l |
|--|---|
|--|---|

| Recipe    |                                 |          |            | <b>Expiration</b> | <u>Prepared</u> |                |                  | Supervised By |
|-----------|---------------------------------|----------|------------|-------------------|-----------------|----------------|------------------|---------------|
| <u>ID</u> | <u>NAME</u>                     | NO.      | Prep Date  | <u>Date</u>       | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Iwona Zarych  |
| 289       | Sodium Hypochlorite for Ammonia | WP114133 | 07/31/2025 | 12/31/2025        | Rubina Mughal   | None           | None             | ,             |
|           |                                 |          |            |                   |                 |                |                  | 08/04/2025    |

**FROM** 50.00000ml of W3112 + 50.00000ml of W3222 = Final Quantity: 100.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME  | <u>NO.</u> | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u> | Supervised By  Jignesh Parikh |  |  |  |
|--------------|---|------------|------------|--------------------|----------------|----------------|------------------|-------------------------------|--|--|--|
| 3354         | Hexchrome Cleaning Solution   | WP114310   | 08/19/2025 | 11/27/2025         | Rubina Mughal  | None           | None             | orgrident annut               |  |  |  |
|              |   |            |            |                    |                |                |                  | 08/19/2025                    |  |  |  |
| FDOM         | 192 00000ml of M6151 ± 727 00000ml of W2112 ± 01 00000ml of M6162 = Final Quantity: 1000 000 ml |            |            |                    |                |                |                  |                               |  |  |  |

| FROM | 182.00000ml of M6151 - | · 727.00000ml of W3112 + 91.00000ml of M6162 | = Final Quantity: 1000.000 ml |
|------|------------------------|--|-------------------------------|
|------|------------------------|--|-------------------------------|

| Recipe    |                               |            |            | Expiration  | Prepared      |                |                  | Supervised By |
|-----------|-------------------------------|------------|------------|-------------|---------------|----------------|------------------|---------------|
| <u>ID</u> | <u>NAME</u>                   | <u>NO.</u> | Prep Date  | <u>Date</u> | <u>By</u>     | <u>ScaleID</u> | <u>PipetteID</u> | lwona Zarych  |
| 153       | Ammonia Stock Std. (1000 ppm) | WP115085   | 10/08/2025 | 04/08/2026  | Rubina Mughal | _              | None             | •             |
|           |                               |            |            |             |               | CALE_8 (WC     |                  | 10/08/2025    |

**FROM** 3.81900gram of W3196 + 996.18100ml of W3112 = Final Quantity: 1000.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME                             | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipetteID</u> | Supervised By Iwona Zarych |
|--------------|----------------------------------|-----------------|------------|--------------------|----------------|-------------------------|------------------|----------------------------|
| 1895         | Ammonia Stock Std,<br>1000PPM-SS | <u>WP115086</u> | 10/08/2025 | 04/08/2026         | Rubina Mughal  | WETCHEM_S<br>CALE_8 (WC | None             | 10/08/2025                 |
|              | 0.01000 [W0105 : 000.10100       |                 |            |                    |                | SC-7)                   |                  |                            |

**FROM** 3.81900gram of W3195 + 996.18100ml of W3112 = Final Quantity: 1000.000 ml

| Recipe<br>ID | <u>NAME</u>                          | <u>NO.</u>      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipettelD</u> | Supervised By Iwona Zarych |
|--------------|--------------------------------------|-----------------|------------|--------------------|----------------|-------------------------|------------------|----------------------------|
| 740          | sodium nitroferricyanide for ammonia | <u>WP115290</u> | 10/22/2025 | 11/22/2025         | Rubina Mughal  | WETCHEM_S<br>CALE_5 (WC | None             | 10/24/2025                 |

**FROM** 0.05000gram of W2666 + 99.95000ml of W3112 = Final Quantity: 100.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe    |              |            |            | Expiration  | <u>Prepared</u> |                |                  | Supervised By  |  |  |  |
|-----------|--------------|------------|------------|-------------|-----------------|----------------|------------------|----------------|--|--|--|
| <u>ID</u> | NAME         | <u>NO.</u> | Prep Date  | <u>Date</u> | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Jignesh Parikh |  |  |  |
| 1597      | 0.04 N H2SO4 | WP115336   | 10/27/2025 | 04/27/2026  | Rubina Mughal   | None           | WETCHEM_F        |                |  |  |  |
|           |              |            |            |             |                 |                | IPETTE_3         | 10/27/2025     |  |  |  |
| FROM      | (VVC)        |            |            |             |                 |                |                  |                |  |  |  |

| Recipe<br>ID | NAME                      | <u>NO.</u> | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipettelD</u> | Supervised By  Jignesh Parikh |
|--------------|---------------------------|------------|------------|--------------------|----------------|-------------------------|------------------|-------------------------------|
| 148          | hexchrome digestion fluid | WP115338   | 10/27/2025 | 11/27/2025         | Rubina Mughal  | WETCHEM_S<br>CALE_8 (WC |                  | 10/27/2025                    |

FROM 120.00000gram of W3163 + 4.00000L of W3112 + 80.00000gram of W3113 = Final Quantity: 4000.000 ml





Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME                | <u>NO.</u> | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u> | Supervised By  Jignesh Parikh |
|--------------|---------------------|------------|------------|--------------------|----------------|----------------|------------------|-------------------------------|
| 1836         | HNO3 Hex-Chrome, 5M | WP115339   | 10/27/2025 | 01/28/2026         | Rubina Mughal  | None           | None             | 10/27/2025                    |
|              |                     |            |            |                    | <u> </u>       |                |                  | 10/21/2023                    |

| <b>FROM</b> | 320.00000ml of M6187 + 680.00000ml of W3112 = Final Quantity: 1000.000 ml |
|-------------|---|
|-------------|---|

| Recipe    |                  |            |            | Expiration  | Prepared      |                |                  | Supervised By  |
|-----------|------------------|------------|------------|-------------|---------------|----------------|------------------|----------------|
| <u>ID</u> | <u>NAME</u>      | <u>NO.</u> | Prep Date  | <u>Date</u> | <u>By</u>     | <u>ScaleID</u> | <u>PipetteID</u> | Jignesh Parikh |
| 126       | 5N sulfuric acid | WP115340   | 10/27/2025 | 04/27/2026  | Rubina Mughal | None           | None             |                |
|           |                  |            |            |             |               |                |                  | 10/27/2025     |

**FROM** 140.00000ml of M6186 + 860.00000ml of W3112 = Final Quantity: 1.000 L





Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME_                             | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipetteID</u> | Supervised By  Jignesh Parikh |
|--------------|-----------------------------------|-----------------|------------|--------------------|----------------|-------------------------|------------------|-------------------------------|
| 4035         | IC ELUENT CONCENTRATE<br>FOR IC-1 | <u>WP115344</u> | 10/23/2025 | 04/23/2026         | lwona Zarych   | WETCHEM_S<br>CALE_5 (WC | None             | 10/28/2025                    |
|              |                                   |                 |            |                    |                | SC-5)                   |                  |                               |

**FROM** 2.10000gram of W2647 + 84.75000gram of W3163 + 913.15000ml of W3112 = Final Quantity: 1000.000 ml

| Recipe<br>ID | <u>NAME</u>                    | <u>NO.</u>      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipettelD</u> | Supervised By Iwona Zarych |
|--------------|--------------------------------|-----------------|------------|--------------------|----------------|-------------------------|------------------|----------------------------|
| 190          | HEX CHROME PHOSPHATE<br>BUFFER | <u>WP115410</u> | 11/03/2025 | 05/03/2026         | Rubina Mughal  | WETCHEM_S<br>CALE_8 (WC | None             | 11/03/2025                 |

FROM 0.84500L of W3112 + 68.04000gram of W3206 + 87.09000gram of W3168 = Final Quantity: 1.000 L



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME.                                  | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipettelD</u>      | Supervised By  Jignesh Parikh |  |  |  |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|--|--|--|
| 2487         | Anions 300/9056 calibration standard 1 | <u>WP115441</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3 | 11/07/2025                    |  |  |  |
| FDOM         | (WC)                                   |                 |            |                    |                |                |                       |                               |  |  |  |

| <b>FROM</b> | 10.00000ml of W3112 = Final Quantity: 10.000 ml |
|-------------|---|
|-------------|---|

| Recipe<br>ID | NAME                                   | <u>NO.</u>      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>              | Supervised By  Jignesh Parikh |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-------------------------------|-------------------------------|
| 24           | Anions 300/9056 calibration standard 2 | <u>WP115442</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3<br>(WC) | 11/07/2025                    |

**FROM** 0.20000ml of W3180 + 9.80000ml of W3112 = Final Quantity: 10.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME_                                  | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By  Jignesh Parikh |  |  |  |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|--|--|--|
| 25           | Anions 300/9056 calibration standard 3 | <u>WP115443</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3 | 11/07/2025                    |  |  |  |
|              | (WC)                                   |                 |            |                    |                |                |                       |                               |  |  |  |

| <b>FROM</b> 0.40000ml of W3180 + 9.60000ml of W3112 = Final Quantity: 10.00 | 0 ml |  |
|---|------|--|
|---|------|--|

| Recipe<br>ID | <u>NAME</u>                            | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipettelD</u>              | Supervised By  Jignesh Parikh |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-------------------------------|-------------------------------|
| 26           | Anions 300/9056 calibration standard 4 | <u>WP115444</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3<br>(WC) | 11/07/2025                    |

**FROM** 0.50000ml of W3180 + 9.50000ml of W3112 = Final Quantity: 10.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>                                | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By  Jignesh Parikh |  |  |  |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|--|--|--|
| 3680         | Anions 300/9056 calibration standard 5-CCV | <u>WP115445</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3 | 11/07/2025                    |  |  |  |
|              | (WC)                                       |                 |            |                    |                |                |                       |                               |  |  |  |

| <u>FROM</u> | 45.00000ml | of W3112 + | - 5.00000m | of W3180 | = Final ( | Quantity: 50.000 | ml |
|-------------|------------|------------|------------|----------|-----------|------------------|----|
|-------------|------------|------------|------------|----------|-----------|------------------|----|

| Recipe<br>ID | NAME                                   | <u>NO.</u>      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipettelD</u>              | Supervised By Jignesh Parikh |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-------------------------------|------------------------------|
| 3679         | Anions 300/9056 calibration standard 6 | <u>WP115446</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3<br>(WC) | J                            |

**FROM** 2.00000ml of W3180 + 8.00000ml of W3112 = Final Quantity: 10.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME                                   | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By  Jignesh Parikh |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|
| 3681         | Anions 300/9056 calibration standard 7 | <u>WP115447</u> | 11/03/2025 | 11/04/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3 | 11/07/2025                    |
|              | 0.50000   5.0000   7.50000   5         | 14/04/0         |            | 10.000             |                |                | (VVC)                 |                               |

| Recipe    |                             |            |            | Expiration  | <u>Prepared</u> |                |                  | Supervised By  |
|-----------|-----------------------------|------------|------------|-------------|-----------------|----------------|------------------|----------------|
| <u>ID</u> | <u>NAME</u>                 | <u>NO.</u> | Prep Date  | <u>Date</u> | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Jignesh Parikh |
| 3233      | Anions 300/9056 ICV-LCS std | WP115448   | 11/03/2025 | 11/04/2025  | Iwona Zarych    | None           | WETCHEM_F        |                |
|           |                             |            |            |             |                 |                | IPETTE_3         | 11/07/2025     |

**FROM** 45.00000ml of W3112 + 5.00000ml of W3180 = Final Quantity: 50.000 ml





Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>        | <u>NO.</u>      | Prep Date  | Expiration<br>Date | <u>Prepared</u><br><u>By</u> | <u>ScaleID</u> | <u>PipettelD</u>   | Supervised By  Jignesh Parikh |
|--------------|--------------------|-----------------|------------|--------------------|------------------------------|----------------|--------------------|-------------------------------|
| 4036         | IC ELUENT FOR IC-1 | <u>WP115449</u> | 11/03/2025 | 12/03/2025         | lwona Zarych                 | None           | Glass<br>Pipette-A | 11/07/2025                    |

| Recipe    |                   |                 |            | Expiration  | Prepared     |                |                  | Supervised By  |
|-----------|-------------------|-----------------|------------|-------------|--------------|----------------|------------------|----------------|
| <u>ID</u> | NAME.             | <u>NO.</u>      | Prep Date  | <u>Date</u> | <u>By</u>    | <u>ScaleID</u> | <u>PipetteID</u> | Jignesh Parikh |
| 4037      | IC H2SO4 FOR IC-1 | <u>WP115450</u> | 11/03/2025 | 12/03/2025  | Iwona Zarych | None           | Glass            |                |
|           |                   |                 |            |             |              |                | Pipette-A        | 11/07/2025     |

**FROM** 5.60000ml of M6186 + 994.40000ml of W3112 = Final Quantity: 1000.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME.                             | NO.             | Prep Date    | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u>          | <u>PipetteID</u> | Supervised By Iwona Zarych |
|--------------|-----------------------------------|-----------------|--------------|--------------------|----------------|-------------------------|------------------|----------------------------|
| 114          | hexavalent chromium color reagent | <u>WP115554</u> | 11/07/2025   | 11/14/2025         | Rubina Mughal  | WETCHEM_S<br>CALE_5 (WC |                  | 11/10/2025                 |
| FROM         | 0.25000gram of W2979 + 50.00000n  | nl of E3982     | = Final Quan | titv: 50.000 ml    |                | SC-5)                   |                  |                            |

| <u>rom</u> | 0.25000gram of W2 | 979 + 50.00000ml of E3982 | 2 = Final Quantity: 50.000 m | ıl |
|------------|-------------------|---------------------------|------------------------------|----|
|            |                   |                           |                              |    |

| Recipe<br>ID | NAME                            | <u>NO.</u>      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>              | Supervised By Jignesh Parikh |
|--------------|---------------------------------|-----------------|------------|--------------------|----------------|----------------|-------------------------------|------------------------------|
| 1322         | Ammonia Intermediate Std, 50PPM | <u>WP115588</u> | 11/10/2025 | 12/10/2025         | Rubina Mughal  | None           | WETCHEM_F<br>IPETTE_3<br>(WC) | o                            |

**FROM** 95.00000ml of W3112 + 5.00000ml of WP115085 = Final Quantity: 100.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>                                      | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By  Jignesh Parikh |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|
| 1639         | Ammonia Intermediate<br>Std-Second source, 50PPM | <u>WP115589</u> | 11/10/2025 | 12/10/2025         | Rubina Mughal  | None           | WETCHEM_F<br>IPETTE_3 | 11/11/2025                    |
| EDOM         | (WC)   |                 |            |                    |                |                |                       |                               |

| FROM | 95.00000ml of W3112 + 5.00000ml of WP115086 = Final Quantity: 100.000 ml |
|------|--|
|      |  |

| Recipe    |                     |          |            | <b>Expiration</b> | <u>Prepared</u> |                |                  | Supervised By  |
|-----------|---------------------|----------|------------|-------------------|-----------------|----------------|------------------|----------------|
| <u>ID</u> | NAME                | NO.      | Prep Date  | <u>Date</u>       | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Jignesh Parikh |
| 3590      | TKN LOD-MDL 0.25PPM | WP115596 | 11/11/2025 | 11/18/2025        | Rubina Mughal   | None           | WETCHEM_F        |                |
|           |                     |          |            |                   |                 |                | IPETTE_3         | 11/11/2025     |

**FROM** 99.50000ml of W3112 + 0.50000ml of WP115588 = Final Quantity: 100.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>                                | NO.             | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By  Jignesh Parikh |
|--------------|--|-----------------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|
| 3680         | Anions 300/9056 calibration standard 5-CCV | <u>WP115618</u> | 11/12/2025 | 11/13/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3 | 11/13/2025                    |
| FDOM         | (WC)                                       |                 |            |                    |                |                |                       |                               |

| <u>FROM</u> | 45.00000ml of W3112 + $5.00000$ ml of W3180 = Final Quantity: $50.000$ ml |  |
|-------------|---|--|
|             |   |  |

| Recipe    |                             |          |            | <u>Expiration</u> | <u>Prepared</u> |                |                  | Supervised By  |
|-----------|-----------------------------|----------|------------|-------------------|-----------------|----------------|------------------|----------------|
| <u>ID</u> | <u>NAME</u>                 | NO.      | Prep Date  | <u>Date</u>       | <u>By</u>       | <u>ScaleID</u> | <u>PipetteID</u> | Jignesh Parikh |
| 3233      | Anions 300/9056 ICV-LCS std | WP115619 | 11/12/2025 | 11/13/2025        | Iwona Zarych    | None           | WETCHEM_F        | 1              |
|           |                             |          |            |                   |                 |                | IPETTE_3         | 11/13/2025     |

**FROM** 45.00000ml of W3112 + 5.00000ml of W3197 = Final Quantity: 50.000 ml



Aliance
TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | <u>NAME</u>   | NO.      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u> | Supervised By  Jignesh Parikh |  |  |
|--------------|---|----------|------------|--------------------|----------------|----------------|------------------|-------------------------------|--|--|
| 3912         | Anions 300/9056 LOD Std   | WP115625 | 11/12/2025 | 11/13/2025         | Iwona Zarych   | None           | WETCHEM_F        |                               |  |  |
|              |   |          |            |                    |                |                | IPETTE_3         | 11/13/2025                    |  |  |
| EDOM         | (WC)  CDOM 0.50000ml of W3180 + 49.50000ml of W3112 = Final Quantity: 50.000 ml |          |            |                    |                |                |                  |                               |  |  |

|  |  |  | · · · · · · · · · · · · · · · · · · · |  |
|--|--|--|---------------------------------------|--|
|  |  |  |                                       |  |
|  |  |  |                                       |  |
|  |  |  |                                       |  |

| Recipe<br>ID | NAME                                 | NO.      | Prep Date  | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By  Jignesh Parikh |
|--------------|--------------------------------------|----------|------------|--------------------|----------------|----------------|-----------------------|-------------------------------|
| 3983         | Anions 300/9056 LOD std 0.25ml spike | WP115626 | 11/12/2025 | 11/13/2025         | lwona Zarych   | None           | WETCHEM_F<br>IPETTE_3 | •                             |

**FROM** 0.25000ml of W3180 + 49.75000ml of W3112 = Final Quantity: 50.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe    |                                   |            |               | Expiration      | Prepared      |                |                       | Supervised By |
|-----------|-----------------------------------|------------|---------------|-----------------|---------------|----------------|-----------------------|---------------|
| <u>ID</u> | NAME                              | <u>NO.</u> | Prep Date     | <u>Date</u>     | <u>By</u>     | <u>ScaleID</u> | <u>PipetteID</u>      | Iwona Zarych  |
| 275       | Ammonia Calibration Std. (2 ppm)  | WP115693   | 11/17/2025    | 11/18/2025      | Rubina Mughal | None           | WETCHEM_F<br>IPETTE 3 | 4447/2027     |
|           |                                   |            |               |                 |               |                |                       | 11/17/2025    |
| FROM      | 48 00000ml of W3112 + 2 00000ml o | f WP115588 | B = Final Qua | ntity: 50 000 r | ml            | -              | (WC)                  |               |

| <u>FROM</u> | 48.00000mi of | W3112 + 2.0000 | 00ml of WP115588 | = Final Quantity: | 50.000 mi |
|-------------|---------------|----------------|------------------|-------------------|-----------|
|             |               |                |                  |                   |           |

| Recipe    |                          |            |            | Expiration  | Prepared      |                |                  | Supervised By |
|-----------|--------------------------|------------|------------|-------------|---------------|----------------|------------------|---------------|
| <u>ID</u> | NAME                     | <u>NO.</u> | Prep Date  | <u>Date</u> | <u>By</u>     | <u>ScaleID</u> | <u>PipetteID</u> | lwona Zarych  |
| 285       | Ammonia CCV Std. (1 ppm) | WP115694   | 11/17/2025 | 11/18/2025  | Rubina Mughal | None           | WETCHEM_F        | •             |
|           |                          |            |            |             |               |                | IPETTE_3         | 11/17/2025    |

**FROM** 49.00000ml of W3112 + 1.00000ml of WP115588 = Final Quantity: 50.000 ml



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

| Recipe<br>ID | NAME                              | NO.             | Prep Date     | Expiration<br>Date | Prepared<br>By | <u>ScaleID</u> | <u>PipetteID</u>      | Supervised By Iwona Zarych |
|--------------|-----------------------------------|-----------------|---------------|--------------------|----------------|----------------|-----------------------|----------------------------|
| 286          | Ammonia ICV Std. (1 ppm)          | <u>WP115695</u> | 11/17/2025    | 11/18/2025         | Rubina Mughal  | None           | WETCHEM_F<br>IPETTE_3 | 11/17/2025                 |
| FROM         | 49.00000ml of W3112 + 1.00000ml o | of WP115589     | ) = Final Qua | ntitv: 50.000 r    | nl             |                | (VVC)                 |                            |

| FROIN | 43.000001111 01 VV3 112 1 | 1.0000001111 01 771 1 | 10000 - I illai Qualitity | . 50.000 1111 |
|-------|---------------------------|-----------------------|---------------------------|---------------|
|       |                           |                       |                           |               |
|       |                           |                       |                           |               |

| Recipe<br>ID | NAME                                       | <u>NO.</u>      | Prep Date  | Expiration<br>Date | Prepared<br>By | ScaleID | <u>PipetteID</u>              | Supervised By Iwona Zarych |
|--------------|--|-----------------|------------|--------------------|----------------|---------|-------------------------------|----------------------------|
| 3906         | Ammonia MDL-LOD-LOQ spiking solution -5ppm | <u>WP115696</u> | 11/17/2025 | 11/18/2025         | Rubina Mughal  | None    | WETCHEM_F<br>IPETTE_3<br>(WC) | ,                          |

**FROM** 45.00000ml of W3112 + 5.00000ml of WP115588 = Final Quantity: 50.000 ml



| Supplier                       | ItemCode / ItemName   | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|--------------------------------|---|------------|--------------------|----------------------------|--------------------------------|-------------------|
| Seidler Chemical               | BA-9254-03 / Acetone,<br>Ultra Resi (cs/4x4L)                     | 24L1062001 | 10/04/2027         | 10/31/2025 /<br>RUPESH     | 10/31/2025 /<br>RUPESH         | E3982             |
| Supplier                       | ItemCode / ItemName   | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| Seidler Chemical               | BA-9530-33 / Hydrochloric<br>Acid, Instra-Analyzed<br>(cs/6x2.5L) | 22G2862015 | 02/17/2026         | 02/18/2025 /<br>Sagar      | 01/15/2025 /<br>Sagar          | M6151             |
| Supplier                       | ItemCode / ItemName   | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| Seidler Chemical               | BA-9598-34 / Nitric Acid,<br>Instra-Analyzed (cs/4x2.5L)          | 24H0162012 | 11/27/2025         | 05/27/2025 /<br>Sagar      | 04/27/2025 /<br>Sagar          | M6162             |
| Supplier                       | ItemCode / ItemName   | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| Seidler Chemical               | BA-9673-33 / Sulfuric Acid,<br>Instra-Analyzed (cs/6c2.5L)        | 23D2462010 | 07/12/2026         | 08/13/2025 /<br>Sagar      | 08/06/2025 /<br>Sagar          | M6186             |
| Supplier                       | ItemCode / ItemName   | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /                | Chemtech<br>Lot # |
| Seidler Chemical               | BA-9598-34 / Nitric Acid,<br>Instra-Analyzed (cs/4x2.5L)          | 24H0162012 | 01/28/2026         | 08/29/2025 /<br>Sagar      | 08/08/2025 /<br>Sagar          | M6187             |
| Supplier                       | ItemCode / ItemName   | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | AA14125-36 / LEAD (II)<br>CHROMATE, ACS, 500G                     | U19B018    | 01/23/2027         | 01/23/2017 /<br>apatel     | 01/23/2017 /<br>apatel         | W2202             |



| Supplier                       | ItemCode / ItemName                                      | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|--------------------------------|--|------------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific<br>Supply, Inc. | J3506-5 / SODIUM<br>BICARBONATE, PWD,<br>ACS, 2.5KG      | 0000240594 | 06/03/2026         | 02/24/2020 /<br>AMANDEEP   | 01/20/2020 /<br>apatel         | W2647             |
| Supplier                       | ItemCode / ItemName                                      | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | AA13450-36 / Potassium<br>Dichromate, 500g(NEW)          | T15F019    | 01/24/2030         | 01/24/2020 /<br>apatel     | 01/24/2020 /<br>apatel         | W2651             |
| Supplier                       | ItemCode / ItemName                                      | Lot #      | Expiration Date    | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | P188-500 / Potassium<br>Dichromate, 500g(new-2nd<br>lot) | 194664     | 01/24/2030         | 01/24/2020 /<br>apatel     | 01/24/2020 /<br>apatel         | W2652             |
| Supplier                       | ItemCode / ItemName                                      | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | P1060-10 / PHENOL,<br>ACS, 500G                          | 2HD0179    | 01/27/2030         | 01/27/2020 /<br>apatel     | 01/27/2020 /<br>apatel         | W2663             |
| Supplier                       | ItemCode / ItemName                                      | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | 87683 / Sodium<br>Nitroferricyanide 250g                 | W12F013    | 02/10/2030         | 02/10/2020 /<br>apatel     | 02/10/2020 /<br>apatel         | W2666             |
| Supplier                       | ItemCode / ItemName                                      | Lot #      | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific                 | 31390 /<br>1,5-Diphenylcarbazide                         | MKCR6636   | 12/09/2027         | 12/09/2022 /<br>Iwona      | 12/09/2022 /<br>Iwona          | W2979             |



| Supplier                       | ItemCode / ItemName  | Lot #               | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|--------------------------------|--|---------------------|--------------------|----------------------------|--------------------------------|-------------------|
| Seidler Chemical               | DIW / DI Water   | Daily Lab-Certified | 07/03/2029         | 07/03/2024 /<br>Iwona      | 07/03/2024 /<br>Iwona          | W3112             |
| Supplier                       | ItemCode / ItemName  | Lot #               | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | PC19510-7 / Sodium<br>Hydroxide Pellets 12 Kg              | 23B1556310          | 12/31/2025         | 07/08/2024 /<br>lwona      | 07/08/2024 /<br>Iwona          | W3113             |
| Supplier                       | ItemCode / ItemName  | Lot #               | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | PC05050-1 / EDTA,<br>disodium salt, dihydrate 1 lb         | 2ND0156             | 07/10/2026         | 07/26/2024 /<br>Iwona      | 07/26/2024 /<br>Iwona          | W3132             |
| Supplier                       | ItemCode / ItemName  | Lot #               | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /                | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | 140476 / Test Paper,PH<br>Short Range 9.0/10.0             | L23                 | 08/22/2029         | 08/22/2024 /<br>lwona      | 08/22/2024 /<br>Iwona          | W3133             |
| Supplier                       | ItemCode / ItemName  | Lot #               | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /                | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | 01237-10KG / Megnasium<br>Chloride Hexahydrate ACS<br>10KG | 002126-2019-201     | 11/25/2029         | 11/25/2024 /<br>Iwona      | 11/25/2024 /<br>Iwona          | W3152             |
| Supplier                       | ItemCode / ItemName  | Lot #               | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | EM-SX0395-3 / SODIUM<br>CARBONATE ANHYDR<br>2.5KG          | 24E3156178          | 09/30/2027         | 12/10/2024 /<br>Iwona      | 12/10/2024 /<br>Iwona          | W3163             |



Fax: 908 789 8922

| Supplier                       | ItemCode / ItemName  | Lot #        | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|--------------------------------|--|--------------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific<br>Supply, Inc. | J3252-1 / POTAS<br>PHOSPHATE, DIBASIC<br>PWD, ACS, 500G    | 24H0856239   | 04/19/2028         | 01/03/2025 /<br>Iwona      | 01/03/2025 /<br>Iwona          | W3168             |
| Supplier                       | ItemCode / ItemName  | Lot #        | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| Inorganic<br>Ventures          | 300-CAL-A-500ML / 300.0<br>Calibration Standard, 500<br>ml | V2-MEB742616 | 02/19/2026         | 02/19/2025 /<br>Iwona      | 01/27/2025 /<br>Iwona          | W3180             |
| Supplier                       | ItemCode / ItemName  | Lot #        | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | J0660-1 / AMMONIUM<br>CHLORIDE, ACS, 500G                  | 24L0356561   | 08/31/2027         | 03/19/2025 /<br>Iwona      | 03/19/2025 /<br>Iwona          | W3195             |
| Supplier                       | ItemCode / ItemName  | Lot #        | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /                | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | J0660-1 / AMMONIUM<br>CHLORIDE, ACS, 500G                  | MKCV1009     | 09/30/2026         | 03/19/2025 /<br>Iwona      | 03/19/2025 /<br>lwona          | W3196             |
| Supplier                       | ItemCode / ItemName  | Lot #        | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /                | Chemtech<br>Lot # |
| Inorganic<br>Ventures          | 300-CAL-A-500ML / 300.0<br>Calibration Standard, 500<br>ml | 040525       | 04/05/2027         | 04/08/2025 /<br>Iwona      | 04/08/2025 /<br>Iwona          | W3197             |
| Supplier                       | ItemCode / ItemName  | Lot #        | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
| PCI Scientific<br>Supply, Inc. | J3568-1 / Sodium Borate,<br>500 gms                        | BCCL9613     | 05/31/2029         | 04/16/2025 /<br>Iwona      | 04/16/2025 /<br>Iwona          | W3201             |



Fax: 908 789 8922

| Supplier                       | ItemCode / ItemName                                    | Lot #    | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|--------------------------------|--|----------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific<br>Supply, Inc. | J3246-1 / POTAS<br>PHOSPHATE, MONO,<br>CRYS, ACS, 500G | MKCX1379 | 01/31/2029         | 04/29/2025 /<br>lwona      | 04/29/2025 /<br>lwona          | W3206             |

| Supplier                       | ItemCode / ItemName                     | Lot #   | Expiration<br>Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|--------------------------------|---|---------|--------------------|----------------------------|--------------------------------|-------------------|
| PCI Scientific<br>Supply, Inc. | J9416-1 / Sodium<br>Hypochlorite 500 ml | 2506M51 | 12/31/2025         | 07/02/2025 /<br>Iwona      | 07/02/2025 /<br>Iwona          | W3222             |

# Certificate of analysis

Product No. 14125

Product: Lead(II) chromate, ACS, 98%

Lot No.: U19B018

| Test             | Limits     | Results  |
|------------------|------------|----------|
| Assay            | 98.0 % min | 99.3 %   |
| Soluble matter   | 0.15 % max | < 0.02 % |
| Carbon compounds | 0.01 % max | < 0.01 % |

Traceable to NIST? Yes

This document has been electronically generated and does not require a signature.





# Certificate of Analysis

Product No.: 13450

Product: Potassium dichromate, ACS, 99.0% min

Lot No.: T15F019

| Test             | Limits              | Results             |
|------------------|---------------------|---------------------|
| Appearance       | Orange-red crystals | Orange-red crystals |
| Identification   | To Pass             | Passes              |
| Purity           | 99.0 % min          | 99.67 %             |
| Insoluble matter | 0.005 % max         | 0.004 %             |
| Loss on drying   | 0.05 % max          | 0.03 %              |
| Chloride         | 0.001 % max         | < 0.001 %           |
| Sulfate          | 0.005 % max         | < 0.005 %           |
| Iron             | 0.001 % max         | < 0.001 %           |
| Calcium          | 0.003 % max         | 0.0012 %            |
| Sodium           | 0.02 % max          | 0.0047 %            |

#### Order our products online alfa.com

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

Sodium Bicarbonate, Powder BAKER ANALYZED® A.C.S. Reagent

(sodium hydrogen carbonate)



Material No.: 3506-05 Batch No.: 0000240594

Manufactured Date: 2019/06/05 Retest Date: 2026/06/03

Revision No: 1

# Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

| Test  | Specification  | Result  |
|---|----------------|---------|
| Assay (NaHCO3) (dried basis)                  | 99.7 - 100.3 % | 100.1   |
| Insoluble Matter                              | <= 0.015 %     | < 0.002 |
| Chloride (Cl)                                 | <= 0.003 %     | 0.003   |
| Phosphate (PO4)                               | <= 0.001 %     | 0.001   |
| Sulfur Compounds (as SO4)                     | <= 0.003 %     | 0.003   |
| Calcium (Ca)                                  | <= 0.02 %      | 0.02    |
| Frace Impurities – Iron (Fe)                  | <= 0.001 %     | 0.001   |
| Magnesium (Mg)                                | <= 0.005 %     | 0.005   |
| Potassium (K)                                 | <= 0.005 %     | 0.005   |
| Ammonium (NH4)                                | <= 5 ppm       | 5       |
| Trace Impurities – ACS – Heavy Metals (as Pb) | <= 5 ppm       | 5       |

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC





# **Certificate Of Analysis**

| Item Number       | P1060                               | Lot Number       | 2HD0179 |
|-------------------|-------------------------------------|------------------|---------|
| Item              | Phenol, Loose Crystal, Reagent, ACS |                  |         |
| CAS Number        | 108-95-2                            |                  |         |
| Molecular Formula | C₀H₀O                               | Molecular Weight | 94.11   |

| Test                                     | Specif       | Result |             |
|--|--------------|--------|-------------|
|  | min          | max    |             |
| ASSAY (C <sub>6</sub> H <sub>5</sub> OH) | 99.0 %       |        | 100.02 %    |
| FREEZING POINT (DRY)                     | 40.5 C       |        | 40.5°C      |
| CLARITY OF SOLUTION                      | TO PASS TEST |        | PASSES TEST |
| RESIDUE AFTER EVAPORATION                |              | 0.05 % | <0.05 %     |
| WATER                                    |              | 0.5 %  | 0.0087 %    |
| DATE OF MANUFACTURE                      |              |        | 06-MAR-2018 |

Spectrum Chemical Mfg Corp 755 Jersey Avenue New Brunswick 08901 NJ



Certificate Of Analysis Results Certified by

Ibad Tirmizi Director of Quality

Spectrum Chemical Mfg. Corp.

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.



# Certificate of Analysis

#### W2666 Recived on 02/10/2020 by AP

Product No.: 87683

Product: Sodium pentacyanonitrosylferrate(III) dihydrate, ACS,

99.0-102.0%

Lot No.: W12F013

| Test                  | Limits         | Results      |
|-----------------------|----------------|--------------|
|                       |                |              |
| Assay                 | 99.0 - 102.0 % | 99.67 %      |
| Insoluble             | 0.01 % max     | 0.0079 %     |
| Chloride              | 0.02 % max     | Not detected |
| Sulfate               | To pass test   | Passes test  |
| Aqueous solubility    | To pass test   | Passes test  |
| Limit on Ferricyanide | To pass test   | Passes test  |
| Limit on Ferrocyanide | To pass test   | Passes test  |

#### Order our products online alfa.com

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

Certificate of Analysis Page 1 of 1



## Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

| Catalog Number    | P188   | Quality Test / Release Date | 08/12/2019 |
|-------------------|--|-----------------------------|------------|
| Lot Number        | 194664   |                             |            |
| Description       | POTASSIUM DICHROMATE, A.C.S.   |                             |            |
| Country of Origin | United States  | Suggested Retest Date       | Aug/2024   |
| Chemical Origin   | Inorganic-non animal   |                             |            |
| BSE/TSE Comment   | No animal products are used as starting in processing aids, or any other material that | •                           |            |
| Chemical Comment  |  |                             |            |

| N/A                    |           |                |                           |  |  |
|------------------------|-----------|----------------|---------------------------|--|--|
| Result Name            | Units     | Specifications | Test Value                |  |  |
| APPEARANCE             |           | REPORT         | Fine, orange-red crystals |  |  |
| ASSAY                  | %         | >= 99          | 99.2                      |  |  |
| CALCIUM                | %         | <= 0.003       | <0.003                    |  |  |
| CHLORIDE               | %         | <= 0.001       | <0.001                    |  |  |
| LOSS ON DRYING @ 105 C | %         | <= 0.05        | <0.05                     |  |  |
| SULFATE (SO4)          | %         | <= 0.005       | <0.005                    |  |  |
| INSOLUBLE MATTER       | %         | <= 0.005       | 0.003                     |  |  |
| IRON (Fe)              | %         | <= 0.001       | <0.001                    |  |  |
| SODIUM (Na)            | %         | <= 0.02        | <0.02                     |  |  |
| IDENTIFICATION         | PASS/FAIL | = PASS TEST    | PASS TEST                 |  |  |

Derisa Bailey- Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis



Material No.: 9254-03

Batch No.: 24L1062001

Manufactured Date: 2024-10-04

Expiration Date: 2027-10-04

Revision No.: 0

# Certificate of Analysis

| Test   | Specification | Result      |
|--|---------------|-------------|
| Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected forwater) | >= 99.4 %     | 99.7 %      |
| Color (APHA)   | <= 10         | 5           |
| Residue after Evaporation  | <= 1.0 ppm    | 0.3 ppm     |
| Substances Reducing Permanganate                                       | Passes Test   | Passes Test |
| Titrable Acid (µeq/g)  | <= 0.3        | 0.1         |
| Titrable Base (µeq/g)  | <= 0.6        | <0.1        |
| Water (H2O)  | <= 0.5 %      | 0.3 %       |
| FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)    | <= 5          | <1          |
| ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)    | <= 10         | 1           |

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

10 Received on 10/29/25

Schook

Director Quality Operations, Bioscience Production

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





M6151

R-> 1/15/25

Material No.: 9530-33

Batch No.: 22G2862015 Manufactured Date: 2022-06-15

Retest Date: 2027-06-14

Revision No.: 0

# Certificate of Analysis

|   | Specification         | Result            |
|---|-----------------------|-------------------|
| ACS - Assay (as HCI) (by acid-base titrn) | 36.5 - 38.0 %         |                   |
| ACS - Color (APHA)                        | 50.5 - 58.0 %<br>≤ 10 | 37.9 %            |
| ACS - Residue after Ignition              | ≤ 3 ppm               | 5                 |
| ACS - Specific Gravity at 60°/60°F        |                       | < 1 ppm           |
| ACS – Bromide (Br)                        | 1.185 - 1.192         | 1.191             |
| ACS – Extractable Organic Substances      | ≤ 0.005 %             | < 0.005 %         |
| ACS - Free Chlorine (as Cl <sub>2</sub> ) | ≤ 5 ppm               | < 1 ppm           |
| Phosphate (PO <sub>4</sub> )              | ≤ 0.5 ppm             | < 0.5 ppm         |
| Sulfate (SO <sub>4</sub> )                | ≤ 0.05 ppm            | < 0.03 ppm        |
| Sulfite (SO <sub>3</sub> )                | ≤ 0.5 ppm             | < 0.3 ppm         |
| Ammonium (NH <sub>4</sub> )               | ≤ 0.8 ppm             | 0.3 ppm           |
| Trace Impurities - Arsenic (As)           | ≤ 3 ppm               | < l ppm           |
| Trace Impurities – Aluminum (AI)          | ≤ 0.010 ppm           | < 0.003 ppm       |
| Arsenic and Antimony (as As)              | ≤ 10.0 ppb            | 1.3 ppb           |
| Trace Impurities – Barium (Ba)            | ≤ 5.0 ppb             | < 3.0 ppb         |
| Trace Impurities - Beryllium (Be)         | ≤ 1.0 ppb             | 0.2 ppb           |
| Trace Impurities - Bismuth (Bi)           | ≤ 1.0 ppb             | < 0.2 ppb         |
|   | ≤ 10.0 ppb            | < 1.0 ppb         |
| Trace Impurities - Boron (B)              | ≤ 20.0 ppb            | < 5.0 ppb         |
| Trace Impurities - Cadmium (Cd)           | ≤ 1.0 ppb             | < 0.3 ppb         |
| Trace Impurities – Calcium (Ca)           | ≤ 50.0 ppb            | 163.0 ppb         |
| Trace Impurities - Chromium (Cr)          | ≤ 1.0 ppb             | 0.7 ppb           |
| Trace Impurities - Cobalt (Co)            | ≤ 1.0 ppb             | < 0.3 ppb         |
| Trace Impurities – Copper (Cu)            | ≤ 1.0 ppb             | < 0.1 ppb         |
| Trace Impurities – Gallium (Ga)           | ≤ 1.0 ppb             | < 0.2 ppb         |
| Frace Impurities – Germanium (Ge)         | ≤ 3.0 ppb             | < 2.0 ppb         |
| race Impurities – Gold (Au)               | ≤ 4.0 ppb             | 0.6 ppb           |
| leavy Metals (as Pb)                      | ≤ 100 ppb             | < 50 ppb          |
| Trace Impurities – Iron (Fe)              | ≤ 15 ppb              | < 30 ppp<br>6 ppb |

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

| Test   | Specification | Result     |
|--|---------------|------------|
| Trace Impurities – Lead (Pb)                           | ≤ 1.0 ppb     | < 0.5 ppb  |
| Trace Impurities – Lithium (Li)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Magnesium (Mg)                      | ≤ 10.0 ppb    | 2.9 ppb    |
| Trace Impurities – Manganese (Mn)                      | ≤ 1.0 ppb     | < 0.4 ppb  |
| Trace Impurities – Mercury (Hg)                        | ≤ 0.5 ppb     | 0.1 ppb    |
| Trace Impurities – Molybdenum (Mo)                     | ≤ 10.0 ppb    | < 3.0 ppb  |
| Trace Impurities - Nickel (Ni)                         | ≤ 4.0 ppb     | < 0.3 ppb  |
| Trace Impurities - Niobium (Nb)                        | ≤ 1.0 ppb     | 0.8 ppb    |
| Trace Impurities - Potassium (K)                       | ≤ 9.0 ppb     | < 2.0 ppb  |
| Trace Impurities - Selenium (Se), For Information Only |               | < 1.0 ppb  |
| Trace Impurities - Silicon (Si)                        | ≤ 100.0 ppb   | < 10.0 ppb |
| Trace Impurities - Silver (Ag)                         | ≤ 1.0 ppb     | 0.5 ppb    |
| Trace Impurities – Sodium (Na)                         | ≤ 100.0 ppb   | 2.3 ppb    |
| Trace Impurities – Strontium (Sr)                      | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities - Tantalum (Ta)                       | ≤ 1.0 ppb     | 1.6 ppb    |
| Trace Impurities – Thallium (TI)                       | ≤ 5.0 ppb     | < 2.0 ppb  |
| Trace Impurities – Tin (Sn)                            | ≤ 5.0 ppb     | 4.0 ppb    |
| Trace Impurities – Titanium (Ti)                       | ≤ 1.0 ppb     | 1.5 ppb    |
| Trace Impurities – Vanadium (V)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Zinc (Zn)                           | ≤ 5.0 ppb     | 0.8 ppb    |
| Frace Impurities – Zirconium (Zr)                      | ≤ 1.0 ppb     | 0.3 ppb    |

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test

Specification

Result

For Laboratory, Research, or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC







M-6162

R. Date & 0412712025

Material No.: 9606-03 Batch No.: 24H0162012 Manufactured Date: 2024-06-28

Retest Date: 2029-06-27 Revision No.: 0

## Certificate of Analysis

| Assay (HNOs) Appearance Passes Test Passes Test Passes Test Color (APHA)  Residue after Ignition  S 2 ppm  Chloride (Cl)  Choride (Cl)  Choride (SOa)  Sulfate (SOa)  Sulfate (SOa)  Arsenic and Antimony (as As)  Trace Impurities - Barlum (Ba)  Trace Impurities - Barlum (Ba)  Trace Impurities - Barlum (Cd)  Trace Impurities - Barlum (Cd)  Trace Impurities - Coper (Cu)  Trace Impurities - Coper (Cu)  Trace Impurities - Coper (Cu)  Trace Impurities - Cold (Au)  Frace Impurities - Gold (Au)  Frace Impurities - Iron (Fe)  Trace Impurities - Iron (Fe)  Trace Impurities - Inon (Fe)  Trace Impurities - Lind magnesium (Mg)  Trace Impurities - Lind (Fe)  Trace Impurities - Lind (Fe)  Trace Impurities - Lind (Fe)  Trace Impurities - Coppe (Cu)  Tra | Test                              | Specification | Result                                  |
|---|-----------------------------------|---------------|---|
| Appearance Color (APHA)   | Assay (HNO3)                      | 69.0 - 70.0 % | 69.7 %                                  |
| Color (APHA)       ≤ 10       5         Residue after Ignition       ≤ 2 ppm       < 1 ppm  | Appearance                        |               |   |
| Residue after Ignition       ≤ 2 ppm       < 1 ppm  | Color (APHA)                      | ≤ 10          |   |
| Chloride (CI)       ≤ 0.08 ppm       0.03 ppm         Phosphate (PO4)       ≤ 0.10 ppm       < 0.03 ppm   | Residue after Ignition            | ≤ 2 ppm       |   |
| Phosphate (PO₄)         ≤ 0.10 ppm         < 0.03 ppm   | Chloride (CI)                     | ≤ 0.08 ppm    |   |
| Sulfate (SO <sub>4</sub> )       ≤ 0.2 ppm       < 0.2 ppm  | Phosphate (PO <sub>4</sub> )      | ≤ 0.10 ppm    | • •                                     |
| Trace Impurities - Aluminum (Al)       ≤ 40.0 ppb       < 1.0 ppb   | Sulfate (SO <sub>4</sub> )        | ≤ 0.2 ppm     |   |
| Arsenic and Antimony (as As)    \$\leq\$ 5.0 ppb  | Trace Impurities - Aluminum (Al)  | ≤ 40.0 ppb    | • •                                     |
| Trace Impurities – Barium (Ba)  | Arsenic and Antimony (as As)      | ≤ 5.0 ppb     |   |
| Trace Impurities – Beryllium (Be)  Trace Impurities – Bismuth (Bi)  Trace Impurities – Boron (B)  Trace Impurities – Cadmium (Cd)  Trace Impurities – Calcium (Ca)  Trace Impurities – Calcium (Ca)  Trace Impurities – Chromium (Cr)  Trace Impurities – Cobalt (Co)  Trace Impurities – Cobalt (Co)  Trace Impurities – Copper (Cu)  Trace Impurities – Copper (Cu)  Trace Impurities – Callium (Ga)  Trace Impurities – Gallium (Ga)  Trace Impurities – Gallium (Ga)  Trace Impurities – Germanium (Ge)  Trace Impurities – Gold (Au)  Heavy Metals (as Pb)  Trace Impurities – Iron (Fe)  Trace Impurities – Lead (Pb)  Trace Impurities – Lead (Pb)  Trace Impurities – Magnesium (Mg)  Trace Impurities – Manganese (Mn)  Trace Impurities – Mickel (Ni)  ■ 200 ppb  ■ 21.0 ppb  ▼ 10.0 ppb  | Trace Impurities - Barium (Ba)    | ≤ 10.0 ppb    |   |
| Trace Impurities – Bismuth (Bi)    \$\leq 20.0 ppb  | Trace Impurities - Beryllium (Be) | ≤ 10.0 ppb    | • •                                     |
| Trace Impurities – Boron (B) ≤ 10.0 ppb 0.1 ppb  Trace Impurities – Cadmium (Cd) ≤ 50 ppb < 1 ppb  Trace Impurities – Calcium (Ca) ≤ 50.0 ppb 0.3 ppb  Trace Impurities – Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities – Cobalt (Co) ≤ 10.0 ppb   | Trace Impurities - Bismuth (Bi)   | ≤ 20.0 ppb    | • •                                     |
| Trace Impurities - Cadmium (Cd) ≤ 50 ppb 0.3 ppb  Trace Impurities - Calcium (Ca) ≤ 50.0 ppb 0.3 ppb  Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1.0 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb  Trace Impurities - Magnesee (Mn) ≤ 10.0 ppb < 1.0 ppb  | Trace Impurities - Boron (B)      | ≤ 10.0 ppb    | • •                                     |
| Trace Impurities - Calcium (Ca) ≤ 50.0 ppb 0.3 ppb  Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb  | Trace Impurities - Cadmium (Cd)   | ≤ 50 ppb      |   |
| Trace Impurities - Chromium (Cr) ≤ 30.0 ppb 0.1 ppb  Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1.0 ppb   | Trace Impurities - Calcium (Ca)   |               | • •                                     |
| Trace Impurities - Cobalt (Co) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) < 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) < 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Magnesee (Mn) ≤ 10.0 ppb < 1.0 ppb   | Trace Impurities - Chromium (Cr)  | ≤ 30.0 ppb    |   |
| Trace Impurities - Copper (Cu) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities - Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities - Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities - Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities - Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities - Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities - Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb   | Trace Impurities - Cobalt (Co)    | ≤ 10.0 ppb    |   |
| Trace Impurities – Gallium (Ga) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities – Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb  | Trace Impurities - Copper (Cu)    | ≤ 10.0 ppb    | • •                                     |
| Trace Impurities – Germanium (Ge) ≤ 20 ppb < 1 ppb  Trace Impurities – Gold (Au) ≤ 20 ppb < 1 ppb  Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb  | Trace Impurities - Gallium (Ga)   | ≤ 10.0 ppb    |   |
| Trace Impurities - Gold (Au)       ≤ 20 ppb       < 1 ppb   | Trace Impurities - Germanium (Ge) | ≤ 20 ppb      |   |
| Heavy Metals (as Pb) ≤ 100 ppb < 50 ppb  Trace Impurities – Iron (Fe) ≤ 40.0 ppb < 1.0 ppb  Trace Impurities – Lead (Pb) ≤ 20.0 ppb < 1.0 ppb  Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb   | Trace Impurities - Gold (Au)      | ≤ 20 ppb      | • •                                     |
| Trace Impurities – Iron (Fe)       ≤ 40.0 ppb       < 1.0 ppb   | Heavy Metals (as Pb)              | ≤ 100 ppb     |   |
| Trace Impurities – Lead (Pb)       ≤ 20.0 ppb       < 1.0 ppb   | Trace Impurities - Iron (Fe)      | ≤ 40.0 ppb    |   |
| Trace Impurities – Lithium (Li) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb  | Trace Impurities - Lead (Pb)      | ≤ 20.0 ppb    | • |
| Trace Impurities – Magnesium (Mg) ≤ 20 ppb < 1 ppb  Trace Impurities – Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb  Trace Impurities – Mickel (Ni)  | Trace Impurities - Lithium (Li)   | ≤ 10.0 ppb    | . ,                                     |
| Trace Impurities - Manganese (Mn) ≤ 10.0 ppb < 1.0 ppb  | Trace Impurities – Magnesium (Mg) | ≤ 20 ppb      | • •                                     |
| Trace Impurities Mickel (Ni)  | Trace Impurities - Manganese (Mn) | ≤ 10.0 ppb    |   |
|   | Trace Impurities – Nickel (Ni)    | ≤ 20.0 ppb    | < 1.0 ppb                               |

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24H0162012

| Test                                | Specification | Result    |
|-------------------------------------|---------------|-----------|
| Trace Impurities - Niobium (Nb)     | ≤ 50.0 ppb    | < 1.0 ppb |
| Trace Impurities - Potassium (K)    | ≤ 50 ppb      | < i ppb   |
| Trace Impurities - Silicon (Si)     | ≤ 50 ppb      | 1 ppb     |
| Trace Impurities - Silver (Ag)      | ≤ 20.0 ppb    | < 1.0 ppb |
| Trace Impurities – Sodium (Na)      | ≤ 150.0 ppb   | < 1.0 ppb |
| Trace Impurities - Strontium (Sr)   | ≤ 30.0 ppb    | < 1.0 ppb |
| Trace Impurities - Tantalum (Ta)    | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities - Thallium (TI)    | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities – Tin (Sn)         | ≤ 20.0 ppb    | < 1.0 ppb |
| Trace Impurities - Titanium (Ti)    | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities - Vanadium (V)     | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities - Zinc (Zn)        | ≤ 20.0 ppb    | < 1.0 ppb |
| Trace Impurities - Zirconium (Zr)   | ≤ 10.0 ppb    | < 1.0 ppb |
| Particle Count – 0.5 µm and greater | ≤ 60 par/ml   | 13 par/ml |
| Particle Count - 1.0 µm and greater | ≤ 10 par/ml   | 5 par/ml  |
|                                     |               |           |

Nitric Acid 69% **CMOS** 





Material No.: 9606-03 Batch No.: 24H0162012

Test Specification Result

For Microelectronic Use

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33

Batch No.: 23D2462010 Manufactured Date: 2023-03-22

Retest Date: 2028-03-20

Revision No.: 0

# [m6186] Reciew Dute = 68/06/25

## Certificate of Analysis

|   | Specification | Result      |
|---|---------------|-------------|
| ACS - Assay (H2SO4)                             | 95.0 - 98.0 % | 96.1 %      |
| Appearance                                      | Passes Test   | Passes Test |
| ACS – Color (APHA)                              | ≤ 10          | 5           |
| ACS – Residue after Ignition                    | ≤ 3 ppm       | < 1 ppm     |
| ACS - Substances Reducing Permanganate (as SO2) | ≤ 2 ppm       | < 2 ppm     |
| Ammonium (NH <sub>4</sub> )                     | ≤ 1 ppm       | 1 ppm       |
| Chloride (CI)                                   | ≤ 0.1 ppm     | < 0.1 ppm   |
| Nitrate (NO <sub>3</sub> )                      | ≤ 0.2 ppm     | < 0.1 ppm   |
| Phosphate (PO4)                                 | ≤ 0.5 ppm     | < 0.1 ppm   |
| Trace Impurities – Aluminum (Al)                | ≤ 30.0 ppb    | < 5.0 ppb   |
| Arsenic and Antimony (as As)                    | ≤ 4.0 ppb     | < 2.0 ppb   |
| Frace Impurities - Boron (B)                    | ≤ 10.0 ppb    | 8.5 ppb     |
| Frace Impurities – Cadmium (Cd)                 | ≤ 2.0 ppb     | < 0.3 ppb   |
| Frace Impurities – Chromium (Cr)                | ≤ 6.0 ppb     | < 0.4 ppb   |
| race Impurities – Cobalt (Co)                   | ≤ 0.5 ppb     | < 0.3 ppb   |
| race Impurities – Copper (Cu)                   | ≤ 1.0 ppb     | < 0.1 ppb   |
| race Impurities - Gold (Au)                     | ≤ 10.0 ppb    | 0.5 ppb     |
| leavy Metals (as Pb)                            | ≤ 500.0 ppb   | < 100.0 ppb |
| race Impurities – Iron (Fe)                     | ≤ 50.0 ppb    | 1.3 ppb     |
| race Impurities – Lead (Pb)                     | ≤ 0.5 ppb     | < 0.5 ppb   |
| race Impurities – Magnesium (Mg)                | ≤ 7.0 ppb     | 0.8 ppb     |
| race Impurities – Manganese (Mn)                | ≤ 1.0 ppb     | < 0.4 ppb   |
| race Impurities – Mercury (Hg)                  | ≤ 0.5 ppb     | < 0.1 ppb   |
| race Impurities – Nickel (Ni)                   | ≤ 2.0 ppb     | 0.3 ppb     |
| race Impurities – Potassium (K)                 | ≤ 500.0 ppb   | < 2.0 ppb   |
| race Impurities – Selenium (Se)                 | ≤ 50.0 ppb    | < 0.1 ppb   |
| ace Impurities – Silicon (Si)                   | ≤ 100.0 ppb   | 31.5 ppb    |
| ace Impurities – Silver (Ag)                    | ≤ 1.0 ppb     | < 0.3 ppb   |

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33 Batch No.: 23D2462010

| Specification | Result                                |
|---------------|---------------------------------------|
| ≤ 500.0 ppb   | 5.4 ppb                               |
| ≤ 5.0 ppb     | < 0.2 ppb                             |
| ≤ 5.0 ppb     | < 0.8 ppb                             |
| ≤ 5.0 ppb     | 0.4 ppb                               |
|               | ≤ 500.0 ppb<br>≤ 5.0 ppb<br>≤ 5.0 ppb |

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC







M6187 R.D:-08108125

Material No.: 9606-03 Batch No.: 24H0162012

Manufactured Date: 2024-06-28 Retest Date: 2029-06-27

Revision No.: 0

## Certificate of Analysis

| Test                              | Specification | Result      |
|-----------------------------------|---------------|-------------|
| Assay (HNO3)                      | 69.0 – 70.0 % | 69.7 %      |
| Appearance                        | Passes Test   | Passes Test |
| Color (APHA)                      | ≤ 10          | 5           |
| Residue after Ignition            | ≤ 2 ppm       | < 1 ppm     |
| Chloride (CI)                     | ≤ 0.08 ppm    | 0.03 ppm    |
| Phosphate (PO4)                   | ≤ 0.10 ppm    | < 0.03 ppm  |
| Sulfate (SO <sub>4</sub> )        | ≤ 0.2 ppm     | < 0.2 ppm   |
| Trace Impurities - Aluminum (AI)  | ≤ 40.0 ppb    | < 1.0 ppb   |
| Arsenic and Antimony (as As)      | ≤ 5.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Barium (Ba)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities - Beryllium (Be) | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Bismuth (Bi)   | ≤ 20.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Boron (B)      | ≤ 10.0 ppb    | 0.1 ppb     |
| Trace Impurities – Cadmium (Cd)   | ≤ 50 ppb      | < 1 ppb     |
| Trace Impurities – Calcium (Ca)   | ≤ 50.0 ppb    | 0.3 ppb     |
| Trace Impurities – Chromium (Cr)  | ≤ 30.0 ppb    | 0.1 ppb     |
| Trace Impurities – Cobalt (Co)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Copper (Cu)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| Frace Impurities – Gallium (Ga)   | ≤ 10.0 ppb    | < 1.0 ppb   |
| Frace Impurities – Germanium (Ge) | ≤ 20 ppb      | < 1 ppb     |
| Frace Impurities – Gold (Au)      | ≤ 20 ppb      | < 1 ppb     |
| leavy Metals (as Pb)              | ≤ 100 ppb     | < 50 ppb    |
| race Impurities – Iron (Fe)       | ≤ 40.0 ppb    | < 1.0 ppb   |
| race Impurities - Lead (Pb)       | ≤ 20.0 ppb    | < 1.0 ppb   |
| race Impurities – Lithium (Li)    | ≤ 10.0 ppb    | < 1.0 ppb   |
| race Impurities – Magnesium (Mg)  | ≤ 20 ppb      | < 1 ppb     |
| race Impurities – Manganese (Mn)  | ≤ 10.0 ppb    | < 1.0 ppb   |
| race Impurities - Nickel (Ni)     | ≤ 20.0 ppb    | • •         |

>>> Continued on page 2 >>>





Material No.: 9606-03 Batch No.: 24H0162012

| Test                                | Specification | Result    |
|-------------------------------------|---------------|-----------|
| Trace Impurities - Niobium (Nb)     | ≤ 50.0 ppb    | < 1.0 ppb |
| Trace Impurities – Potassium (K)    | ≤ 50 ppb      | < 1 ppb   |
| Trace Impurities – Silicon (Si)     | ≤ 50 ppb      | 1 ppb     |
| Trace Impurities – Silver (Ag)      | ≤ 20.0 ppb    | < 1.0 ppb |
| Trace Impurities - Sodium (Na)      | ≤ 150.0 ppb   | < 1.0 ppb |
| Trace Impurities - Strontium (Sr)   | ≤ 30.0 ppb    | < 1.0 ppb |
| Trace Impurities – Tantalum (Ta)    | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities – Thallium (TI)    | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities ~ Tin (Sn)         | ≤ 20.0 ppb    | < 1.0 ppb |
| Trace Impurities – Titanium (Ti)    | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities – Vanadium (V)     | ≤ 10.0 ppb    | < 1.0 ppb |
| Trace Impurities - Zinc (Zn)        | ≤ 20.0 ppb    | < 1.0 ppb |
| Trace Impurities - Zirconium (Zr)   | ≤ 10.0 ppb    | < 1.0 ppb |
| Particle Count - 0.5 µm and greater | ≤ 60 par/ml   | 13 par/ml |
| Particle Count - 1.0 µm and greater | ≤ 10 par/ml   | 5 par/ml  |

Nitric Acid 69% CMOS





Material No.: 9606-03 Batch No.: 24H0162012

Test Specification Result

For Microelectronic Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak

Director Quality Operations, Bioscience Production

W 2979

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

lec: 12/08/22

exp. 12/08/27

**Certificate of Analysis** 

1,5-Diphenylcarbazide - ACS reagent

**Product Number:** 

259225

Batch Number:

MKCR6636

Brand:

SIAL

CAS Number:

140-22-7

MDL Number:

MFCD00003013

Formula:

C13H14N4O

Formula Weight:

242.28 g/mol

Quality Release Date:

02 JUN 2022

| Test                                   | Specification             | Result   |  |
|--|---------------------------|----------|--|
| Appearance (Color)                     | Conforms to Requirements  | Pink     |  |
| Off-White to Pink, Light Purple or Tan | -                         |          |  |
| Appearance (Form)                      | Powder or Chunks          | Powder   |  |
| Melting Point                          | 173.0 - 176.0 ℃           | 173.0 °C |  |
| Infrared Spectrum                      | Conforms to Structure     | Conforms |  |
| Residue on ignition (Ash)              | < 0.05 %                  | 0.01 %   |  |
| 15 minutes, 800 Degrees Celsius        | _                         |          |  |
| Solubility                             | Pass                      | Pass     |  |
| Sensitivity Test                       | Pass                      | Pass     |  |
| Meets ACS Requirements                 | Current ACS Specification | Conforms |  |

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



## Certificate of Analysis

12/14/2022

12/31/2025

### **Sodium Hydroxide (Pellets)**

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40

CAS #: 1310-73-2

Appearance: Storage: Room Temperature

Pellets

| TEST               | SPECIFICATION | ANALYSIS | DISPOSITION |
|--------------------|---------------|----------|-------------|
| Calcium            | <= 0.005 %    | <0.005 % | PASS        |
| Chloride           | <= 0.005 %    | 0.002 %  | PASS        |
| Heavy Metals       | <= 0.002 %    | <0.002 % | PASS        |
| Iron               | <= 0.001 %    | <0.001 % | PASS        |
| Magnesium          | <= 0.002 %    | <0.002 % | PASS        |
| Mercury            | <= 0.1 ppm    | <0.1 ppm | PASS        |
| Nickel             | <= 0.001 %    | <0.001 % | PASS        |
| Nitrogen Compounds | <= 0.001 %    | <0.001 % | PASS        |
| Phosphate          | <= 0.001 %    | <0.001 % | PASS        |
| Potassium          | <= 0.02 %     | <0.02 %  | PASS        |
| Purity             | >= 97.0 %     | 99.2 %   | PASS        |
| Sodium Carbonate   | <= 1.0 %      | 0.5 %    | PASS        |
| Sulfate            | <= 0.003 %    | <0.003 % | PASS        |

Manufacture Date:

**Expiration Date:** 

Internal ID #: 710

#### Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



## Certificate of Analysis

12/14/2022

12/31/2025

Room Temperature

Manufacture Date:

**Expiration Date:** 

Storage:

### **Sodium Hydroxide (Pellets)**

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH Molecular Weight: 40

CAS #: 1310-73-2

Appearance:

**Pellets** 

Spec Set: 0583ACS

Internal ID #: 710

Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



# **Certificate Of Analysis**

| Item Number       | ED150                              | Lot Number       | 2ND0156   |
|-------------------|------------------------------------|------------------|-----------|
| Item              | Edetate Disodium, Dihydrate, USP   | CAS Number       | 6381-92-6 |
| Molecular Formula | $C_{10}H_{14}N_2Na_2O_8$ •2 $H_2O$ | Molecular Weight | 372.24    |

| 7557                                       | SPECIFICATION   |             | 5-011-   |  |
|--|---|-------------|--|--|
| TEST                                       | MIN   | MAX         | RESULT   |  |
| ASSAY (DRIED BASIS)                        | 99.0  | 101.0 %     | 99.5 %   |  |
| pH OF A 5% SOLUTION @ 25°C                 | 4.0   | 6.0         | 4.6  |  |
| LOSS ON DRYING                             | 8.7   | 11.4 %      | 8.90 %   |  |
| CALCIUM (Ca)                               | NO<br>PRECIPITATE IS<br>FORMED                                    |             | NO PRECIPITATE IS FORMED                                 |  |
| ELEMENTAL IMPURITIES:                      |   |             |  |  |
| NICKEL (Ni)                                | AS REPORTED   |             | <0.3 ppm   |  |
| CHROMIUM (Cr)                              | AS REPORTED   |             | <0.3 ppm   |  |
| NITRILOTRIACETIC ACID[ $n[(HOCOCH_2)]$ 3N] |   | 0.1 %       | <0.10 %  |  |
| IDENTIFICATION A                           | MATCHES<br>REFERENCE  |             | MATCHES REFERENCE  |  |
| IDENTIFICATION B                           | RED COLOR IS<br>DISCHARGED,<br>LEAVING A<br>YELLOWISH<br>SOLUTION |             | RED COLOR IS DISCHARGED,<br>LEAVING A YELLOWISH SOLUTION |  |
| IDENTIFICATION C                           | MEETS THE<br>REQUIREMENTS<br>FOR SODIUM                           |             | MEETS THE REQUIREMENTS FOR SODIUM                        |  |
| CERTIFIED HALAL                            |   |             | CERTIFIED HALAL  |  |
| EXPIRATION DATE                            |   |             | 10-JUL-2026  |  |
| DATE OF MANUFACTURE                        |   |             | 11-JUL-2023  |  |
| APPEARANCE                                 |   |             | WHITE CRYSTALLINE POWDER                                 |  |
| RESIDUAL SOLVENTS                          |   | AS REPORTED | NO RESIDUAL SOLVENTS PRESENT                             |  |
| MONOGRAPH EDITION                          |   |             | USP 2024   |  |

Certificate of Analysis Results Entered By:

CACEVEDO Charmian Acevedo 22-MAY-24 08:12:30

Spectrum Chemical Mfg Corp 755 Jersey Avenue New Brunswick 08901 NJ Certificate of Analysis Results Approved By:

GHERRERA Genaro Herrera 22-MAY-24 12:32:01

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

# Chem-Impex International, Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: sales@chemimpex.com

Web site: www.chemimpex.com

**Shipping and Correspondence:**935 Dillon Drive
825 Dillon Drive

Wood Dale, IL 60191 Wood Dale, IL 60191

### Certificate of Analysis

Catalogue Number 01237

**Lot Number** 002126-2019-201

Product Magnesium chloride hexahydrate

Magnesium chloride•6H<sub>2</sub>O

CAS Number 7791-18-6 Molecular Formula MgCl₂•6H₂O

Molecular Weight 203.3

**Appearance** White crystals

**Solubility** 167 g in 100 mL water

Melting Point $\sim 115$  °CHeavy Metals4.393 ppm

**Anion** Nitrate  $(NO_3)$ : < 0.001%

 $\begin{aligned} &Phosphate \ (PO_4): < 5 \ ppm \\ &Sulfate \ (SO_4): < 0.002\% \end{aligned}$ 

Cation Ammonium (NH<sub>4</sub>): < 0.002%

Barium (Ba) : 0.005% Calcium (Ca) : 0.01% Iron (Fe) : 4.5 ppm

Manganese (Mn): 0.624 ppm Potassium (K): 0.004% Sodium (Na): 0.000003% Strontium (Sr): 0.005%

Insoluble material0.0021%Assay by titration100.83%GradeACS reagentStorageStore at RT

### Certificate of Analysis

Catalog Number: 01237 Lot Number: 002126-2019-201

Remarks

See material safety data sheet for additional information

For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier

Bala Kumar

**Quality Control Manager** 



W3163 Rec. on 12/10/24 by IZ

# Certificate of Analysis

Material BDH9284-2.5KG

Material Description BDH SODIUM CARB ANHYD ACS 2.5KG

Grade USPREAGENT (ACS GRADE)

Batch 24E3156178
Reassay Date 09/30/2027
CAS Number 497-19-8
Molecular Formula Na2CO3
Molecular Mass 105.99

Date of Manufacture 09/01/2023

Storage Room Temperature

Material is hygroscopic. Protect from Moisture.

Additional Product Description:

| Characteristics      | Specifications   | Measured Values            |
|----------------------|--|----------------------------|
| Appearance           | Fine white granular powder                                 | Fine white granular powder |
| Calcium              | <= 0.03 %  | 0.003 %                    |
| Chloride             | <= 0.001 %   | 0.0003 %                   |
| Heavy Metals (as Pb) | <= 0.0005 %  | 0.0001 %                   |
| Insolubles           | <= 0.01 %  | 0.001 %                    |
| Iron                 | <= 0.0005 %  | 0.0001 %                   |
| Loss on Heating      | <= 1.0 %   | 0.03 %                     |
| Magnesium            | <= 0.005 %   | 0.001 %                    |
| Phosphate            | <= 0.001 %   | 0.001 %                    |
| Potassium            | <= 0.005 %   | 0.003 %                    |
| Purity               | >= 99.5 %  | 100.0 %                    |
| Silica               | <= 0.005 %   | 0.001 %                    |
| Sulfur Compounds     | <= 0.003 %   | 0.002 %                    |
| Extra Description:   | Meets Reagent Specifications for testing USP/NF monographs |                            |

Internal ID #: 710

#### Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 05/31/2024



# **Certificate of Analysis**

Material BDH9266-500G

Material Description BDH POTASS PHOSPHAT DBSC 500GM

Grade ACS GRADE

Batch 24H0856239
Reassay Date 04/19/2028
CAS Number 7758-11-4
Molecular Formula K2HPO4
Molecular Mass 174.18

Date of Manufacture 04/19/2024

Storage Room Temperature

| Characteristics            | Specifications                | Measured Values               |
|----------------------------|-------------------------------|-------------------------------|
| Appearance                 | Fine white crystalline powder | Fine white crystalline powder |
| Chloride                   | <= 0.003 %                    | 0.002 %                       |
| Heavy Metals (as Pb)       | <= 0.0005 %                   | <0.0005 %                     |
| Insolubles                 | <= 0.01 %                     | <0.01 %                       |
| Iron                       | <= 0.001 %                    | <0.001 %                      |
| Loss on Drying             | <= 1.0 %                      | <0.5 %                        |
| Nitrogen Compounds         | <= 0.001 %                    | <0.001 %                      |
| pH (5%, Water) @25C        | 8.5 - 9.6                     | 8.8                           |
| Purity                     | >= 98.0 %                     | 99.1 %                        |
| Sodium                     | <= 0.05 %                     | <0.05 %                       |
| Sulfate                    | <= 0.005 %                    | <0.002 %                      |
| CUSTOMER PART # BDH9266-50 | 0G                            |                               |

Internal ID #: 793

#### Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

VWR International LLC, Radnor Corporate Center, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA

Date Printed: 08/08/2024



# Certificate of Analysis

300 Technology Drive Christiansburg, VA 24073 USA inorganicventures.com

P: 800-669-6799/540-585-3030 F: 540-585-3012 info@inorganicventures.com

#### 1.0 **ACCREDITATION / REGISTRATION**

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).



#### 2.0 PRODUCT DESCRIPTION

Product Code: Multi Analyte Ion Chromatography Solution

Catalog Number: 300-CAL-A

Lot Number: V2-MEB742616

Matrix: H2O

Value / Analyte(s): 150 µg/mL ea:

Sulfate,

100 µg/mL ea: Bromide. 50 µg/mL ea:

o-Phosphate as P,

30 µg/mL ea:

Chloride, Nitrite as N,

25 µg/mL ea: Nitrate as N, 20 µg/mL ea: Fluoride

#### 3.0 **CERTIFIED VALUES AND UNCERTAINTIES**

**ANALYTE CERTIFIED VALUE CERTIFIED VALUE ANALYTE** 100.0 ± 0.5 μg/mL 30.01 ± 0.13 µg/mL

Bromide, Br Chloride, Cl

20.00 ± 0.07 µg/mL 25.00 ± 0.10 µg/mL Fluoride, F-Nitrate as N, NNO3-

30.00 ± 0.10 μg/mL 50.00 ± 0.18 μg/mL Nitrite as N, NNO2o-Phosphate as P, PPO4

Sulfate, SO4 150.0 ± 0.8 µg/mL

0.999 g/mL (measured at 20 ± 4 °C) Density:

**Assay Information:** 

| METHOD     | NIST SRM#   | SRM LOT#   |
|------------|---|--|
| IC Assay   | 3184  | 151130   |
| Fajans     | 999c  | 999c   |
| IC Assay   | 3182  | 190830   |
| Fajans     | 999c  | 999c   |
| IC Assay   | 3183  | 140203   |
| IC Assay   | 3185  | 170309   |
| IC Assay   | Traceable to 40H  | 08228TH-H2   |
| Calculated | 40h   | 40h  |
| IC Assay   | 3186  | 170606   |
| IC Assay   | 3181  | 080603   |
|            | IC Assay Fajans IC Assay Fajans IC Assay IC Assay IC Assay IC Assay Calculated IC Assay | IC Assay       3184         Fajans       999c         IC Assay       3182         Fajans       999c         IC Assay       3183         IC Assay       3185         IC Assay       Traceable to 40H         Calculated       40h         IC Assay       3186 |

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

| Characterization of CRM/RM by Two or More Methods   | Characterization of CRM/RM by One Method   |
|---|--|
| Certified Value, $\mathbf{X}_{\text{CRM/RM}}$ , where two or more methods of characterization are used is the weighted mean of the results: | Certified Value, X <sub>CRM/RM</sub> , where one method of characterization is used is the mean of individual results:       |
| $X_{CRM/RM} = \Sigma(w_i) (X_i)$  | $X_{CRM/RM} = (X_a) (u_{char} a)$  |
| X <sub>i</sub> = mean of Assay Method i with standard uncertainty u <sub>char i</sub>   | X <sub>a</sub> = mean of Assay Method A with   |
| $\mathbf{w_i}$ = the weighting factors for each method calculated using the inverse square of the variance:                                 | uchar a = the standard uncertainty of characterization Method A  |
| $\mathbf{w_i} = (1/u_{\text{char }i})^2 / (\Sigma(1/(u_{\text{char }i})^2)$   |  |
| CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k (u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$                                     | CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM}$ = k ( $u^2_{char}$ a + $u^2_{bb}$ + $u^2_{lts}$ + $u^2_{ts}$ ) <sup>1/2</sup> |
| k = coverage factor = 2   | k = coverage factor = 2  |
| $u_{char} = [\sum ((w_i)^2 (u_{char})^2)]^{1/2}$ where $u_{char}$ are the errors from each characterization method                          | u <sub>char a</sub> = the errors from characterization   |
| u <sub>bb</sub> = bottle to bottle homogeneity standard uncertainty   | u <sub>bb</sub> = bottle to bottle homogeneity standard uncertainty  |
| u <sub>lts</sub> = long term stability standard uncertainty (storage)   | u <sub>lts</sub> = long term stability standard uncertainty (storage)  |
| u <sub>ts</sub> = transport stability standard uncertainty  | u <sub>ts</sub> = transport stability standard uncertainty   |

#### 4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

#### 4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

#### 4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

#### 4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

#### 5.0 CHROMATOGRAM

N/A

#### 6.0 INTENDED USE

**6.1** This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

**6.2** For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures <u>Terms and Conditions of Sale</u>, <a href="https://www.inorganicventures.com/terms-and-conditions-sale">https://www.inorganicventures.com/terms-and-conditions-sale</a>. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

#### 7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

#### 7.1 Storage and Handling Recommendations

- Store between approximately 4° 30° C while in sealed TCT bag.
- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.
- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between  $4^{\circ}$   $24^{\circ}$  C to minimize the effects of transpiration. Use at  $20^{\circ} \pm 4^{\circ}$  C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.
- For more information, visit <a href="https://www.inorganicventures.com/TCT">www.inorganicventures.com/TCT</a>

#### 8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

#### 9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

#### 10.0 QUALITY STANDARD DOCUMENTATION

#### 10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

#### 10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

#### 10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

#### 11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

#### 11.1 Certification Issue Date

April 02, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

#### 11.2 Lot Expiration Date

- April 02, 2029
- The date after which this CRM/RM should not be used.
- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

#### 11.3 Period of Validity

- Sealed TCT Bag Open Date: \_\_\_\_\_
- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

### 12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS Certificate Prepared By:

Uyen Truong Custom Processing Supervisor

Mya Trum

#### Certificate Approved By:

Thomas Kozikowski Stock VS Manager DD9784.

#### **Certifying Officer:**

Paul Gaines Chairman / Senior Technical Director



#### W3195 Received on 03/19/2025 by IZ

# Certificate of Analysis

Material BDH9208-500G

Material Description BDH AMMONIUM CHLORIDE ACS 500G

Grade USPREAGENT (ACS GRADE)

Batch 24L0356561
Reassay Date 08/31/2027
CAS Number 12125-02-9
Molecular Formula NH4Cl
Molecular Mass 53.49

Date of Manufacture 08/01/2024

Storage Room Temperature

| Characteristics      | Specifications   | Measured Values       |
|----------------------|--|-----------------------|
| Appearance           | White granular powder                                      | White granular powder |
| Calcium              | <= 0.001 %   | 0.001 %               |
| Heavy Metals (as Pb) | <= 0.0005 %  | <0.0002 %             |
| Insolubles           | <= 0.005 %   | 0.001 %               |
| Iron                 | <= 0.0002 %  | <0.0002 %             |
| Magnesium            | <= 0.0005 %  | 0.0001 %              |
| pH (5%, Water) @25C  | 4.5 - 5.5  | 4.8                   |
| Phosphate            | <= 0.0002 %  | <0.0002 %             |
| Purity               | >= 99.5 %  | 99.8 %                |
| Residue on Ignition  | <= 0.01 %  | 0.003 %               |
| Sulfate              | <= 0.002 %   | <0.002 %              |
| Extra Description:   | Meets Reagent Specifications for testing USP/NF monographs |                       |

Internal ID #: 710

#### Signature Additional Information

We certify that this batch conforms to the specifications listed above.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits

Product meets analytical specifications of the grades listed.

#### W3196 Received on 03/19/2025 by IZ

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com

Outside USA: eurtechserv@sial.com

**Certificate of Analysis** 

NH₄CI

Ammonium chloride - ACS reagent, ≥99.5%

Product Name:

Product Number: 213330

Batch Number: MKCV1009

Brand: SIGALD

CAS Number: 12125-02-9
MDL Number: MFCD00011420

Formula: H4CIN

Formula Weight: 53.49 g/mol

Quality Release Date: 23 OCT 2023

Recommended Retest Date: SEP 2026

| Test                      | Specification                  | Result    |
|---------------------------|--------------------------------|-----------|
| Appearance (Color)        | White                          | White     |
| Appearance (Form)         | Powder or Crystals or Chunk(s) | Crystals  |
| Titration by AgNO3        | ≥ 99.5 %                       | 100.2 %   |
| pH                        | 4.5 - 5.5                      | 4.9       |
| @ 25 Deg c (5% Solution)  |                                |           |
| Insoluble Matter          | ≤ 0.005 %                      | 0.001 %   |
| 10%, H2O                  |                                |           |
| Residue on ignition (Ash) | ≤ 0.01 %                       | < 0.01 %  |
| Calcium (Ca)              | ≤ 0.001 %                      | < 0.001 % |
| Magnesium (Mg)            | ≤ 5 ppm                        | 1 ppm     |
| Heavy Metals              | < 5 ppm                        | < 1 ppm   |
| by ICP                    |                                |           |
| Iron (Fe)                 | < 2 ppm                        | < 1 ppm   |
| Phosphate (PO4)           | ≤ 2 ppm                        | < 2 ppm   |
| Sulfate (SO4)             | ≤ 0.002 %                      | < 0.002 % |
| Meets ACS Requirements    | Current ACS Specification      | Conforms  |
| Recommended Retest Period |                                |           |
| 3 Years                   |                                |           |

Larry Coers, Director

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1 Page 1 of 2

Sigma-Aldrich<sub>®</sub>

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

### Certificate of Analysis

Product Number: 213330
Batch Number: MKCV1009

Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1 Page 2 of 2

| 300.0 / 9056A   |
|-----------------|
| Method:         |
| Analyst: NF     |
| Instrument IC-1 |

| Initial Analyet              | 10 NF/IZ   |
|------------------------------|---|
| date time                    | 3/21/2025 10:45 3/21/2025 11:07 3/21/2025 11:08 3/21/2025 11:50 3/21/2025 11:50 3/21/2025 12:32 3/21/2025 12:32 3/21/2025 12:32 4/3/2025 13:58 4/3/2025 10:43 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50 4/3/2025 12:50   |
| on SO4 Method name date time | 0   C1-032125<br>3.247   C1-032125<br>5.998   C1-032125<br>7.216   C1-032125<br>30.502   C1-032125<br>36.695   C1-032125<br>15.269   C1-032125<br>0   C1-032125<br>0   C1-032125<br>0   C1-032125<br>24.892   C1-032125<br>10.666   C1-032125<br>24.892   C1-032125<br>24.892   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125<br>10.666   C1-032125                             |
| Con HPO4 Con SO4             | 0<br>1.052<br>1.993<br>2.407<br>4.968<br>10.256<br>12.323<br>5.199<br>0<br>5.226<br>0<br>2.108<br>2.367<br>1.573<br>0<br>0<br>0<br>2.367<br>1.573   |
| Con NO3                      | 0<br>0.523<br>1.001<br>1.226<br>2.493<br>5.011<br>6.247<br>2.568<br>0<br>2.559<br>0<br>0<br>2.571<br>2.479<br>0<br>0<br>0<br>0<br>0<br>2.571<br>2.573<br>0<br>0<br>0<br>2.573<br>0<br>0<br>0<br>2.563<br>0<br>0<br>0<br>2.563<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0  |
| Con BR-                      | 0<br>2.075<br>3.994<br>4.904<br>10.03<br>19.975<br>25.022<br>10.387<br>0<br>0<br>0.215<br>10.43<br>10.101<br>0<br>0<br>0.221<br>0<br>0<br>0.221<br>0<br>0<br>0.221<br>0<br>0<br>0.221   |
| N02                          | 0<br>0.631<br>1.203<br>1.468<br>2.995<br>5.986<br>7.517<br>3.08<br>0<br>0<br>3.103<br>0<br>0<br>3.103<br>0<br>0<br>3.103<br>0<br>0<br>3.376<br>2.983<br>0<br>0<br>3.3776<br>2.983<br>0<br>0<br>3.3776<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>3.3776<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0 |
| Con CL- Con                  | 0.619<br>0.619<br>1.199<br>1.199<br>5.988<br>7.51<br>3.038<br>0.122<br>3.119<br>0<br>26.59<br>28.881<br>28.857<br>20.1<br>0.047<br>427.687<br>2.364<br>3.687<br>3.107   |
| Con F-                       | 0.421<br>0.795<br>0.977<br>1.993<br>4.034<br>4.979<br>2.034<br>0<br>0.332<br>2.301<br>2.172<br>0.275<br>0.275<br>0.054<br>0.071<br>2.072  |
| ldent                        | STD1 STD2 STD3 STD4 STD5 STD6 STD6 STD6 STD7 ICV ICB CCV CCB LB135296BLW Q1711-01 Q1711-02MS Q1711-03MSD Q1711-04 Q1711-04 Q1711-04 Q1711-04 Q1711-01 Q1711-04 CCV CCB CCV CCB  |
|                              |   |



Product Name:

#### W3201 Received on 4/16/25 by IZ

3050 Spruce Street, Saint Louis, MO 63103, USA


Website: www.sigmaaldrich.com

Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

### **Certificate of Analysis**

Sodium tetraborate decahydrate - ACS reagent, ≥99.5%

**Product Number:** S9640 **Batch Number: BCCL9613** Brand: SIGALD CAS Number: 1303-96-4 Formula: B4Na2O7 · 10H2O Formula Weight: 381,37 g/mol Quality Release Date: 05 JUL 2024 Recommended Retest Date: MAY 2029



| Test                               | Specification               | Result      |
|------------------------------------|-----------------------------|-------------|
| Appearance (Color)                 | White                       | White       |
| Appearance (Form)                  | Powder or Crystals          | Powder      |
| Titration with NaOH                | 99.5 - 105.0 %              | 100.7 %     |
| pH                                 | 9.15 - 9.20                 | 9.20        |
| 0.01 m Solution at 25 Deg C        |                             |             |
| Meets ACS Requirements             | Corresponds to Requirements | Corresponds |
| ACS Specifications                 | Corresponds to Requirements | Corresponds |
| Insoluble Matter <= 0.005% / Heavy |                             |             |
| Metals (As Pb) <= 0.001%           |                             |             |
| Calcium (Ca)                       | < 50 mg/kg                  | < 50 mg/kg  |
| Iron (Fe)                          | ≤ 5 mg/kg                   | < 5 mg/kg   |
| Total Sulfur                       | < 50 mg/kg                  | < 50 mg/kg  |
| as SO4 (ICP)                       |                             |             |
| Chloride (CI)                      | ≤ 10 mg/kg                  | < 10 mg/kg  |
| Phosphate (PO4)                    | ≤ 10 mg/kg                  | < 10 mg/kg  |

Dr.Reinhold Schwenninger

Quality Assurance Buchs, Switzerland CH

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Version Number: 1 Page 1 of 1

3050 Spruce Street, Saint Louis, MO 63103, USA

KH<sub>2</sub>PO<sub>4</sub>

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Product Name: Certificate of Analysis

Potassium phosphate monobasic - ACS reagent, ≥99.0%

Product Number: P0662
Batch Number: MKCX1379

 Brand:
 SIGALD

 CAS Number:
 7778-77-0

 MDL Number:
 MFCD00011401

Formula: H2KO4P
Formula Weight: 136.09 g/mol
Quality Release Date: 27 JAN 2025
Recommended Retest Date: JAN 2029

| Test                      | Specification      | Result    |
|---------------------------|--------------------|-----------|
| Appearance (Color)        | White              | White     |
| Appearance (Form)         | Powder or Crystals | Crystals  |
| Assay                     | ≥ 99.0 %           | 99.9 %    |
| Insoluble Matter          | ≤ 0.01 %           | < 0.01 %  |
| Loss on Drying            | ≤ 0.2 %            | < 0.1 %   |
| At 105°C                  |                    |           |
| рН                        | 4.1 - 4.5          | 4.5       |
| (c = 5%, 25  deg  C)      |                    |           |
| Chloride Content          | ≤ 0.001 %          | < 0.001 % |
| Sulfate (SO4)             | ≤ 0.003 %          | < 0.003 % |
| Heavy Metals              | ≤ 0.001 %          | < 0.001 % |
| by ICP                    |                    |           |
| Iron (Fe)                 | ≤ 0.002 %          | < 0.001 % |
| Sodium (Na)               | ≤ 0.005 %          | < 0.001 % |
| Recommended Retest Period |                    |           |
| 4 Years                   |                    |           |

Larry Coers, Director Quality Control Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 2 Page 1 of 1

1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

Sodium Hypochlorite Solution, 5% available Chlorine

Lot Number: 2506M51 Product Number: 7495.5

Manufacture Date: JUN 18, 2025

Expiration Date: DEC 2025

This solution is subject to slow decomposition upon exposure to air. Keep container tightly capped. Refrigeration may improve stability. When used in the Phenate method for Ammonia, APHA recommends replacing this solution about every 2 months.

| Name                | CAS#      | Grade      |
|---------------------|-----------|------------|
| Water               | 7732-18-5 | Commercial |
| Sodium Hypochlorite | 7681-52-9 | Commercial |

| Test                                  | Specification                       | Result                          | NIST SRM# |
|---------------------------------------|-------------------------------------|---------------------------------|-----------|
| Appearance                            | Colorless to greenish-yellow liquid | Passed                          |           |
| Assay (vs. Sodium Thiosulfate/Starch) | 4.75-5.25 % (w/w) Cl <sub>2</sub>   | $5.17~\%$ (w/w) $\mathrm{Cl_2}$ | 136       |

| Specification           | Reference         |
|-------------------------|-------------------|
| Sodium Hypochlorite, 5% | APHA (4500-NH3 F) |
| Sodium Hypochlorite     | ASTM (D 4785)     |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 7495.5-1    | 4 L black poly      | 6 months                        |
| 7495.5-16   | 500 mL amber poly   | 6 months                        |
| 7495.5-32   | 1 L amber poly      | 6 months                        |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Jose Pena (06/18/2025) Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 2506M51 Product Number: 7495.5 Page 1 of 1