

## Report of Analysis

Client:	Kleinfelder		Date Collected:	11/13/25
Project:	Logan School		Date Received:	11/13/25
Client Sample ID:	PIBLK-PD091160.D		SDG No.:	Q3614
Lab Sample ID:	I.BLK-PD091160.D		Matrix:	WATER
Analytical Method:	8081B		% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol: 10000 uL	Test:	PESTICIDE Group1
Prep Method:	3510C	Prep Date:		

CAS Number	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID
<b>TARGETS</b>									
309-00-2	Aldrin	0.0036	U	1	0.0036	0.050	ug/L	11/13/25	pd111325
60-57-1	Dieldrin	0.0036	U	1	0.0036	0.050	ug/L	11/13/25	pd111325
72-55-9	4,4-DDE	0.0037	U	1	0.0037	0.050	ug/L	11/13/25	pd111325
72-54-8	4,4-DDD	0.0071	U	1	0.0071	0.050	ug/L	11/13/25	pd111325
50-29-3	4,4-DDT	0.0035	U	1	0.0035	0.050	ug/L	11/13/25	pd111325
<b>SURROGATES</b>									
2051-24-3	Decachlorobiphenyl	21.1			31 - 149	105%	SPK: 20		
877-09-8	Tetrachloro-m-xylene	23.4			41 - 134	117%	SPK: 20		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit