



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Dal-Tile

SDG No.: Q3616

Contract: DALT01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB117	Mercury	0.076	+/-0.2	U	0.20	CV	11/17/2025	12:56	LB137914

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Dal-Tile

SDG No.: Q3616

Contract: DALT01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Mercury	0.076	+/-0.2	U	0.20	CV	11/17/2025	13:08	LB137914
CCB02	Mercury	0.076	+/-0.2	U	0.20	CV	11/17/2025	13:41	LB137914
CCB03	Mercury	0.076	+/-0.2	U	0.20	CV	11/17/2025	13:55	LB137914

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Dal-Tile

SDG No.: Q3616

Contract: DALT01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	13:21	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	13:21	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	13:21	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	13:21	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	13:21	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	13:21	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	13:21	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	13:21	LB137889

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Dal-Tile

SDG No.: Q3616

Contract: DALT01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	13:50	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	13:50	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	13:50	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	13:50	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	13:50	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	13:50	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	13:50	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	13:50	LB137889
CCB02	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	14:39	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	14:39	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	14:39	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	14:39	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	14:39	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	14:39	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	14:39	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	14:39	LB137889
CCB03	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	15:51	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	15:51	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	15:51	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	15:51	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	15:51	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	15:51	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	15:51	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	15:51	LB137889
CCB04	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	16:40	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	16:40	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	16:40	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	16:40	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	16:40	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	16:40	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	16:40	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	16:40	LB137889
CCB05	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	17:31	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	17:31	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	17:31	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	17:31	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	17:31	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	17:31	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	17:31	LB137889

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Dal-Tile

SDG No.: Q3616

Contract: DALT01

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB05	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	17:31	LB137889
CCB06	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	18:25	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	18:25	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	18:25	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	18:25	LB137889
	Lead	2.30	+/-6	U	12.0	P	11/13/2025	18:25	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	18:25	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	18:25	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	18:25	LB137889
CCB07	Arsenic	5.12	+/-10	U	20.0	P	11/13/2025	18:42	LB137889
	Cadmium	0.50	+/-3	U	6.00	P	11/13/2025	18:42	LB137889
	Chromium	2.12	+/-5	U	10.0	P	11/13/2025	18:42	LB137889
	Copper	4.60	+/-10	U	20.0	P	11/13/2025	18:42	LB137889
	Lead	3.19	+/-6	J	12.0	P	11/13/2025	18:42	LB137889
	Nickel	3.06	+/-20	U	40.0	P	11/13/2025	18:42	LB137889
	Selenium	9.64	+/-10	U	20.0	P	11/13/2025	18:42	LB137889
	Zinc	16.7	+/-20	U	40.0	P	11/13/2025	18:42	LB137889