

## Cover Page

**Order ID :** Q3618

**Project ID :** Whittaker Coatings Site – E9125B

**Client :** ENTACT

**Lab Sample Number**

Q3618-01  
Q3618-02

**Client Sample Number**

EME-TOP-SOIL  
EME-GENERAL-FILL

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 12/3/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

## **CASE NARRATIVE**

### **ENTACT**

**Project Name: Whittaker Coatings Site – E9125B**

**Project # N/A**

**Order ID # Q3618**

**Test Name: VOC-TCLVOA-10,SVOC-SIMGroup1,SVOC-TCL BNA -20, EPH,Herbicide,PCB,Pesticide-TCL,Mercury,Metals ICP-TAL, Cyanide, Hexavalent Chromium,pH,TOC,Trivalent Chromium**

### **A. Number of Samples and Date of Receipt:**

2 Solid samples were received on 11/12/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10,SVOC-SIMGroup1,SVOC-TCL BNA -20,EPH, Herbicide, PCB, Pesticide-TCL,Mercury,Metals ICP-TAL,Cyanide,Hexavalent Chromium,pH,TOC, Trivalent Chromium. This data package contains results for VOC-TCLVOA-10(8260D), SVOC-SIMGroup1(8270-Modified),SVOC-TCL BNA -20(8270E), EPH(NJEPH), Herbicide(8151A),PCB(8082A),Pesticide-TCL(8081B),Mercury(7471B),Metals ICP-TAL(6010D),Cyanide(9012B),Hexavalent Chromium(7196A),pH(9045D), TOC (9060A), Trivalent Chromium(6010D).

### **C. Analytical Techniques:**

VOC-TCLVOA-10 : The analysis performed on instrument MSVOA\_Y were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868.The analysis of VOC-TCLVOA-10 was based on method 8260D.

SVOC-TCL BNA -20 : The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA\_G using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The samples were analyzed on instrument BNA\_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SVOC-TCL BNA -20 was based on method 8270E and extraction was done based on method 3541.

SVOC-SIMGroup1 : The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA\_N using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SVOC-SIMGroup1 was based on method 8270-Modified and extraction was done based on method 3541.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

**Herbicide :** The analysis was performed on instrument ECD\_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0.5  $\mu$ m df,; Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25  $\mu$ m df, Catalog #: 11324. The analysis of Herbicides was based on method 8151A and extraction was done based on method 3541.

**EPH :** The analysis were performed on instrument FID\_G. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18  $\mu$ m df, catalog 13302. The analysis were performed on instrument FID\_F. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18  $\mu$ m df, catalog 13302. The analysis of EPHs was based on method NJEPH and extraction was done based on method 3541.

**Pesticide-TCL :** The analysis was performed on instrument ECD\_D. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5  $\mu$ m df,; Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25  $\mu$ m df, Catalog #: 7HMG017- 11. The analysis of Pesticide-TCLs was based on method 8081B and extraction was done based on method 3541.

**PCB :** The analyses were performed on instrument GCECD\_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5  $\mu$ m df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25  $\mu$ m; Catalogue # 7HM-G017-11. The analyses were performed on instrument GCECD\_O. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5  $\mu$ m df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25  $\mu$ m; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

**Mercury, Metals ICP-TAL :** The analysis of Metals ICP-TAL was based on method 6010D, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

**Wetchem :** The analysis of Trivalent Chromium was based on method 6010D, The analysis of Hexavalent Chromium was based on method 7196A, The analysis of Cyanide was based on method 9012B, The analysis of pH was based on method 9045D and The analysis of TOC was based on method 9060A.

#### **D. QA/ QC Samples:**

The Holding Times were met for all analysis except following Wetchem : EME-GENERAL-FILL of pH and for EME-TOP-SOIL of pH as samples were receive out of holding time.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

The Surrogate recoveries were met for all analysis except following SVOC-SIMGroup1 : PB170590BS [2-Fluorobiphenyl - 122%], marginally high The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds except following EPH : The MS {Q3586-03MS} with File ID: FG016960.D recoveries met the requirements for all compounds except for Aliphatic [Naphthalene (C11.7)- 0%, 2-methylnaphthalene (C12.89)- 0%], these analytes are only being monitoring in aliphatic fraction.

The MS {Q3586-03MS} with File ID: FF016726.D recoveries met the requirements for all compounds except for Aromatic [Benzo[a]anthracene (C26.37)- 171%], Bnezo[k]fluoranthene (C30.14)- 147%], [benzo[b]fluoranthene (C30.41)- 162%] and [Indeno[1,2,3-cd]pyrene (C35.01)- 213%] due to matrix interference

PCB : The MS {Q3609-07MS} with File ID: PO115077.D recoveries met the requirements for all compounds except for [AR1016(1)440% - AR1016(2)218%] and [AR1260(2)164%] due to matrix interference.

Mercury, Metals ICP-TAL : The Matrix Spike (AU-713-COMP-01MS) analysis met criteria for all compounds except for Antimony, Potassium, Selenium, Sodium, Vanadium and Zinc due to Chemical Interference during Digestion process. The Matrix Spike (COMP-3MS) analysis met criteria for all compounds except for Mercury due to Sample matrix interference.

The MSD recoveries met the requirements for all compounds except following EPH : The MSD {Q3586-03MSD} with File ID: FG016961.D recoveries met the requirements for all compounds except for Aliphatic [n-Nonane (C9)- 39%] due to matrix interference. And for Aliphatic[Naphthalene (C11.7)- 0%, 2-methylnaphthalene (C12.89)- 0%], these analytes are only being monitoring in aliphatic fraction.

The MSD {Q3586-03MSD} with File ID: FF016727.D recoveries met the requirements for all compounds except for Aromatic [Benzo[a]anthracene (C26.37)- 176%], [Chrysene (C27.41)- 142%], [Bnezo[k]fluoranthene (C30.14)- 151%], [Dibenz[a,h]anthracene (C30.36)- 144%], [benzo[b]fluoranthene (C30.41)- 166%] and [Indeno[1,2,3-cd]pyrene (C35.01)- 220%] due to matrix interference



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

PCB : The MSD {Q3609-07MSD} with File ID: PO115078.D recoveries met the requirements for all compounds except for [AR1016(1)456% - AR1016(2)213%] and [AR1260(2)170%] due to matrix interference.

Mercury, Metals ICP-TAL : The Matrix Spike Duplicate (AU-713-COMP-01MSD) analysis met criteria for all compounds except for Antimony, Barium, Potassium, Selenium, Sodium, Vanadium and Zinc due to Chemical Interference during Digestion process.

The RPD were met for all analysis except following  
VOC-TCLVOA-10 : The RPD for {VY1113SBS01} with File ID: VY023777.D met criteria except for 1,2,3-Trichlorobenzene[20%], Due to difference in result of BS-BSD.

The Blank Spike met requirements for all compounds except following  
EPH : The Blank Spike for {PB170577BS} with File ID: FG016927.D met requirements for all samples except for aliphatic [Naphthalene (C11.7)- 0%, 2-methylnaphthalene (C12.89)-0%], these analytes compounds are only being monitoring in aliphatic fraction.

The Blank Spike Duplicate met requirements for all compounds except following  
EPH : The Blank Spike Duplicate for {PB170577BSD} with File ID: FG016928.D met requirements for all samples except for aliphatic [Naphthalene (C11.7)- 0%, 2-methylnaphthalene (C12.89)- 0%], these analytes compounds are only being monitoring in aliphatic fraction.

The Blank analysis did not indicate the presence of lab contamination.  
The Initial Calibration met the requirements except following  
SVOC-TCL BNA -20 : The %RSD is greater than 20% in the Initial Calibration (Method 8270- BG111225.M) for 2,4-Dinitrophenol, Pentachlorophenol, These Compounds are passing on Linear regression.

The %RSD is greater than 20% in the Initial Calibration (Method 8270-BP102925.M) for 2-Nitrophenol, 2-Nitroaniline, 2,6-Dinitrotoluene, 3-Nitroaniline, 2,4-Dinitrotoluene, Butylbenzylphthalate, Bis(2-ethylhexyl)phtha, These Compounds are passing on Linear regression and 2,4-Dinitrophenol, 4,6-Dinitro-2-methylph are passing on Quadratic regression.

The Continuous Calibration met the requirements except following  
VOC-TCLVOA-10 : The Continuous Calibration File ID VY023774.D met the requirements except for 4-Bromofluorobenzene which is not our target compound, therefore no corrective action taken.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

SVOC-TCL BNA -20 : The %RSD is greater than 20% in the Initial Calibration (Method 8270- BG111225.M) for 2,4-Dinitrophenol, Pentachlorophenol, These Compounds are passing on Linear regression

The Continuous Calibration File ID BP026126.D met the requirements except for 2,3,4,6-Tetrachlorophenol,2,4-Dinitrophenol,2-Nitrophenol,4,6-Dinitro-2-methylphenol, Di-n-octyl phthalate and 2,4,6-Tribromophenol, failing high but  
The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Tuning criteria met requirements.

The Duplicate analysis met criteria for all compounds except following Mercury, Metals ICP-TAL : The Duplicate (AU-713-COMP-01MSD) analysis met criteria for all compounds except for Iron, Manganese, Sodium and Zinc due to Chemical Interference during Digestion process.

Wetchem : The Duplicate (AU-713-COMP-01DUP) analysis met criteria for all compounds except for Hexavalent Chromium due to the results are below Reporting limit.

The Serial Dilution met the acceptable requirements.

#### **E. Additional Comments:**

The soil samples results are based on a dry weight basis.

Cyanide, Hexavalent Chromium, pH, TOC, Trivalent Chromium : Lab has used least representable sample weight for the Q3618-01 for TOC analysis. Therefore Lab has reported the TOC result with "OR" qualifier.

Mercury, Metals ICP-TAL : In analytical Sequence LB137889, The % Recovery outside limit for Potassium and Sodium for CCV06 and CCV07 but, no any sample associated under this CCVs.

In analytical Sequence LB137889, The Result outside limit for Potassium and Sodium for CCB06 and CCB07 but, no any sample associated under this CCBs.

VOC-TCLVOA-10 : Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

#### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 7092, Phone: 908 789 8900, Fax: 908 789 8922

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q3618

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MAYUR DESAI

Date: 12/03/2025