



Lab Name:	<u>Alliance</u>	Contract:	<u>ENTA05</u>	
Lab Code:	<u>ACE</u>	SDG NO.:	<u>Q3618</u>	
Instrument ID:	<u>ECD_S</u>	Calibration Date(s):	<u>11/03/2025</u>	<u>11/03/2025</u>
		Calibration Times:	<u>09:40</u>	<u>11:17</u>

LAB FILE ID:	RT 200 =	<u>PS032226.D</u>	RT 500 =	<u>PS032227.D</u>
RT 750 =	PS032228.D	RT 1000 =	PS032229.D	RT 1500 =
				PS032230.D

[illegible]

RETENTION TIMES OF INITIAL CALIBRATION

Lab Name:	<u>Alliance</u>	Contract:	<u>ENTA05</u>
Lab Code:	<u>ACE</u>	SDG NO.:	<u>Q3618</u>
Instrument ID:	<u>ECD_S</u>	Calibration Date(s):	<u>11/03/2025</u> <u>11/03/2025</u>
		Calibration Times:	<u>09:40</u> <u>11:17</u>

GC Column: RTX-CLP2 ID: 0.32 (mm)

LAB FILE ID:	RT 200 = <u>PS032226.D</u>	RT 500 = <u>PS032227.D</u>
RT 750 = <u>PS032228.D</u>	RT 1000 = <u>PS032229.D</u>	RT 1500 = <u>PS032230.D</u>

COMPOUND	RT 200	RT 500	RT 750	RT 1000	RT 1500	MEAN RT	RT WINDOW	
							FROM	TO
2,4,5-T	10.19	10.18	10.17	10.17	10.17	10.17	10.07	10.27
2,4,5-TP(Silvex)	9.75	9.75	9.74	9.74	9.74	9.75	9.65	9.85
2,4-D	8.89	8.87	8.86	8.86	8.86	8.87	8.77	8.97
2,4-DB	10.76	10.74	10.74	10.74	10.73	10.74	10.64	10.84
2,4-DCAA	7.63	7.62	7.62	7.62	7.61	7.62	7.52	7.72
DICAMBA	7.81	7.81	7.81	7.81	7.81	7.81	7.71	7.91
DICHLORPROP	8.53	8.52	8.52	8.52	8.52	8.52	8.42	8.62
Dinoseb	11.11	11.11	11.11	11.11	11.10	11.11	11.01	11.21